Keystone system

universal compatible individually configurable





Content

Keystone system	3
Advantages of the Keystone System	3
Standardization and assembly	4
Connection overview	5
Network	8
SAT/antenna	12
HDMI	13
Optical Fiber	14
RCA	15
Speakers	15
USB	16
Assembly	17
Panel	19

Keystone system

With the Keystone system there are no limits to the installation.

In more and more areas of signal transmission, you have to be creative these days and constantly develop individual solutions to construct connections. The home entertainment sector is always creating new possibilities and continues to evolve. The plug connections must therefore also adapt.

The keystone system has a special advantage here: The individual plug connections can be individually adapted to each other and vary the number of individual plugs without any problems.





laborious soldering and a complex assembly of cable systems now have an end a fast and simple solution for all connection requirements

Advantages of the Keystone System

Simple assembly


Thanks to snap-in assembly, no previous technical knowledge or laborious soldering is required. One screwdriver alone is enough to mount the keystone system.

Movable despite bracket

Even in the various keystone holders, the snap-in system allows the plugs to be extended by up to 180 degrees. With flat housings, it is therefore possible to use the cable without any problems, even without bending the plug.

Exceptional diversity

Thanks to the individual possibilities, the plug connections of the keynotes can be easily removed from each other even after assembly and exchanged with other plugs at any time.







individual and diverse plug options for already fixed cables and cable endpoints

Standardization and assembly


Standardized dimensions






Depth of construction

When installing the various modules, attention to the different mounting and installation depths is needed.



Snap-in assembly



Tool-free cable assembly

Cable fixation by twisting (93826, 93827)



Opening

Untwisting

Cable entry

Module without mounting depth

Wire mount



Turn off

Close

Keystone module with mounting

	I

Illustration	No.	Description	Connectio
	95738	Keystone module RJ45 CAT 5e, UTP	RJ45 fem
10	95739	Keystone module RJ45 CAT 5e, UTP	RJ45 fem
	51444	Keystone module CAT 5e, STP, slim type	2x RJ45 f
5	95740	Keystone module RJ45 CAT 6, UTP	RJ45 fem
The	95901	Keystone module RJ45 CAT 6, STP	RJ45 fem
51.	95742	Keystone module RJ45 CAT 6, UTP	RJ45 fem
	90863	Keystone module RJ45 CAT 6, STP	RJ45 fem
T	93826	Keystone module RJ45 CAT 6, UTP	RJ45 fem
	96100	Keystone module CAT 6, STP, slim type	2x RJ45 f
S	90692	Keystone module RJ45 CAT 6A, UTP, black	RJ45 fem
S	90688	Keystone module RJ45 CAT 6A, UTP, blue	RJ45 fem
T	90687	Keystone module RJ45 CAT 6A, UTP, green	RJ45 fem
T	90693	Keystone module RJ45 CAT 6A, UTP, light gray	RJ45 fem
S	90690	Keystone module RJ45 CAT 6A, UTP, orange	RJ45 fem
S	90689	Keystone module RJ45 CAT 6A, UTP, red	RJ45 fem
1	90867	Keystone module RJ45 CAT 6A, UTP, white	RJ45 fem
	90691	Keystone module RJ45 CAT 6A, UTP, yellow	RJ45 fem
Î	93827	Keystone module RJ45 CAT 6A, UTP	RJ45 fem
1	79448	Keystone module RJ45 CAT 6A, STP, slim-line	RJ45 fem

T

66460

66461

Keystone RJ45 module CAT 6A, STP, Ĩ 66462 RJ45 fen with shutter, red Keystone RJ45 module CAT 6A, STP, 1 66463 RJ45 fen with shutter, silver ŝ Keystone module RJ45 CAT 6A, STP, 90864 RJ45 fer slim-line A 95900 Keystone module RJ45 CAT 6A, STP RJ45 fen 3 90866 Keystone module RJ45 CAT 6A, STP 2x RJ45

Keystone RJ45 module CAT 6A, STP,

Keystone RJ45 module CAT 6A, STP,

with shutter, black

with shutter, blue

Connection 1	Connection 2	Width
RJ45 female (8P8C)	for IDC connectors (toolless)	20 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	18.11 mm
2x RJ45 female (8P8C)		15.95 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	16.7 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.2 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	16.2 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.5 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	16.6 mm
2x RJ45 female (8P8C)		15.9 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.1 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.1 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.1 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.1 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.1 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.1 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.1 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.1 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	16.7 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	14.8 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	15.8 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	15.8 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	15.8 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	15.8 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	16.3 mm
RJ45 female (8P8C)	for IDC connectors (toolless)	17.3 mm
2x RJ45 female (8P8C)		17.6 mm

SAT/ANTENNA

Illustration	No.	Description	Connection 1	Connection 2	Width
a.	79474	Keystone Module SAT/antenna	F female	F female	0 mm
SX.	79936	Keystone Module SAT/antenna	Coaxial female	F female	16.2 mm
	79933	Keystone Module SAT/antenna, flush mount	Coaxial female	F female	18.9 mm
ST.	79955	Keystone Module SAT/antenna	Coaxial male	F female	16.2 mm
and it	79938	Keystone Module SAT/antenna, flush mount	Coaxial male	F female	18.9 mm

HDMI

Illustration	No.	Description	Connection 1	Connection 2	Width
Ĩ	90856	HDMI™ Keystone module with 2x HDMI™ females	2x HDMI [™] females		17.18 mm

OPTICAL FIBER

Illustration	No.	Description	Connection 1	Connection 2	Width
RR	80000	KeyStone fibre optic cable module	2 LC-Duplex female		17.2 mm
	80017	KeyStone fibre optic cable module	2 SC-Simplex female		17 mm
a.	80003	KeyStone fibre optic cable module	2 ST-Simplex female		17.2 mm

RCA

Illustration	No.	Description	Connection 1	Connection 2	Width
a.	79669	Keystone Cinch/RCA module. red	2 RCA female		14.7 mm
a	79676	Keystone Cinch/RCA module. white	2 RCA female		16.2 mm
a c	79672	Keystone Cinch/RCA module. yellow	2 RCA female		16.2 mm
a:	79702	Keystone Cinch/RCA module. red	RCA female	F female	14.7 mm
ar	79727	Keystone Cinch/RCA module. white	RCA female	F female	16.2 mm
a:	79799	Keystone Cinch/RCA module. yellow	RCA female	F female	16.2 mm

SPEAKERS

Illustration	No.	Description	Connection 1	Connection 2	Width
a le	79476	Keystone module speaker. black	Banana female		16.2 mm
see.	79484	Keystone module speaker. red	Banana female		16.2 mm

USB					
Illustration	No.	Description	Connection 1	Connection 2	Width
Ĩ	79930	KeyStone USB module. can be installed on both sides	USB 2.0 female (type A)	USB 2.0 female (type B)	16.9 mm
Ĩ	79909	KeyStone USB module	2 USB 2.0 female (type A)		17.2 mm
A	79925	Keystone USB module	2 USB 2.0 female (type B)		16.8 mm
ĩ	79927	KeyStone USB module	2 USB 3.0 female (type A)		18.3 mm

ASSEMBLY

Illustration	No.	Description	Connection 1	Connection 2	Width
i C	79990	Keystone cover (pack of 4), black			
2	79816	Keystone cover (pack of 4), white			
	93825	Keystone Frame, designable			
0	95902	Faceplate to mount keystone jacks			
J	95903	Faceplate to mount keystone jacks			
	96502	Keystone on-wall mounting frame			
C.	79883	Keystone holder/bezel for device installation			
2	79355	Keystone empty housing 1 port			
n n	79366	Keystone empty housing 2 port			
	79376	Keystone empty housing 4 port			
	79379	Keystone empty housing 6 port			
	79426	Keystone empty housing 8 port			

PANEL



6

Connection 2	Width
	Connection 2

Goobay





Goobay

95738 Bulk

Keystone module RJ45 CAT 5e, UTP, 100 MHz

20 mm width, for IDC connectors (toolless)

- · can be mounted in Keystone panels up to 24 ports or wall outlets
- connectors have TIA 568A/B colour code
- suitable for PoE+ according to IEEE 802.3at









Keystone module RJ45 CAT 5e, UTP, 100 MHz 18.11 mm width, for IDC connectors (toolless), SNAP-IN

- can be mounted in Keystone panels up to 24 ports or wall outlets
- connectors have TIA 568A/B colour code
- mounting form: 14.7 mm
- suitable for PoE+ according to IEEE 802.3at







95742 Bulk



- zinc-alloy housing

90863 Bulk

Goobay





Goobay

Keystone module RJ45 CAT 6, UTP, 250 MHz

16.7 mm width, for IDC connectors (toolless)


- can be mounted in Keystone panels up to 24 ports or wall outlets
- connectors have TIA 568A/B colour code
- suitable for PoE+ according to IEEE 802.3at











Please refer to order-codes when placing an order. Illustration and packaging similar. Changes and errors excepted. Other products on request.

























95739 Bulk

Goobay

Keystone module CAT 5e, STP, slim type 15.95 mm width, 2 RJ45 female (8P8C)

- · for easy snap-in mounting in e.g. a Keystone patchpanel, face plate or surface-mount box
- modular coupler to link two network cable
- for Keystone ports with 19.2 x 14.9 mm
- pin out 1:1
- metal housing
- suitable for PoE+ according to IEEE 802.3at

51444 Bulk





































Keystone module RJ45 CAT 6, STP, 250 MHz

17.2 mm width, for IDC connectors (toolless), 90° angled output

• can be mounted in Keystone panels up to 24 ports or wall outlets • connectors have TIA 568A/B colour code metal housing

• suitable for PoE+ according to IEEE 802.3at

95901 Bulk



Goobay

Keystone module RJ45 CAT 6, UTP, 250 MHz 16.2 mm width, for IDC connectors (toolless), SNAP-IN

• can be mounted in Keystone panels up to 24 ports or wall outlets • connectors have TIA 568A/B colour code • mounting form: 16.7 mm



Goobay

Keystone module RJ45 CAT 6, STP, 250 MHz

17.3 mm width, for IDC connectors (toolless), SNAP-IN

• connectors have TIA 568A/B colour code • can be mounted in Keystone panels up to 24 ports or wall outlets • mounting form: 17.3 mm • supports 10 gigabit ethernet application • suitable for Power over Ethernet (PoE) according to IEEE 802.3 af • strain-relief by cable tie



Keystone module RJ45 CAT 6, UTP, 250 MHz

16.6 mm width, for IDC connectors (toolless), with rotating button

• can be mounted in Keystone panels up to 24 ports or wall outlets • suitable for round cable AWG 22-24, max. cable diameter: 7.5 mm • connectors have TIA 568A/B colour code

• suitable for Power over Ethernet (PoE) according to IEEE 802.3 af







Goobay

Keystone module CAT 6, STP, slim type 15.9 mm width, 2 RJ45 female (8P8C)

- · for easy snap-in mounting in e.g. a Keystone patchpanel,
- face plate or surface-mount box
- · modular coupler to link two network cable
- for Keystone ports with 19.2 x 14.9 mm
- pin out 1:1

96100 Bulk

Goobay

plastic housing

black

blue

green

Goobay

- metal housing
- suitable for PoE+ according to IEEE 802.3at





Goobay

- black

blue

Goobay

slim-line

- zinc-alloy housing

90864 Bulk



- metal housing

90866 Bulk

93827 Bulk Goobay








79448 Bulk





Other products on request.































Goobay

• strain-relief by cable tie · zinc-alloy housing

95900 Bulk







- can be mounted in Keystone panels up to 24 ports or wall outltes • connectors have TIA 568A/B colour code
- supports 10 gigabit ethernet application
- suitable for Power over Ethernet (PoE) according to IEEE 802.3 af
- strain-relief by cable tie
- fully shielded zinc-alloy housing

90692 Bulk red white 90688 Bulk 90687 Bulk yellow light gray 90693 Bulk orange

Keystone module RJ45 CAT 6A, UTP

• connectors have TIA 568A/B colour code

16.7 mm width, for IDC connectors (toolless), with rotating button

• can be mounted in Keystone panels up to 24 ports or wall outlets

• suitable for round cable AWG 22-24, max. cable diameter: 7.5 mm

• suitable for Power over Ethernet (PoE) according to IEEE 802.3 af

Keystone module RI45 CAT 6A, UTP

· can be mounted in Keystone panels or wall outlets

• connectors have TIA 568A/B colour code

17.1 mm width, crocodile type, for IDC connectors (toolless)

- 90689 Bulk 90867 Bulk 90691 Bulk 90690 Bulk











Keystone RJ45 module CAT 6A, STP, with shutter

15.8 mm width, crocodile type, for IDC connectors (toolless)

• can be mounted in Keystone panels up to 24 ports or wall outltes • connectors have TIA 568A/B colour code • supports 10 gigabit ethernet application • with practical dust cover – various colours for structured cabling

• strain-relief by cable tie

fully shielded zinc-alloy housing

red	66462 Bulk
silver	66463 Bulk

Keystone module RI45 CAT 6A, STP, 500 MHz,

16.3 mm width, crocodile type, for IDC connectors (toolless)

• can be mounted in Keystone panels up to 24 ports or wall outlets • connectors have TIA 568A/B colour code

• mounting form: 16.3 mm

• supports 10 gigabit ethernet application

• suitable for Power over Ethernet (PoE) according to IEEE 802.3 af

• strain-relief by cable tie



Keystone module RJ45 CAT 6A, STP

17.3 mm width, butterfly type, for IDC connectors (toolless)

• can be mounted in Keystone panels up to 24 ports or wall outltes • connectors have TIA 568A/B colour code • mounting form: 17.3 mm supports 10 gigabit ethernet application • suitable for Power over Ethernet (PoE) according to IEEE 802.3 af

Keystone module RJ45 CAT 6A, STP


17.6 mm width, crocodile type, 2 RJ45 female (8P8C)

· for easy snap-in mounting in e.g. a Keystone patchpanel, face plate or surface-mount box modular coupler to link two network cable





11



Please refer to order-codes when placing an order. Illustration and packaging similar. Changes and errors excepted. Other products on request.

Keystone Module SAT/antenna, flush mount


• for installation in the KeyStone patch panels, wall sockets,

• for flush installation in panel or housings

HDMI[™] Keystone module with 2x HDMI[™] females for connection of pre-installed HDMI[™] cables

• can be mounted in Keystone panels up to 24 ports or wall outlets







KeyStone fibre optic cable module 17.2 mm width, 2 ST-Simplex female

- · for installation in the KeyStone patch panels, sockets, housing and so on
- for multimode fibres
- plastic housing









- gold plated
- plastic housing

black red

Keystone Cinch/RCA module

14.7 mm width, 2 RCA female, gold-plated

· for installation in the KeyStone patch panels, sockets,

79669	Bulk
79676	Bulk
79672	Bulk



Keystone Cinch/RCA module

14.7 mm width, RCA female > F female; gold-plated

• for installation in the KeyStone patch panels, sockets,

79702	Bulk
79727	Bulk
79799	Bulk



SPEAKERS

Keystone module speaker

16.2 mm width, Pole terminal > insert nut

• for installation in the KeyStone patch panels, sockets, housing and so on

79476	Bulk
79484	Bulk



black

white














- · for installation in the KeyStone patch panels, sockets, housing and so on
- plastic housing





Goobay

KeyStone USB module 17.2 mm width, 2 USB 2.0 female (Type A)

- · for installation in the KeyStone patch panels, sockets, housing and so on
- plastic housing

79909 Bulk

Goobay







95902 Bulk

95903 Bulk

96502 Bulk

· for installation in the KeyStone patch panels, sockets,







79925 Bulk

KeyStone USB module

18.3 mm width, 2 USB 3.0 female (Type A)

- · for installation in the KeyStone patch panels, sockets, housing and so on
- plastic housing








79927 Bulk





Please refer to order-codes when placing an order. Illustration and packaging similar. Changes and errors excepted. Other products on request.



Keystone USB module

16.8 mm width, 2 USB 2.0 female (Type B)





























93825 Bulk

Goobay

Goobay Faceplate to mount keystone jacks

for 3x RJ45 SNAP-IN modules

• to be mounted in cable duct

Goobay

Goobay

Keystone cover (pack of 4)

to be used as dust cover

· for installation in the KeyStone patch panels, sockets, housing and so on plastic housing

> 79990 Bulk 79816 Bulk

Goobay

Keystone Frame, designable

for holding 2 slim Keystone

• does not include module and central plate • design suitable, compatible with TAE central plates made by switch range manufacturers • 40° angled outlet

Faceplate to mount keystone jacks for 2x RJ45 SNAP-IN modules

• to be mounted in cable duct

Keystone on-wall mounting frame

suitable for Keystone faceplate 80x80 2 port/3port

includes 2 screws










Please refer to order-codes when placing an order. Illustration and packaging similar. Changes and errors excepted.



Keystone empty housing 6 port

with easy snap-in assembly

• for use on the wall or in housings

Keystone empty housing 8 port with easy snap-in assembly

• for use on the wall or in housings

19 inch (48.3 cm) Keystone blank Patch Panel (1 HE) for 24x Keystone modules

• patch panel (1U) for up to 24 installation cablecampo patch (1 U) per

max. 24 cavi di installazione

• suitable for easy snap-in mounting of 24 UTP/STP keystone jacks

• for assembly in 48.3 cm (19") panel boxes

· installation material and screws included

19 inch (48.3 cm) Keystone Patch Panel (1 HE) incl. 24x CAT 6 UTP jacks

• patch panel (1U) for up to 24 installation cable • suitable for easy snap-in mounting of 24 keystone jacks • with LSA compatible terminals • terminals with TIA 568 A/B color code · installation material and screws included



19



Please refer to order-codes when placing an order. Illustration and packaging similar. Changes and errors excepted.

Wentronic GmbH Pillmannstr. 12, 38112 Braunschweig, Germany

Tel/Fax +49 - 5 31 - 2 10 58 - 0/ -22 E-Mail: office@wentronic.com

wentronic.com