

2019

NEW Q2

Our product portfolio is constantly growing.


Discover exciting new products at a glance since the publication of the Wentronic product range.

CONTENT

TV & SAT	
COAXIAL CABLES – F-ANTENNA CABLES (SATELLITE TV)	2
COAXIAL CABLES – IEC-ANTENNA CABLES (TERRESTRIAL TV)	2
AUDIO/VIDEO	
HDMI – CABLE	3
DISPLAYPORT – CONNECTION CABLES	3
DVI – CONNECTION CABLES	4
RCA – CONNECTION CABLES	4
DIGITAL OPTO – CONNECTION CABLES	5
STEREO/MONO – CONNECTION CABLES	6
TAB & PHONE	
HEADPHONES & HEADSETS – WIRELESS	7
SCREEN PROTECTOR – FOR HUAWEI	8
CASES – FOR SAMSUNG	8
CASES – FOR HUAWEI	9
CABLES & ADAPTERS – SYNC & CHARGE	10-11
CABLES & ADAPTERS – AUDIO/VIDEO	11
CHARGERS – FOR CARS	12
CHARGERS – FOR WALL SOCKETS	13-15
POWERBANKS & BATTERY PACKS	16
HOLDER & STANDS – FOR HOME & OFFICE	17
NOTEBOOK & PC	
BAGS & BACKPACKS – BACKPACKS	18
USB – USB 2.0	18
USB – USB-C™ 3.1 GEN.1	19
USB – USB-C™ 3.1 GEN.2	20
LIGHTING	
LAMPS – OUTDOOR/WORK LIGHT	21-26
LAMPS – FLASHLIGHTS & LATERNES	27
POWER	
TRAVEL ADAPTERS	28
DOMESTIC APPLIANCES	29
POWER STRIPS – MULTIPLE POWER STRIPS	29-32
WORKSHOP	
SOLDERING – TIN-SOLDER, PUMPS & ACCESSORIES	33
BATTERIES	
STANDARD CELLS – ALKALINE	34
INDUSTRY CELLS – LSD-NIMH (READY-TO-USE)	34
INDUSTRY CELLS – BATTERY PACKS	35
CHARGERS	35



Shielding efficiency	75 dB
Cable type	round cable
Inner conductor material	CCS
Number of shieldings	1 x
Type 1, shielding	braid (aluminium) 64x
Cable sheath diameter (approx.)	5 mm
Ferrite core	yes
Kink protection	yes



Goobay Plus

SAT antenna connection cable

F male > F male

- suitable for analogue and digital reception
- gold-plated contact surfaces for optimum signal transmission
- high-quality metal connectors
- optimised bend protection and flexible cable sleeving

1.50 m	78503	Retail Polybag
3.00 m	78577	Retail Polybag
5.00 m	69867	Retail Polybag



TV & SAT – COAXIAL CABLES – IEC-ANTENNA CABLES (TERRESTRIAL TV)



Shielding efficiency	75 dB
Cable type	round cable
Inner conductor material	CCS
Number of shieldings	1 x
Type 1, shielding	braid (aluminium) 64x
Cable sheath diameter (approx.)	5 mm
Ferrite core	yes
Kink protection	yes



Goobay Plus

Antenna connection cable

Coaxial female > Coaxial male

- suitable for analogue and digital reception
- Reliable connection between the wall/multimedia outlet and the receiving device
- gold-plated contact surfaces for optimum signal transmission
- high-quality metal connectors
- optimised bend protection and flexible cable sleeving
- including a male to male coupler

1.50 m	78066	Retail Polybag
3.00 m	78116	Retail Polybag
5.00 m	78355	Retail Polybag





Goobay Plus

HighSpeed HDMI™ connection cable with Ethernet

HDMI™ male (type A) > HDMI™ male (type A)

- HighSpeed HDMI™ for 3D and Ultra HD up to 4K @ 50/60 Hz (2160 p)
- gold-plated contact surfaces for optimum signal transmission
- high-quality metal connectors
- optimised bend protection and flexible cable sleeving

1.00 m	75053	Retail Polybag
1.50 m	75603	Retail Polybag
2.00 m	75777	Retail Polybag
3.00 m	75844	Retail Polybag
5.00 m	75919	Retail Polybag



Goobay

Ultra High Speed HDMI™ Cable

High speed cable for 8K@60 Hz

- Ultra High Speed HDMI™ for 3D and ultra-HD up to 8K@60 Hz (4320p) and 4K@120 Hz (2160p)
- 48 Gbps bandwidth for uncompressed 8K video (7680 x 4320 p) with HDR
- Enhanced Audio Return Channel (eARC), Dynamic HDR
- HDCP 2.2
- Variable Refresh Rate (VRR)
- gold-plated contact surfaces for optimum signal transmission

0.50 m	41081	Retail Polybag
1.00 m	41082	Retail Polybag
1.50 m	41083	Retail Polybag
2.00 m	41084	Retail Polybag



AUDIO/VIDEO – DISPLAYPORT – CONNECTION CABLES



Goobay Plus

DisplayPort connection cable

DisplayPort male > DisplayPort male

- DisplayPort to DisplayPort for 3D and Ultra HD up to 4K @ 50/60 Hz (2160 p)
- gold-plated contact surfaces for optimum signal transmission
- high-quality metal connectors
- optimised bend protection and flexible cable sleeving

1.50 m	72070	Retail Polybag
2.00 m	72072	Retail Polybag
3.00 m	72188	Retail Polybag
5.00 m	72243	Retail Polybag



Goobay Plus

DisplayPort / HighSpeed HDMI™ adapter cable

DisplayPort male > HDMI™ male (type A)

- DisplayPort to High-Speed HDMI™ for 3D and Ultra HD up to 4K @ 50/60 Hz (2160p)
- gold-plated contact surfaces for optimum signal transmission
- high-quality metal connectors
- optimised bend protection and flexible cable sleeving



1.00 m	71460	Retail Polybag
1.50 m	71612	Retail Polybag
2.00 m	71958	Retail Polybag
3.00 m	71962	Retail Polybag
5.00 m	71971	Retail Polybag



AUDIO/VIDEO – DVI – CONNECTION CABLES

Goobay Plus

DVI-D connection cable

DVI-D male Dual-Link (24+1 pin) > DVI-D male Dual-Link (24+1 pin)

- DVI-D for 3D and Ultra HD up to 4K @ 50/60 Hz (2160 p)
- gold-plated contact surfaces for optimum signal transmission
- high-quality metal connectors
- optimised bend protection and flexible cable sleeving



1.50 m	73971	Retail Polybag
3.00 m	73973	Retail Polybag
5.00 m	74477	Retail Polybag




AUDIO/VIDEO – RCA – CONNECTION CABLES

Goobay Plus

Stereo cinch audio connection cable

2 RCA male (audio left/right) > 2 RCA male (audio left/right)

- transmits audio signals in top sound quality
- for connecting audio components
- gold-plated contact surfaces for optimum signal transmission
- high-quality metal connectors
- optimised bend protection and flexible cable sleeving



0.75 m	77232	Retail Polybag
1.50 m	77337	Retail Polybag
3.00 m	77394	Retail Polybag
5.00 m	77397	Retail Polybag



Goobay Plus

Toslink digital audio connection cable

Toslink male > Toslink male



- transmits audio signals in top sound quality
- for connecting high-quality audio components
- gold-plated contact surfaces for optimum signal transmission
- shock-resistant connector housing made entirely of metal
- optimised bend protection and flexible cable sleeving
- including Toslink digital/audio adapter; TOSLINK to Mini TOSLINK



0.75 m	77096	Retail Polybag
1.50 m	77125	Retail Polybag
3.00 m	77137	Retail Polybag
5.00 m	77141	Retail Polybag



Goobay

Toslink Cable

Toslink male > Toslink male 90°; black



- best audio quality via optodigital sound transmission
- angled 90° plug perfect for rear panel connections
- for connecting devices with Toslink interface
- angled 90° plug can be rotated 360° when plugged in
- insensitive to electromagnetic interference signals

1.00 m	41594	Retail Polybag
2.00 m	41595	Retail Polybag



Goobay

Toslink Cable

Toslink 90° male > Toslink 90° male; black



- best audio quality via optodigital sound transmission
- two 90° angled plugs perfect for rear connections
- Toslink connectors can be rotated 360° when plugged in
- for connecting devices with Toslink interface
- insensitive to electromagnetic interference signals

1.00 m	41592	Retail Polybag
2.00 m	41593	Retail Polybag



Goobay Plus

MP3 jack to cinch audio adapter cable

3.5 mm male (3-pin, stereo) > 2 RCA male (audio left/right)



- for connecting smartphones, tablets and other portable audio devices with AV receiver or sound system/TV
- gold-plated contact surfaces for optimum signal transmission
- high-quality metal connectors
- optimised bend protection and flexible cable sleeving



1.50 m	78579	Retail Polybag
3.00 m	78739	Retail Polybag
5.00 m	79066	Retail Polybag




Goobay Plus

stereo MP3 jack audio adapter cable

3.5 mm male (3-pin, stereo) > 3.5 mm male (3-pin, stereo)



- transmits audio signals in stereo
- for connecting smartphones, tablets or MP3 players with speakers, car radios or HiFi entertainment systems
- gold-plated contact surfaces for optimum signal transmission
- shock-resistant connector housing made entirely of metal
- optimised bend protection and flexible cable sleeving



1.50 m	79122	Retail Polybag
3.00 m	79126	Retail Polybag
5.00 m	79133	Retail Polybag





3SIXT Red

BT Studio Earbuds 2.0 (3S-0953)

sporty wireless headphone compatible with bluetooth Smartphones

- Sport Headphone
- up to 4 hours Playback
- magnetic Power ON/OFF
- compatible to Bluetooth Smartphones (BT V4.1)
- Transmission up to 10 meter



40819 Retail Box



3SIXT Red

BT Fusion Studio True Wireless Earbuds (3S-1191)

wireless charging enabled case

- True Wireless Technology
- wireless charging enabled case
- studio quality sound with built-in mic
- easy left & right pair/connect



55219 Retail Box





3SIXT Red

Edge to Edge Glass Screen Protector

- The curved 9H surface is nine times harder than glass and provides optimal protection against scratches
- The protective glass CANNOT be scratched by metal
- Fits the smartphone like a second skin
- Very lightweight and robust
- Provides optimal protection when used together with a smartphone case
- 100% fit

suitable for Huawei P30	3S-1425	40893	Retail Box
suitable for Huawei P30 Pro	3S-1464	40982	Retail Box
suitable for Huawei P30 Lite	3S-1476	41257	Retail Box



TAB & PHONE – CASES – FOR SAMSUNG



3SIXT Black

Aramid Case (3S-1460)

suitable for Samsung Galaxy S10

- five times harder than steel and ensures full signal strength
- extraordinarily light (10 g) and thin (0.7 mm) material
- this case impresses with its incredible scratch resistance
- secure hold thanks to a non-slip surface
- DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.



40978 Retail Box






3SIXT Red

Pure Flex Case

- extremely thin and impact-resistant material protects against external influences and damage
- ports and buttons remain readily accessible
- transparent back
- 100% fit



suitable for Huawei P30	3S-1473	41078	Retail Box
suitable for Huawei P30 Pro	3S-1466	41069	Retail Box
suitable for Huawei P30 Lite	3S-1477	41258	Retail Box



3SIXT Red

Slim Folio Case

- elegantly designed flip case with additional standing function and rubberised back
- two integrated slots for credit cards, photos etc.
- protects against external influences and damage
- 100% fit



suitable for Huawei P30	3S-1475	41080	Retail Box
suitable for Huawei P30 Pro	3S-1468	41071	Retail Box
suitable for Huawei P30 Lite	3S-1479	41260	Retail Box





3SIXT Black

Lightning Sync and quick charge cable

USB-C™ > Apple Lightning

- suitable for devices with Apple Lightning Connector
- particularly flexible, textile covered cable with metal connectors
- Apple-MFI licensed for the iPad, iPad mini, iPhone, iPod
- Supports Quick Charge max. 60W/20V/3A
- Supports up to 480 mbps data transfer

0.30 m	40835	Retail Box	3S-1382
1.00 m	40836	Retail Box	3S-1383
2.00 m	40837	Retail Box	3S-1384



3SIXT Red

Lightning Quick Charge and sync cable (white)

USB-C™ > Apple Lightning

- suitable for devices with Apple Lightning Connector
- Apple-MFI licensed for the iPad, iPad mini, iPhone, iPod
- Supports Quick Charge max. 60W/20V/3A
- Supports up to 480 mbps data transfer

1.00 m	40831	Retail Box	3S-1378
2.00 m	40832	Retail Box	3S-1379



New lengths!



Goobay

Micro USB charging and sync cable

for Android devices; white

- narrow connectors also fit perfectly when using protective covers
- data cable with Hi-Speed USB A 2.0 connector with transfer speed of up to 480 Mbps

0.50 m	38665	Retail Polybag	38668	Retail Box
1.00 m	43837	Retail Polybag	44741	Retail Box
2.00 m	38666	Retail Polybag	38669	Retail Box



New lengths!



Goobay

Micro USB charging and sync cable

for Android devices; black

- narrow connectors also fit perfectly when using protective covers
- data cable with Hi-Speed USB A 2.0 connector with transfer speed of up to 480 Mbps

0.50 m	38659	Retail Polybag	38662	Retail Box
1.00 m	46800	Retail Polybag	71676	Retail Box
2.00 m	38660	Retail Polybag	38663	Retail Box





3SIXT Red

Charge & Sync cable with USB-C™
v3.1 Power Delivery Connector


Compatible with most USB-C™ POWER DELIVERY notebooks, tablets & smartphones

- Charge & sync via USB-C™ port
- super-fast data transfer
- USB-IF certified
- 3.1 PowerDelivery

81989 Retail Box 3S-0485



TAB & PHONE – CABLES & ADAPTERS – AUDIO/VIDEO



Goobay

Audio adapter cable with additional
charging connection (for Huawei)

USB-C male > 3,5mm femal + USB-C female

- Headphone adapter for devices with USB-C connection
- with additional USB-C port for simultaneous charging by 5V

39944 Retail Polybag



Goobay

Audio adapter cable (for Huawei)

USB-C plug > 3,5mm female

- Headphone adapter for devices with USB-C connection

0.10 m 55646 Retail Box






Goobay

Wireless Fast Charging Window Mount 10 W (black)

universal windscreen mount with fast-charging technology for Qi compatible smartphones

- easy release on the back of the mount
- fast mounting on the windscreen via high-strength suction cup
- universal clamp collar with quick-release fastener for devices with widths of 50–80 mm
- optimal view of the display thanks to flexible ball joint
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- can be combined with a vehicle adapter (#45162 / #66442) 12–24 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology

66309 Retail Box




Goobay

Wireless Fast Charging Magnetic Car Mount 10 W (black)

a magnet holder for a vehicle air outlet and fast-charging technology for Qi compatible smartphones

- smart operation via magnetic mount and integrated wireless fast-charging technology
- quick, easy assembly on the air outlet or dashboard thanks to adhesive pad (can be removed without leaving behind any residue)
- simply place the device onto the charger to begin charging
- can be used in vehicles on the dashboard or air outlet
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- can be combined with a vehicle adapter (#45162 / #66442) 12–24 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology

66310 Retail Box



Goobay

Wireless 10 W fast-charging mat

wireless fast-charging mat for use in vehicles

- the retrofit solution for your car
- flexible non-slip mat lies perfectly on your dashboard
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- simply place the device onto the charger to begin charging
- puts an end to everyday cable chaos
- can be combined with a vehicle adapter (#45162 / #66442) 12–24 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology

55479 Retail Box






Goobay

Dual Fast Wireless Charging Pad 10 W (black)

elegant, flat wireless fast-charging device simultaneously charges up to two Qi compatible smartphones

- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- can be combined with a power adapter (#45173) 110–240 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology



66308 Retail Box



Goobay

Deskstand - Wireless Fast Charger 10W (black)


table stand for smartphones with integrated wireless fast charging technology for Qi compatible smartphones

- timeless design that perfectly complements your desk
- keeps the smartphone in clear view and always within reach
- simply place the device onto the charger to begin charging
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- puts an end to everyday cable chaos
- can be combined with a power adapter (#45173) 110–240 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology



66307 Retail Box





Goobay

Fast Wireless Charger 10W

flat, wireless fast-charging device for Qi compatible smartphones

- flat, elegant design with LED charging status ring
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- simply place the device onto the charger to begin charging
- puts an end to everyday cable chaos
- fast-charging mode requires a power adapter with QuickCharge technology
- can be combined with a power adapter (#45173) 110–240 V, min. 2 A, not included in the delivery

black	45655	Retail Box
white	45654	Retail Box



Goobay

Fast Wireless Charger 10 W (Aluminium/silver)

premium wireless fast-charging device for Qi compatible smartphones

- flat, elegant aluminium design with non-slip cloth surface and integrated LED display
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- simply place the device onto the charger to begin charging
- puts an end to everyday cable chaos
- can be combined with a power adapter (#45173) 110–240 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology

45656	Retail Box
-------	------------





3SIXT Red

Apple Lightning charging Set 1A (3S-1318)

with 1A single USB charger and 1m Lightning cable

- super slim USB Poweradapter with 1A
- USB Lightningning cable white 1.0m
- allows fast charging directly from the wall outlet or PC
- suitable for iPad, iPhone and iPod

41215 Retail Box



3SIXT Red

Mirco-USB Charging Set 1A (3S-1482)

with 1A single USB charger and 1m Micro-USB cable

- super slim USB Poweradapter with 1A
- USB Micro-USB cable white 1.0m
- allows fast charging directly from the wall outlet or PC
- suitable for devices with micro USB connection

41312 Retail Box



3SIXT Red

USB-C Charging Set 1A (3S-1444)

with 1A single USB charger and 1m USB-C cable

- super slim USB Poweradapter with 1A
- USB-C cable white 1.0m
- allows fast charging directly from the wall outlet or PC
- suitable for devices with USB-C connection

41313 Retail Box





3SIXT Red

Jetpak Pocket Power 2.200mAh (3S-1293)

the emergency battery in key fob format

- Keychain Format
- 1.0A USB-A Output
- 1 time Charge for your smartphone



41235 Retail Box



3SIXT Red

JetPak LED 4.000mAh (3S-1484)

handy Powerbank with USB-C™ and USB-A connection

- USB-C™ Input / Output
- 2.0A USB-A Output
- LED Power Indicator



41599 Retail Box



3SIXT Red

JetPak LED 6.000mAh (3S-1485)

handy Powerbank with USB-C™ and USB-A connection

- USB-C™ Input / Output
- Micro-USB Input
- 2.1A USB-A Output
- LED Power Indicator



41600 Retail Box



3SIXT Red

JetPak LED 10.000mAh (3S-1498)

the power package with USB-C™ and 2x USB-A connection

- USB-C™ Input / Output
- 2x USB-A output (2,1A)
- USB-C™ Output (max. 2,1A)
- LED Power Indicator



41669 Retail Box







Goobay

Finger strap

simple and convenient handling – for larger smartphones as well

- 2-in-1: smart finger holder with clever stand function thanks to fold-out bracket
- removable flexible finger strap for a secure grip and improved one-hand operation – for selfies or for when reading or writing messages
- supports magnetic holders and wireless charging function
- quick and easy to attach thanks to the self-adhesive back (removable without residues)

black / anthracite	40789	Retail Box
silver / grey	40999	Retail Box
black / pink	41059	Retail Box
gold / black	41060	Retail Box
silver / dark blue	41061	Retail Box



Everki

Advance

Laptop Backpack, up to 15.6-Inch

- Dedicated pockets for 15.6-inch laptop and iPad/Pro/Kindle/tablet
- Spacious, well-organized compartments
- Ergonomic shoulder straps
- Hidden stash pocket
- Trolley handle pass-through
- Quick-access pocket
- Limited Lifetime Warranty protection



Devices Suitable Max	Weight	Width x Height x depth	
39.62 (15.6")	890 g	160 x 430 x 315 mm	40838 Bulk

NOTEBOOK & PC – USB – USB 2.0

Goobay

USB-DC cable 5.5 x 2.1 mm

for power transmission from USB-A port to DC devices

- robust cable with DC angle plug



0.50 m	55157	Bulk
1.00 m	55158	Bulk
1.50 m	55159	Bulk



Goobay

USB-DC cable 5.5 x 2.5 mm

for power transmission from USB-A port to DC devices

- robust cable with DC angle plug



0.50 m	55154	Bulk
1.00 m	55155	Bulk
1.50 m	55156	Bulk





Goobay

USB-C™ PD charging and sync cable

for devices with a USB-C™ connection;black

- high-speed charging with a maximum of 5 A /60 W / 20 V thanks to Power Delivery function
- flexible 1 m cable for sufficient reach
- USB 3.1 cable for synchronising and charging
- SuperSpeed+ data transmission rate up to 10 Gbps (20 times faster than USB 2.0)
- USB-C™ connector can be used on both ends

0.50 m	40794	Retail Polybag
1.00 m	40790	Retail Polybag



Goobay

USB-C™ PD charging and sync cable

for devices with a USB-C™ connection;white

- high-speed charging with a maximum of 5 A /60 W / 20 V thanks to Power Delivery function
- flexible 1 m cable for sufficient reach
- USB 3.1 cable for synchronising and charging
- SuperSpeed+ data transmission rate up to 10 Gbps (20 times faster than USB 2.0)
- USB-C™ connector can be used on both ends

0.50 m	40795	Retail Polybag
1.00 m	40791	Retail Polybag



Goobay

USB-C™ charging and sync cable

for devices with a USB-C™ connection;black

- High-speed charging with a maximum of 3 A
- Flexible 0.5 m cable for sufficient reach
- USB 2.0 cable for synchronising and charging
- High-speed data transfers of up to 480 Mbps
- USB-C™ connector can be used on both ends

0.50 m	66316	Retail Polybag
1.00 m	66318	Retail Polybag



Goobay

USB-C™ charging and sync cable

for devices with a USB-C™ connection;white

- High-speed charging with a maximum of 3 A
- Flexible 0.5 m cable for sufficient reach
- USB 2.0 cable for synchronising and charging
- High-speed data transfers of up to 480 Mbps
- USB-C™ connector can be used on both ends

0.50 m	66315	Retail Polybag
1.00 m	66317	Retail Polybag





Goobay

USB-C™ cable (USB 3.1 generation 2, 3A), black

USB male (type A) > USB-C™ male

- for superfast synching and charging at up to 60 W / 20 V
- USB-C™ connector can be used on both ends
- SuperSpeed+ data transmissions up to 10 Gbit/s – 20x faster than USB 2.0

0.50 m	41073	Bulk
1.00 m	41074	Bulk



Goobay

Thunderbolt™ 3 (USB-C™) on 2x DisplayPort adapter

mirrors contents of Thunderbolt™ 3 (USB-C™) on DisplayPort

- simultaneous transmission of 2x 4k@60Hz or 1x 5k@60Hz
- Thunderbolt™ 3 data transmissions up to 40 Gbps – 4 times faster than USB 3.1 Gen2
- power supply via USB-C™ – no power unit required
- Thunderbolt™-certified

55226	Retail Box
-------	------------





Goobay

LED floodlight, 10 W, Slim Classic

lighting solution for building entrances, garages, carports and access paths

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP65 – suitable for outdoor use (-25–40°C)
- robust aluminium housing protects against weather
- adjustable mounting bracket for wall mounting and approx. 15 cm connection cable with end splices



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	110 x 90 x 25 mm

black	38711	Retail Box	classic white	4000 K corresponds light bulb 64 W	800 Lm
-------	-------	------------	---------------	------------------------------------	--------




Goobay

LED floodlight, 20 W, Slim Classic

lighting solution for building entrances, garages, carports and access paths

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP65 – suitable for outdoor use (-25–40°C)
- robust aluminium housing protects against weather
- adjustable mounting bracket for wall mounting and approx. 15 cm connection cable with end splices



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	140 x 120 x 25 mm

black	38902	Retail Box	classic white	4000 K corresponds light bulb 116 W	1600 Lm
-------	-------	------------	---------------	-------------------------------------	---------



Goobay

LED floodlight, 30 W, Slim Classic

lighting solution for building entrances, garages, carports and access paths

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP65 – suitable for outdoor use (-25–40°C)
- robust aluminium housing protects against weather
- adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	170 x 150 x 28 mm

black	38903	Retail Box	classic white	4000 K corresponds light bulb 174 W	2400 Lm
-------	-------	------------	---------------	-------------------------------------	---------



Goobay

LED floodlight, 50 W, Slim Classic

lighting solution for building entrances, garages, carports and access paths

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP65 – suitable for outdoor use (-25–40°C)
- robust aluminium housing protects against weather
- adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	210 x 180 x 30 mm

black	39009	Retail Box	classic white	4000 K corresponds light bulb 290 W	4000 Lm
-------	-------	------------	---------------	-------------------------------------	---------



Goobay

LED floodlight, 100 W, Slim Classic

Lighting solution for halls, parking lots, sports fields, paths & gardens

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP65 – suitable for outdoor use (-25–40°C)
- robust aluminium housing protects against weather
- adjustable mounting bracket for wall mounting and approx. 40 cm connection cable with end splices



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	280 x 250 x 35 mm

black	39010	Retail Box	classic white	4000 K corresponds light bulb 580 W	8000 Lm
-------	-------	------------	---------------	-------------------------------------	---------



Goobay

LED floodlight, 10 W, Slim Design

modern lighting solution for building entrances, garages, carports and access paths

- extremely flat shape, ultramodern design and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by very bright, neutral white light with large beam angle of 110°
- IP65 – suitable for outdoor use (-40–50°C)
- shock-resistant aluminium die-cast housing and safety glass protect against the weather
- very stable, adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices



Operating voltage	230 V (AC)
Beam angle	110 °
Dimensions	103 x 35 x 73 mm

white	39015	Retail Box	classic white	4000 K corresponds light bulb 64 W	800 Lm
-------	-------	------------	---------------	------------------------------------	--------



Operating voltage	230 V (AC)
Beam angle	110 °
Dimensions	141.5 x 35 x 101.5 mm

Goobay

LED floodlight, 20 W, Slim Design

modern lighting solution for building entrances, garages, carports and access paths

- extremely flat shape, ultramodern design and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by very bright, neutral white light with large beam angle of 110°
- IP65 – suitable for outdoor use (-40–50°C)
- shock-resistant aluminium die-cast housing and safety glass protect against the weather
- very stable, adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices

white 38703 Retail Box classic white 4000 K corresponds light bulb 116 W 1600 Lm



Operating voltage	230 V (AC)
Beam angle	110 °
Dimensions	174.5 x 54 x 123.5 mm

Goobay

LED floodlight, 30 W, Slim Design

modern lighting solution for building entrances, garages, carports and access paths

- extremely flat shape, ultramodern design and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by very bright, neutral white light with large beam angle of 110°
- IP65 – suitable for outdoor use (-40–50°C)
- shock-resistant aluminium die-cast housing and safety glass protect against the weather
- very stable, adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices

white 38704 Retail Box classic white 4000 K corresponds light bulb 174 W 2400 Lm



Operating voltage	230 V (AC)
Beam angle	110 °
Dimensions	205 x 46 x 146 mm

Goobay

LED floodlight, 50 W, Slim Design

modern lighting solution for building entrances, garages, carports and access paths

- extremely flat shape, ultramodern design and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by very bright, neutral white light with large beam angle of 110°
- IP65 – suitable for outdoor use (-40–50°C)
- shock-resistant aluminium die-cast housing and safety glass protect against the weather
- very stable, adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices

white 38705 Retail Box classic white 4000 K corresponds light bulb 290 W 4000 Lm



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	110 x 164 x 25 mm

Goobay

LED floodlight, 10 W, Slim Classic, with motion sensor

lighting solution with PIR sensor for building entrances, garages, carports and access paths

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP44 – splashproof
- robust aluminium housing protects against weather (-25–40°C)
- adjustable mounting bracket for wall mounting and approx. 15 cm connection cable with end splices
- PIR detection range: max. 8 m at 100° angle, adjustable off-delay (10–300 sec.), light sensitivity (3–2000 lx) and range

black 39011 Retail Box classic white 4000 K corresponds light bulb 64 W 800 Lm



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	140 x 194 x 25 mm


Goobay

LED floodlight, Slim Classic, 20 W, with motion sensor

lighting solution with PIR sensor for building entrances, garages, carports and access paths

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP44 – splashproof (-25–40°C)
- robust aluminium housing protects against weather
- adjustable mounting bracket for wall mounting and approx. 15 cm connection cable with end splices
- PIR detection range: max. 8 m at 100° angle, adjustable off-delay (10–300 sec.), light sensitivity (3–2000 lx) and range

black 39012 Retail Box classic white 4000 K corresponds light bulb 116 W 1600 Lm



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	170 x 224 x 28 mm

Goobay

LED floodlight, 30 W, Slim Classic, with motion sensor

lighting solution with PIR sensor for building entrances, garages, carports and access paths

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP44 – splashproof (-25–40°C)
- robust aluminium housing protects against weather
- adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices
- PIR detection range: max. 8 m at 100° angle, adjustable off-delay (10–300 sec.), light sensitivity (3–2000 lx) and range

black 39013 Retail Box classic white 4000 K corresponds light bulb 174 W 2400 Lm



Goobay

LED floodlight, 50 W, Slim Classic, with motion sensor


lighting solution with PIR sensor for building entrances, garages, carports and access paths

- extremely flat shape and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by bright, neutral white light with large beam angle of 120°
- IP44 – splashproof (-25–40°C)
- robust aluminium housing protects against weather
- adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices
- PIR detection range: max. 8 m at 100° angle, adjustable off-delay (10–300 sec.), light sensitivity (3–2000 lx) and range



Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	210 x 254 x 30 mm

black 39014 Retail Box classic white 4000 K corresponds light bulb 290 W 4000 Lm



Goobay

LED floodlight, 10 W, Slim Design, with motion sensor


modern lighting solution with PIR sensor for building entrances, garages, carports and access paths

- extremely flat shape, ultramodern design and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by very bright, neutral white light with large beam angle of 110°
- IP64 – dustproof and splash-proof (-40–50°C)
- shock-resistant aluminium die-cast housing and safety glass protect against the weather
- very stable, adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices
- PIR detection range: max. 6 m at 110° angle, adjustable off-delay (20–420 sec.) and light sensitivity (20–2000 lx)



Operating voltage	230 V (AC)
Beam angle	110 °
Dimensions	141.5 x 48 x 101.5 mm

white 38706 Retail Box classic white 4000 K corresponds light bulb 64 W 800 Lm



Goobay

LED floodlight, 20 W, Slim Design, with motion sensor

modern lighting solution with PIR sensor for building entrances, garages, carports and access paths

- extremely flat shape, ultramodern design and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by very bright, neutral white light with large beam angle of 110°
- IP64 – dustproof and splash-proof (-40–50°C)
- shock-resistant aluminium die-cast housing and safety glass protect against the weather
- very stable, adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices
- PIR detection range: max. 6 m at 110° angle, adjustable off-delay (20–420 sec.) and light sensitivity (20–2000 lx)



Operating voltage	230 V (AC)
Beam angle	110 °
Dimensions	141.5 x 48 x 101.5 mm

white 38707 Retail Box classic white 4000 K corresponds light bulb 116 W 1600 Lm



Operating voltage	230 V (AC)
Beam angle	110 °
Dimensions	174.5 x 52 x 123.5 mm

Goobay

LED floodlight, 30 W, Slim Design, with motion sensor

modern lighting solution with PIR sensor for building entrances, garages, carports and access paths

- extremely flat shape, ultramodern design and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by very bright, neutral white light with large beam angle of 110°
- IP64 – dustproof and splash-proof (-40–50°C)
- shock-resistant aluminium die-cast housing and safety glass protect against the weather
- very stable, adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices
- PIR detection range: max. 10 m at 110° angle, adjustable off-delay (20–420 sec.) and light sensitivity (20–2000 lx)

white 38708 Retail Box classic white 4000 K corresponds light bulb 174 W 2400 Lm



Operating voltage	230 V (AC)
Beam angle	110 °
Dimensions	205 x 52 x 146 mm

Goobay

LED floodlight, 50 W, Slim Design, with motion sensor

modern lighting solution with PIR sensor for building entrances, garages, carports and access paths

- extremely flat shape, ultramodern design and high energy efficiency
- very long service life, thanks to integrated, non-removable LED light source
- characterised by very bright, neutral white light with large beam angle of 110°
- IP64 – dustproof and splash-proof (-40–50°C)
- shock-resistant aluminium die-cast housing and safety glass protect against the weather
- very stable, adjustable mounting bracket for wall mounting and approx. 30 cm connection cable with end splices
- PIR detection range: max. 10 m at 110° angle, adjustable off-delay (20–420 sec.) and light sensitivity (20–2000 lx)

white 38709 Retail Box classic white 4000 K corresponds light bulb 290 W 4000 Lm



Goobay

LED camping lantern, 3-in-1, collapsible

versatile accessory – ideal for leisure, parties, camping and other outdoor activities

- this 3-in-1 collapsible lantern with robust plastic housing is a floor lamp, pendant lamp and torch in one handy product
- space-saving – fits in any rucksack or bag when folded up (57 mm high, 94 mm extended)
- 4 lighting modes: 100 per cent white light (90 lm, approx. 2.5 hours), 50 per cent white light (45 lm, approx. 5 hours), candlelight and RGB light (each 2 lm, approx. 60 hours)
- retractable carabiner for hanging up and fluorescent rubber for night light function
- splash-proof in accordance with IPX4
- press the ON/OFF switch for 2 seconds to switch the light on and off – prevents the lamp from being activated accidentally
- battery-operated: 3 x AAA (LR03, not included in delivery)



66516 Retail Box





Skross

Country Combo World to Switzerland

suitable for equipment with earthed & unearthed plugs (2- and 3-pole)

- for connecting devices from more than 150 countries in Switzerland and Europe (safety socket)
- suitable for power-hungry devices like laptop and hairdryer
- power rating: e.g. 100 V – 1000 W / 250 V – 2500 W
- integrated fuse T 10 A

39760 Retail Box



Skross

Country Adapter World to Europe

suitable for equipment with earthed & unearthed plugs (2- and 3-pole)

- for connecting devices from more than 150 countries in Europe
- suitable for power-hungry devices like laptop and hairdryer
- power rating: e.g. 100 V – 1600 W / 250 V – 4000 W

39769 Retail Box



Skross

Country Adapter Europe to Denmark

suitable for equipment with earthed & unearthed plugs (2- and 3-pole)

- for connecting devices from Europe (2-pole and 3-pole safety socket) in Denmark
- suitable for power-hungry devices like laptop and hairdryer
- power: 100 V - 1600 W / 250 V - 4000 W
- does not convert voltage

41085 Retail Box



Skross

Country Adapter Europa to South Africa

suitable for equipment with earthed & unearthed plugs (2- and 3-pole)

- for connecting devices from Europe (2-pole and 3-pole safety socket) in South Africa
- suitable for power-hungry devices like laptop and hairdryer
- power: 100 V - 1600 W / 250 V - 4000 W

41251 Retail Box





Goobay

Electric fly swatter

for quickly and effectively eliminating insects

- doesn't leave behind stains or insect remains, in contrast to conventional fly swatters
- easy to use
- 1000 V for effective protection against pesky insects
- operated with 2 AA (Mignon) 1.5 V batteries (included in delivery)

40970 Retail Blister

**POWER – POWER STRIPS – MULTIPLE POWER STRIPS**

Goobay

16 A safety socket with 2 USB ports, 3.1A

1 safety socket adapter for german plug systems

- ideal for charging devices such as smartphones, MP3 players, digital cameras or tablet PCs via USB cable
- with integrated childproofing – synthetic plates close the socket contacts

40885 Retail Blister





Goobay

Safety socket, splash-proof

1x safety socket adapter with switch suitable for outdoor use

- protection class IP44
- protective cover and illuminated on/off button
- childproof
- maximum current-carrying capacity: 3,680 W



41266 Retail Box



Goobay

Four-way garden socket

specially developed for outdoor use – IP 44 splash-proof protection

- 2x double socket with practical protective hinged lids
- robust and splash-proof in accordance with protection class IP 44
- ground anchor for attachment at the ground
- includes 2 m power cable for power supply



55943 Retail Box



Goobay

Two-way garden socket with timer

specially developed for outdoor use – IP 44 splash-proof protection with timer

- precisely program the outlet using an analogue timer
- double socket with practical protective hinged lids
- robust and splash-proof in accordance with protection class IP 44
- can be switched to continuous operation
- ground anchor for attachment at the ground
- includes 2 m power cable for power supply



55942 Retail Box



Goobay

3-way power strip with switch and 2 USB ports

for the connection of up to three electronic devices and two USB devices

- featuring 2 USB charging ports (2.1 A)
- illuminated on/off button
- childproof
- two-pole switch-off
- maximum current-carrying capacity: 3,680 W



1.50 m 41264 Retail Box



Goobay

4-way socket cube with switch and 2 USB ports

for the connection of up to four electronic devices and two USB devices

- featuring 2 USB charging ports (1.05 A per port)
- illuminated on/off button
- childproof
- maximum current-carrying capacity: 3,680 W
- two-pole switch-off
- space saving thanks to its compact cube shape



1.50 m 41268 Retail Box



Goobay

5-way power strip with switch and 2 USB ports

for the connection of up to five electronic devices and two USB devices

- featuring 2 USB charging ports (2.1 A)
- illuminated on/off button
- childproof
- maximum current-carrying capacity: 3,680 W
- two-pole switch-off



1.50 m 41265 Retail Box





Goobay

Flexible 5-way power strip with switch

5x safety sockets

- adapts perfectly to the individual space
- illuminated on/off button
- childproof
- maximum current-carrying capacity: 3,680 W
- two-pole switch-off

1.50 m 41267 Retail Box



New length!



Goobay

AC power strip, black

6 safety socket CEE 7/4; child security

- childproof / earth clips
- right-angled safety plug
- 45° rotated socket outlets

5.00 m 38839 Retail Polybag



New length!



Goobay

AC power strip, white

6 safety socket CEE 7/4; child security

- childproof / earth clips
- right-angled safety plug
- 45° rotated socket outlets

5.00 m 38840 Bulk



New length!



Goobay

6 safety socket CEE 7/4; child security

6 safety socket CEE 7/4; child security

- with illuminated switch
- childproof / earth clips
- right-angled safety plug to ensure more safety when touched
- 45° rotated socket outlets

5.00 m 38845 Retail Polybag



Goobay

Solder lead-free

content: 0.3 % silver, 0.7 % copper, 96.5 % tin; content of flux core: 2,5 %; melting point 217° C

- environmentally friendly brand solder
- improved electrical conductivity by means of silver content (0.3%)
- no cleaning of the capillary joints after soldering necessary
- with continuous flux core



Ø 0.56 mm

100 g	40850	Bulk
250 g	40851	Bulk

Ø 1.0 mm

17 g	40843	Bulk
100 g	40844	Bulk
250 g	40845	Bulk
500 g	40846	Bulk
1000 g	40847	Bulk

Ø 1.5 mm

250 g	40848	Bulk
500 g	40849	Bulk

Varta Longlife Power

- extra powerful for best performance in devices with high power consumption
- designed for the use in toys, computer accessories, torches, etc.

LR6/AA (Mignon) (4906)

alkaline manganese battery, 1.5 V

50.5 x 14.5 mm



40884

24 pcs. box

BATTERIES – INDUSTRY CELLS – LSD-NIMH (READY-TO-USE)

Goobay

- special battery type with low self discharge
- battery is precharged and directly ready to use
- rechargeable up to 1000 times, they are especially environmental friendly
- no memory effect

1x AAA (Micro)/HR03 - 800 mAh

Low-self-discharge NiMH battery
(ready-to-use), 1.2 V

43.5 x 10.5 mm



Solder tail (Z)

55653

1 pc. in polybag

AA (Mignon)/HR6 - 2100 mAh

Low-self-discharge NiMH battery
(ready-to-use), 1.2 V

49.5 x 14.5 mm



Solder tail (Z)

55509

1 pc. in polybag

Goobay

- special battery type with low self discharge
- battery is precharged and directly ready to use
- rechargeable up to 1000 times, they are especially environmental friendly
- no memory effect

5x AA (Mignon) - 2100 mAh

Nickel-metal hydride battery (NiMH), 6 V

73.5 x 14.5 mm



Solder tail (Z)

55582

1 pc. in polybag

BATTERIES – CHARGERS

Goobay

Plug-in Battery charger

charges up to four AAA/Micro or AA/Mignon and two 9 V batteries

- suitable for NiCd and NiMH rechargeable batteries
- switches off automatically after eight hours thanks to integrated safety timer
- charging current (AA/AAA): two 500 mA
- charging current (9 V): two 15 mA



40902 Retail Box

