

2018


NEW Q3

Our product portfolio is constantly growing.

Discover exciting new products at a glance since the publication of the Wentronic product range.

CONTENT

TV & SAT	
COAXIAL CABLES – F-ANTENNA CABLES (SATELLITE TV)	2-3
COAXIAL CABLES – IEC-ANTENNA CABLES (TERRESTRIAL TV)	4-5
INSTALLATION & ACCESSORIES – F-CONNECTORS & ADAPTERS	6
INSTALLATION & ACCESSORIES – IEC-CONNECTORS & ADAPTERS	6
CLEANING	7-8
AUDIO/VIDEO	
HDMI – CONNECTION CABLES	9
TAB & PHONE	
STORAGE MEDIA	10
PROTECTIVE FOILS	10-11
CASES	12
CABLES & ADAPTERS – SYNC & CHARGE	13-14
CABLES & ADAPTERS – AUDIO/VIDEO	14
CHARGERS – FOR WALL SOCKETS	15
NOTEBOOK & PC	
USB – USB-C™ 3.1 GEN.1	16
LIGHTING	
LAMPS – MAGNIFYING LAMPS	17
POWER	
TIMER CLOCKS	18



Shielding efficiency	135 dB
Cable type	coaxial cable
Inner conductor material	CU (copper)
Inner conductor, core diameter	1.02 mm
Number of shieldings	4 x
Type 1, shielding	foil (aluminium)
Type 2, shielding	braid (aluminium) 128x
Type 4, shielding	foil (aluminium)
Type 4, shielding	braid (aluminium) 128x
Material cable sheath	PVC
Cable sheath diameter (approx.)	8 mm
Dielectric diameter	5 mm
Kink protection	both sides


Goobay

SAT antenna cable (135 dB), 4x shielded

gold plated, F male > F male

- inner conductor made of ultrapure OFC solid copper for optimal conductive and transmission properties, ensuring virtually loss-free signal routing
- 4-layer, ultrathick shielding material (made of ultrathick 2-layer mesh and 2-layer film) with 135 dB shielding capability
- the perfect balance of shielding and flexibility – the ideal shielding for ensuring perfect reception and disruption-free transmission
- massive solid metal connector with gold-plated contacts – for optimal durability, stability and precision
- wide, easy-grip metal caps for effortless, tool-free screwing
- optimised bend protection and flexible cable sleeving prevent the maximum bending radius from being exceeded

1.00 m	70661	Retail Polybag
2.00 m	70664	Retail Polybag
3.00 m	70666	Retail Polybag
5.00 m	70672	Retail Polybag
10.00 m	70678	Retail Polybag



Shielding efficiency	135 dB
Cable type	coaxial cable
Inner conductor material	CU (copper)
Inner conductor, core diameter	1.02 mm
Number of shieldings	4 x
Type 1, shielding	foil (aluminium)
Type 2, shielding	braid (aluminium) 128x
Type 4, shielding	foil (aluminium)
Type 4, shielding	braid (aluminium) 128x
Material cable sheath	PVC
Cable sheath diameter (approx.)	8 mm
Dielectric diameter	5 mm
Kink protection	both sides

Goobay


SAT antenna cable (135 dB), 4x shielded

gold plated, F male > F male

- inner conductor made of ultrapure OFC solid copper for optimal conductive and transmission properties, ensuring virtually loss-free signal routing
- 4-layer, ultrathick shielding material (made of ultrathick 2-layer mesh and 2-layer film) with 135 dB shielding capability
- the perfect balance of shielding and flexibility – the ideal shielding for ensuring perfect reception and disruption-free transmission
- massive solid metal connector with gold-plated contacts – for optimal durability, stability and precision
- wide, easy-grip metal caps for effortless, tool-free screwing
- optimised bend protection and flexible cable sleeving prevent the maximum bending radius from being exceeded

1.00 m	70598	Retail Polybag
2.00 m	70600	Retail Polybag
3.00 m	70606	Retail Polybag
5.00 m	70644	Retail Polybag
10.00 m	70653	Retail Polybag





Shielding efficiency	135 dB
Cable type	coaxial cable
Inner conductor material	CU (copper)
Inner conductor, core diameter	1.02 mm
Number of shieldings	4 x
Type 1, shielding	foil (aluminium)
Type 2, shielding	braid (aluminium) 128x
Type 4, shielding	foil (aluminium)
Type 4, shielding	braid (aluminium) 128x
Material cable sheath	PVC
Cable sheath diameter (approx.)	8 mm
Dielectric diameter	5 mm
Kink protection	both sides


Goobay

SAT antenna cable (135 dB), 4x shielded

gold plated, F male 90° > F male 90°

- inner conductor made of ultrapure OFC solid copper for optimal conductive and transmission properties, ensuring virtually loss-free signal routing
- 4-layer, ultrathick shielding material (made of ultrathick 2-layer mesh and 2-layer film) with 135 dB shielding capability
- the perfect balance of shielding and flexibility – the ideal shielding for ensuring perfect reception and disruption-free transmission
- massive solid metal connector with gold-plated contacts – for optimal durability, stability and precision
- wide, easy-grip metal caps for effortless, tool-free screwing
- optimised bend protection and flexible cable sleeving prevent the maximum bending radius from being exceeded

1.00 m	70567	Retail Polybag
2.00 m	70573	Retail Polybag
3.00 m	70578	Retail Polybag
5.00 m	70584	Retail Polybag
10.00 m	70589	Retail Polybag



Shielding efficiency	135 dB
Cable type	coaxial cable
Inner conductor material	CU (copper)
Inner conductor, core diameter	1.02 mm
Number of shieldings	4 x
Type 1, shielding	foil (aluminium)
Type 2, shielding	braid (aluminium) 128x
Type 4, shielding	foil (aluminium)
Type 4, shielding	braid (aluminium) 128x
Material cable sheath	PVC
Cable sheath diameter (approx.)	8 mm
Dielectric diameter	5 mm
Kink protection	both sides

Goobay


SAT antenna cable (135 dB), 4x shielded

gold plated, F male 90° > F male 90°

- inner conductor made of ultrapure OFC solid copper for optimal conductive and transmission properties, ensuring virtually loss-free signal routing
- 4-layer, ultrathick shielding material (made of ultrathick 2-layer mesh and 2-layer film) with 135 dB shielding capability
- the perfect balance of shielding and flexibility – the ideal shielding for ensuring perfect reception and disruption-free transmission
- massive solid metal connector with gold-plated contacts – for optimal durability, stability and precision
- wide, easy-grip metal caps for effortless, tool-free screwing
- optimised bend protection and flexible cable sleeving prevent the maximum bending radius from being exceeded

1.00 m	70481	Retail Polybag
2.00 m	70483	Retail Polybag
3.00 m	70484	Retail Polybag
5.00 m	70485	Retail Polybag
10.00 m	70490	Retail Polybag





Shielding efficiency	135 dB
Cable type	coaxial cable
Inner conductor material	CU (copper)
Inner conductor, core diameter	1.02
Number of shieldings	4 x
Type 1, shielding	foil (aluminium)
Type 2, shielding	braid (aluminium) 128x
Type 3, shielding	foil (aluminium)
Type 4, shielding	braid (aluminium) 128x
Material cable sheath	PVC
Cable sheath diameter (approx.)	8 mm
Dielectric diameter	5 mm
Kink protection	both sides


Goobay

TV antenna cable (135 dB), 4x shielded

gold plated, Coaxial female > Coaxial male

- inner conductor made of ultrapure OFC solid copper for optimal conductive and transmission properties, ensuring virtually loss-free signal routing
- 4-layer, ultrathick shielding material (made of ultrathick 2-layer mesh and 2-layer film) with 135 dB shielding capability
- the perfect balance of shielding and flexibility – the ideal shielding for ensuring perfect reception and disruption-free transmission
- massive solid metal connector with gold-plated contacts – for optimal durability, stability and precision
- optimised bend protection and flexible cable sleeving prevent the maximum bending radius from being exceeded

1.00 m	70346	Retail Polybag
2.00 m	70367	Retail Polybag
3.00 m	70378	Retail Polybag
5.00 m	70384	Retail Polybag
10.00 m	70389	Retail Polybag



Shielding efficiency	135 dB
Cable type	coaxial cable
Inner conductor material	CU (copper)
Inner conductor, core diameter	1.02
Number of shieldings	4 x
Type 1, shielding	foil (aluminium)
Type 2, shielding	braid (aluminium) 128x
Type 3, shielding	foil (aluminium)
Type 4, shielding	braid (aluminium) 128x
Material cable sheath	PVC
Cable sheath diameter (approx.)	8 mm
Dielectric diameter	5
Kink protection	both sides

Goobay


TV antenna cable (135 dB), 4x shielded

gold plated, Coaxial female > Coaxial male

- inner conductor made of ultrapure OFC solid copper for optimal conductive and transmission properties, ensuring virtually loss-free signal routing
- 4-layer, ultrathick shielding material (made of ultrathick 2-layer mesh and 2-layer film) with 135 dB shielding capability
- the perfect balance of shielding and flexibility – the ideal shielding for ensuring perfect reception and disruption-free transmission
- massive solid metal connector with gold-plated contacts – for optimal durability, stability and precision
- optimised bend protection and flexible cable sleeving prevent the maximum bending radius from being exceeded

1.00 m	70313	Retail Polybag
2.00 m	70317	Retail Polybag
3.00 m	70318	Retail Polybag
5.00 m	70319	Retail Polybag
10.00 m	70325	Retail Polybag





Shielding efficiency	135 dB
Cable type	coaxial cable
Inner conductor material	CU (copper)
Inner conductor, core diameter	1.02
Number of shieldings	4 x
Type 1, shielding	foil (aluminium)
Type 2, shielding	braid (aluminium) 128x
Type 3, shielding	foil (aluminium)
Type 4, shielding	braid (aluminium) 128x
Material cable sheath	PVC
Cable sheath diameter (approx.)	8 mm
Dielectric diameter	5 mm
Kink protection	both sides


Goobay

TV antenna cable (135 dB), 4x shielded

gold plated, Coaxial female 90° > Coaxial male 90°

- inner conductor made of ultrapure OFC solid copper for optimal conductive and transmission properties, ensuring virtually loss-free signal routing
- 4-layer, ultrathick shielding material (made of ultrathick 2-layer mesh and 2-layer film) with 135 dB shielding capability
- the perfect balance of shielding and flexibility – the ideal shielding for ensuring perfect reception and disruption-free transmission
- massive solid metal connector with gold-plated contacts – for optimal durability, stability and precision
- optimised bend protection and flexible cable sleeving prevent the maximum bending radius from being exceeded

1.00 m	70455	Retail Polybag
2.00 m	70461	Retail Polybag
3.00 m	70464	Retail Polybag
5.00 m	70466	Retail Polybag
10.00 m	70475	Retail Polybag



Shielding efficiency	135 dB
Cable type	coaxial cable
Inner conductor material	CU (copper)
Inner conductor, core diameter	1.02
Number of shieldings	4 x
Type 1, shielding	foil (aluminium)
Type 2, shielding	braid (aluminium) 128x
Type 3, shielding	foil (aluminium)
Type 4, shielding	braid (aluminium) 128x
Material cable sheath	PVC
Cable sheath diameter (approx.)	8 mm
Dielectric diameter	5 mm
Kink protection	both sides

Goobay

TV antenna cable (135 dB), 4x shielded

gold plated, Coaxial female 90° > Coaxial male 90°

- inner conductor made of ultrapure OFC solid copper for optimal conductive and transmission properties, ensuring virtually loss-free signal routing
- 4-layer, ultrathick shielding material (made of ultrathick 2-layer mesh and 2-layer film) with 135 dB shielding capability
- the perfect balance of shielding and flexibility – the ideal shielding for ensuring perfect reception and disruption-free transmission
- massive solid metal connector with gold-plated contacts – for optimal durability, stability and precision
- optimised bend protection and flexible cable sleeving prevent the maximum bending radius from being exceeded

1,00 m	70411	Retail Polybag
2,00 m	70417	Retail Polybag
3,00 m	70420	Retail Polybag
5,00 m	70422	Retail Polybag
7,50 m	70444	Retail Polybag
10,00 m	70450	Retail Polybag



Goobay

Easy-Installation F-connector

- innovative, effortless assembly of satellite and coaxial cables
- achieve a professional result in just 3 steps
- Do it quickly: Measure, cut and assemble cables in under 30 seconds!

for cable Ø of 6.8–7.0 mm (blue ring)



for cable diameters of 7.2–7.4 mm (red ring)




for cable diameters of 8.2–8.4 mm (white ring)



58935 Retail Polybag

58936 Retail Polybag

58937 Retail Polybag



TV & SAT – INSTALLATION & ACCESSORIES – IEC-CONNECTORS & ADAPTERS

Goobay

Easy-Installation IEC/Coaxial female

for cable diameters of 6.5 mm

- innovative, effortless assembly of satellite and coaxial cables
- achieve a professional result in just 3 steps
- Do it quickly: Measure, cut and assemble cables in under 30 seconds!



58813 Retail Polybag MOQ 10



Goobay

Easy-Installation IEC/Coaxial male

for cable diameters of 6.5–8.0 mm

- innovative, effortless assembly of satellite and coaxial cables
- achieve a professional result in just 3 steps
- Do it quickly: Measure, cut and assemble cables in under 30 seconds!



58812 Retail Polybag MOQ 10





Goobay

Cleaning wipes in dispenser box, 100pcs

for LCD, LED, plasma and glass screens

- soft, gentle, biodegradable wipes for cleaning LCD/LED/Plasma, notebook, monitors, smartphones and touchpad screens
- gently removes fingerprints, dust and dirt
- suitable for sensitive surfaces; alcohol-free, non-flammable
- anti-static ingredients

72441 Bulk



Goobay

Compressed air spray for office 400 ml

for easy cleaning office equipment, keyboards, printers, PC housing, copiers, fax machines, etc.

- the high pressure blow dirt and dust also from inaccessible positions
- with spray nozzle extension

400 ml 72442 Bulk

600 ml 72443 Bulk



Goobay

Plastic cleaner 250 ml

for cleaning and care of plastic surfaces

- special formula of the liquid cleans and protects plastic surfaces
- gently removes fingerprints, dust and dirt
- includes alcohol to clean better plastic surfaces

72447 Bulk



Goobay

Screen Cleaning Spray 250 ml

for cleaning and care of LCD, LED, plasma and glass screens

- special formula of the liquid cleans and protects plastic LCD/LED/Plasma and glass screens
- gently removes fingerprints, dust and dirt
- suitable for sensitive surfaces; alcohol-free

72444 Bulk



Goobay

Screen cleaning kit:
250 ml spray + microfibre cloth

for cleaning and care of LCD, LED, plasma and glass screens

- content: cleaning spray 250 ml and microfiber cloth (20 cm x 20 cm)
- streak-free cleaning for Computer Screens and Notebook Displays
- gently removes fingerprints, dust and dirt
- suitable for sensitive surfaces; alcohol-free, non-flammable

72445 Bulk



Goobay

Screen cleaning kit:
100 ml spray + microfibre cloth

for cleaning and care of LCD, LED, plasma and glass screens

- content: cleaning spray 100 ml and microfiber cloth (20 cm x 20 cm)
- streak-free cleaning for computer screens and Notebook displays
- gently removes fingerprints, dust and dirt
- suitable for sensitive surfaces; alcohol-free, non-flammable

62059 Retail Box



Goobay

Screen Cleaning Kit 4 in 1:
250 ml spray + 30 ml spray + 2 microfibre clothes

for cleaning and care of LCD, LED, plasma and glass screens

- content: 2 cleaning sprays 250 ml + 30 ml and 2 microfiber cloths (20 cm x 20 cm and 30 cm x 30 cm)
- streak-free cleaning for Computer Screens and Notebook Displays
- gently removes fingerprints, dust and dirt
- suitable for sensitive surfaces; alcohol-free, non-flammable

72446 Retail Box





Goobay
High-speed HDMI™ cable with Ethernet,
gold-plated
2x HDMI™ male (type A)

- High-speed HDMI™ for 3D and Ultra HD up to 4K @ 50/60 Hz (2160p)
- HDCP 2.2 compliant
- supports Audio Return Channel (ARC) and high dynamic range (HDR)
- gold-plated contact surfaces for optimum signal transmission
- 21:9 – CinemaScope aspect ratio
- active HDMI™ with integrated amplifier - signal direction-bound

25.00 m	55981* Bulk
30.00 m	55982* Bulk
50.00 m	55983* Bulk



* Official test criteria exist for High Speed HDMI™ specifications cables only up to 7.5 m.



Strontium Nitro

SD Full-HD Ready with 16 GB

great performance with up to 95 MB/s Transferringrate, Full-HD-Ready, 4-Proof-technology

- Nitro-Performance with up to 95 MB/s transferring speed
- for High Performance DSLR cameras, D-SLM cameras, 4K camcorders and other professional-quality photography and videography equipments)
- 4 proof technology (water proof, temperature proof, magnet proof and X-ray proof)

39030 Retail Blister



TAB & PHONE – PROTECTIVE FOILS

3SIXT Red

Edge to Edge Glass Screen Protector

- The curved 9H surface is nine times harder than glass and provides optimal protection against scratches
- The protective glass CANNOT be scratched by metal
- Fits the smartphone like a second skin
- Very lightweight and robust
- Provides optimal protection when used together with a smartphone case
- 100% fit



suitable for Apple iPhone X/XS	45697	Retail Box	3S-1226
suitable for Apple iPhone XR	45704	Retail Box	3S-1235
suitable for Apple iPhone XS Max	45711	Retail Box	3S-1244



suitable for Samsung Galaxy Note 9	45716	Retail Box	3S-1250
suitable for Samsung Galaxy Note 9	45715	Retail Box	3S-1249





45712
45705
45698



38790
83202

3SIXT Red

Glass Screen Protector

- Protective glass for front and rear side
- the 9H surface is nine times harder than glass and provides optimal protection against scratches
- the protective glass CANNOT be scratched by metal
- fits the smartphone like a second skin
- very lightweight and robust
- provides optimal protection when used together with a smartphone case
- 100% fit

suitable for Apple iPhone 8/7/6S	38790	Retail Box	3S-0977
suitable for Apple iPhone 8 Plus	83202	Retail Box	3S-0756
suitable for Apple iPhone X/XS	45698	Retail Box	3S-1227
suitable for Apple iPhone XR	45705	Retail Box	3S-1236
suitable for Apple iPhone XS Max	45712	Retail Box	3S-1245



Samsung

suitable for Samsung Galaxy S9	39193	Retail Box	3S-1055
suitable for Samsung Galaxy S9+	39194	Retail Box	3S-1056



86963



86160



45709
45702
45695

3SIXT Red

Pure Flex

- extremely thin and impact-resistant material protects against external influences and damage
- ports and buttons remain readily accessible
- transparent back
- 100% fit

suitable for Apple iPhone 8	86963	Retail Box	3S-0692
suitable for Apple iPhone 8 Plus	86160	Retail Box	3S-0726
suitable for Apple iPhone X/XS	45695	Retail Box	3S-1222
suitable for Apple iPhone XR	45702	Retail Box	3S-1231
suitable for Apple iPhone XS Max	45709	Retail Box	3S-1240





94551

85875
84577

3SIXT Black Aramid Case

- 100 % DuPont™ Kevlar® material is five times harder than steel and ensures full signal strength
- extraordinarily light (10 g) and thin (0.7 mm) material
- this case impresses with its incredible scratch resistance
- secure hold thanks to a non-slip surface

suitable for Apple iPhone X	94551	Retail Box	3S-0945
suitable for Apple iPhone 7/8	85875	Retail Box	3S-0715
suitable for Apple iPhone 8 Plus	84577	Retail Box	3S-0749



3SIXT Red Neo Wallet

- 2-in-1 – inner shell is easy to remove and can be used as an extra pocket
- strikingly elegant companion made of genuine leather
- ultra-light material makes it very easy to carry
- with extra card compartments for bank and business cards or bank notes
- protects against external influences and damage
- quick and easy mounting for in-car use via integrated magnets (suitable mount not included in delivery)

suitable for Apple iPhone XS Max	45707	Retail Box	3S-1238
suitable for Apple iPhone XR	45700	Retail Box	3S-1229
suitable for Apple iPhone X/XS	45693	Retail Box	3S-1220



3SIXT Red Slim Folio

- elegantly designed flip case with additional standing function and rubberised back
- two integrated slots for credit cards, photos etc.
- protects against external influences and damage
- 100% fit

suitable for Apple iPhone X/XS	45692	Retail Box	3S-1219
suitable for Apple iPhone XR	45699	Retail Box	3S-1228
suitable for Apple iPhone XS Max	45706	Retail Box	3S-1237



suitable for Samsung Galaxy Note 9	45713	Retail Box	3S-1247
------------------------------------	-------	------------	---------



3SIXT Black

Sync and charging cable

suitable for devices with Apple Lightning Connector



- particularly flexible, textile covered cable with metal connectors
- Apple-MFI licensed for the iPad, iPad mini, iPhone, iPod
- USB 2.0 for hi-speed data transmission up to 480 Mbit/s
- 2.0 m cable length for plenty of reach

0.30 m	38803	Retail Box	3S-1121
1.00 m	38804	Retail Box	3S-1122
2.00 m	38805	Retail Box	3S-1123



3SIXT Black

Micro-USB sync and charging cable

for many Android and Windows devices



- particularly flexible, textile covered cable with metal connectors
- compatible with many popular tablets/smartphones from Samsung, HTC, Kindle, Sony, Windows, Huawei, etc.
- USB 2.0 for hi-speed data transmission up to 480 Mbit/s
- 0.30 m cable length ensures order in everyday use

0.30 m	38799	Retail Box	3S-1117
1.00 m	38800	Retail Box	3S-1118
2.00 m	38801	Retail Box	3S-1119



3SIXT Black

3in1 Charge/Sync Cable

3in1 connector with Micro-USB, USB-C™ and Lightning



- 3in1 connector with Micro-USB, USB-C™ and Lightning
- highly flexible, textile covered cable with metal plugs
- compatible with USB-C™ devices such as Apple MacBook or Google ChromeBook
- Micro-USB 2.0 for high-speed data transmission up to 480 Mbit/s
- 1.0 m cable length for sufficient range

1.00 m	38809	Retail Box	3S-1127
--------	-------	------------	---------



3SIXT Black

USB-C™ Sync and charging cable

for devices with USB-C™ connection



- highly flexible, textile covered cable with metal plugs
- compatible with USB-C™ devices such as Apple MacBook or Google ChromeBook
- USB 2.0 for high-speed data transmission up to 480 Mbit/s
- 2.00 m cable length for plenty of reach

0.30 m	38810	Retail Box	3S-1128
1.00 m	38811	Retail Box	3S-1129
2.00 m	38812	Retail Box	3S-1130





3SIXT Black

USB 3.1 Gen 1 USB-C™ sync and charging cable

for devices with USB-C™ connection

- USB 3.1 Gen 1 for Super-Speed data transmissions up to 5 Gbit/s
- USB Power Delivery: charges up USB-C™ ready devices at maximum speed (3A, 60W Max)
- highly flexible, textile covered cable with metal plugs
- compatible with USB-C™ devices such as Apple MacBook or Google ChromeBook
- USB-C™ allows for reversible plug orientation
- 1.0 m cable length for sufficient range

1.00 m 38815 Retail Box 3S-1133



Skross

Charge'n Sync USB Type-C

for all USB devices with USB Type-C 2.0 port

- Standard: 2.0

72660 Retail Blister



TAB & PHONE – CABLES & ADAPTERS – AUDIO/VIDEO



3SIXT Black

Audio cable

3.5 mm connection cable for tablets and smartphones

- two 3.5 mm jack connectors for audio connections via AUX-In
- particularly flexible, textile covered cable with metal connectors
- gilded contacts for minimum transmission resistance
- compatible with many tablets, smartphones, car radios, mobile speakers, etc.
- 1.5 m cable length for plenty of reach audio cable

1.50 m 38816 Retail Box 3S-1134





3SIXT Red

Wireless Qi-Charger

maximum wireless charging speed with 5W

- wireless charging via induction technology (Qi standard)
- simply put the device on and charge
- reduces everyday cable chaos
- saves space – small, flat and elegantly designed
- 5 V input voltage, micro USB
- can be combined with a 110 V – 240 V power adapter or 12V/24V vehicle adapter min.2A (not included in the delivery)

66583 Retail Box 3S-1046



3SIXT Red

Dual USB charger Quick Charge 3.0

with Micro USB Cable 1.0m

- Up to 75% faster charging than a standard charger
- with Micro USB Cable 1.0m
- USB1 Type A Quick Charge up to 15W
- USB2 Type A Smart Charging up to 12W
- Over Current and Over Voltage Protection

45914 Retail Box 3S-0980



Goobay

Micro USB charger 2.5 A with switch

power adapter for Raspberry Pi 1, Raspberry Pi 2 and Raspberry Pi 3

- allows for a quick charge directly at the socket
- voltage of 100 V - 240 V also allows for use abroad
- 1 m charger cable for a sufficient range of movement
- overload and short circuit protection
- charging controller for optimal performance

66746 Retail Polybag



New length!

Goobay

USB-C™ to USB A 3.0 cable

USB 3.0 male (type A) > USB-C™ male

- for superfast synching and charging at up to 4.5 W
- USB-C™ connector can be used on both ends
- SuperSpeed data transmissions up to 5 Gbit/s – 10x faster than USB 2.0
- backwards compatability to USB 2.0 and 1.1



1.50 m	66506	Bulk
--------	-------	------



Goobay

USB-C™ to USB A 3.0 cable, 90°

USB 3.0 male (type A) > USB-C™ male

- for superfast synching and charging at up to 4.5 W
- USB-C™ connector can be used on both ends
- SuperSpeed data transmissions up to 5 Gbit/s – 10x faster than USB 2.0
- backwards compatability to USB 2.0 and 1.1



0.50 m	66500	Bulk
1.00 m	66501	Bulk
1.50 m	66502	Bulk
2.00 m	66503	Bulk
3.00 m	66504	Bulk



New lengths!

Goobay

USB-C™ 3.1 generation 1 cable

USB-C™ male > USB-C™ male

- SuperSpeed data transmissions up to 5 Gbit/s – 10x faster than USB 2.0
- for superfast synching and charging at up to 4,5 W
- USB-C™ connector can be used on both ends



1.50 m	66507	Bulk
2.00 m	66508	Bulk
3.00 m	66509	Bulk





Goobay

LED clip magnifier lamp, 4W/8W

127 mm glass lens; 1.75x magnification; 3 dioptries; 400–760 lumen, 2-step dimming

- 127 mm magnifier diameter with harmonious LED ring lighting
- glass lens with 3 dioptries and 1.75 magnification
- articulated arm with integrated cable guide and 700 mm working radius
- magnifier head can be tilted up to 100° and swivelled up to 250°
- clamp base for tabletops up to 50 mm thick
- brightness can be adjusted in increments using touch panel
- lens can be easily changed thanks to quick-release fastener



55666 Retail Box



Goobay

LED clip magnifier lamp, 1~9 W

127 mm glass lens; 1.75x magnification; 3 dioptries; 860 lumen, 6 step dimming

- 127 mm magnifier diameter with harmonious LED ring lighting
- glass lens with 3 dioptries and 1.75 magnification
- articulated arm with integrated cable guide and 700 mm working radius
- magnifier head can be tilted up to 100° and swivelled up to 250°
- clamp base for tabletops up to 50 mm thick
- brightness can be adjusted in increments using touch panel
- lens can be easily changed thanks to quick-release fastener



55667 Retail Box





Goobay

ITA - Analogue timer

simple and precise control of electronic devices

- Italian plug system (3-pin; Type L, CEI 23-16-VII)
- turns devices on or off in 15-minute intervals up to 96 times a day
- switch offers the possibility of continuous operation
- with control LED

55454 Retail Box



Goobay

ITA - Digital timer

convenient and precise control of electronic devices

- perfect for recurring tasks such as blinds, aquariums and billboards
- 10 timer programs with 1-minute steps
- 16 different weekday combinations
- 12-hour or 24-hour time display
- Italian plug system (3-pin; Type L, CEI 23-16-VII)
- possibility of continuous operation
- includes back-up battery for approx. 4 days, no reprogramming required after power outage or removal from the socket

55455 Retail Box



Goobay

ITA - Analogue timer, IP44-rated

simple and precise control of electronic devices; suitable for outdoor use

- Italian plug system (3-pin; Type L, CEI 23-16-VII)
- turns devices on or off in 30-minute intervals up to 48 times a day
- switch offers the possibility of continuous operation

55456 Retail Box

