

2018

NEW Q4

Our product portfolio is constantly growing.

Discover exciting new products at a glance since the publication of the Wentronic product range.

CONTENT

TV & SAT

MOUNTS – MOUNTS FOR VIDEO PROJECTORS	2
--------------------------------------	---

AUDIO/VIDEO

DISPLAYPORT – CONNECTION CABLES	3
---------------------------------	---

TAB & PHONE

STORAGE MEDIA	4
SCREEN PROTECTOR – FOR SAMSUNG	5
SCREEN PROTECTOR – FOR HUAWEI	5
CASES – FOR SAMSUNG	6
CASES – FOR HUAWEI	7
CABLES & ADAPTERS – SYNC & CHARGE	8
POWERBANKS & BATTERY PACKS	8

NOTEBOOK & PC

DATA CABLES & ADAPTERS – USB	9
------------------------------	---

NETWORK

CAT 8.1 PATCH CABLES	10
NETWORK INSTALLATION ACCESSORIES – KEYSTONES & ACCESSORIES	11

LIGHTING

ILLUMINANT – SCREW BASE	12-14
ILLUMINANT – PIN BASE	15
LAMPS – DECO LIGHTS & FAIRY LIGHTS	16-17
LAMPS – MAGNIFYING LAMPS	18

POWER

POWER CORDS	19
INSTALLATION & ACCESSORIES – CONNECTORS & ADAPTERS	20

BATTERIES

INDUSTRY CELLS – BATTERY PACKS	21
--------------------------------	----



Goobay

BeamerFlex L

universal ceiling mount for projectors; with cardan joint

- distance from ceiling 150 mm
- can be tilted up to 15°, swivelled up to 15° and rotated up to 360°
- suitable for devices weighing up to 13.5 kg
- selectable hole distances between 54 mm and 320 mm
- integrated cable guide ensures tidiness
- position setting is also possible after mounting; mounting material included
- universal adapter plate and adjustable supporting arms for projectors of different sizes

72333 Retail Box



Goobay

BeamerFlex XL

universal ceiling mount for projectors

- distance from ceiling 135 mm
- can be tilted up to 20°, swivelled up to 20° and rotated up to 360°
- suitable for devices weighing up to 25 kg
- selectable hole distances between 80 mm and 500 mm
- with integrated ball joint and knob for easy position setting even after mounting; easy horizontal alignment using quick-locking mechanism
- adjustable supporting arms for projectors of different sizes
- mounting material included

72332 Retail Box



New lengths!



Goobay

DisplayPort connector cable 1.2, gold-plated

DisplayPort male > DisplayPort male

- for connecting monitors, laptops, projectors or graphic cards
- plug with lock for secure connections
- gold contacts for enhanced signal transmission
- supports 3D, 4k*2k@60Hz



7.50 m	66824	Bulk
10.00 m	66825	Bulk
15.00 m	66826	Bulk





Strontium Nitro OTG and USB 3.1 flash drive

High-Speed flash-drive with up to 150 MB/s in small design and robust metal body

- up to 150 MB/s transferspeed, Nitro Performance
- perfect for Android smartphones & tablets, GPS, HD camcorder, and many more
- with USB 3.1 and micro USB connector
- USB 3.0 High-Speed-Performance (backwards compatible USB3.0 + USB 2.0)
- robust body with stylish metal finishing
- On-the-go standard enables the user to transfer data directly from Smartphone on an USB flash drive for example. Smartphones need to have the corresponding standard.



16.00 GB	74023	Retail Blister
32.00 GB	74024	Retail Blister
64.00 GB	74025	Retail Blister
128.00 GB	74026	Retail Blister





3SIXT Red

Edge to Edge Glass Screen Protector

- The curved 9H surface is nine times harder than glass and provides optimal protection against scratches
- The protective glass CANNOT be scratched by metal
- Fits the smartphone like a second skin
- Very lightweight and robust
- Provides optimal protection when used together with a smartphone case
- 100% fit

suitable for Samsung A6

3S-1376

39499

Retail Box



TAB & PHONE – SCREEN PROTECTOR – FOR HUAWEI



3SIXT Red

Edge to Edge Glass Screen Protector

- The curved 9H surface is nine times harder than glass and provides optimal protection against scratches
- The protective glass CANNOT be scratched by metal
- Fits the smartphone like a second skin
- Very lightweight and robust
- Provides optimal protection when used together with a smartphone case
- 100% fit

suitable for Huawei Honor 8X

3S-1408

39757

Retail Box

suitable for Huawei Mate 20

3S-1371

39496

Retail Box

suitable for Huawei Mate P20 Lite

3S-1374

39497

Retail Box

suitable for Huawei P20 Pro

3S-1375

39498

Retail Box





3SIXT Red Pure Flex Case

- extremely thin and impact-resistant material protects against external influences and damage
- ports and buttons remain readily accessible
- transparent back
- 100% fit



suitable for Samsung A6

3S-1364 39507 Retail Box



3SIXT Red Slim Folio Case

- elegantly designed flip case with additional standing function and rubberised back
- two integrated slots for credit cards, photos etc.
- protects against external influences and damage
- 100% fit



suitable for Samsung A6

3S-1377 39517 Retail Box



3SIXT Red

Pure Flex Case

- extremely thin and impact-resistant material protects against external influences and damage
- ports and buttons remain readily accessible
- transparent back
- 100% fit



suitable for Huawei Honor 8X

3S-1407

39756

Retail Box



3SIXT Red

Slim Folio Case

- elegantly designed flip case with additional standing function and rubberised back
- two integrated slots for credit cards, photos etc.
- protects against external influences and damage
- 100% fit



suitable for Huawei Mate 20

3S-1357

39500

Retail Box

suitable for Huawei Mate 20 Lite

3S-1388

74035

Retail Box

suitable for Huawei P20 Lite

3S-1359

39502

Retail Box

suitable for Huawei P20 Pro

3S-1361

39504

Retail Box



3SIXT Red

Book Wallet Case

- ultra-light material makes it very easy to carry
- with extra card compartments for bank and business cards or bank notes
- protects against external influences and damage



suitable for Huawei Mate 20

3S-1358

39501

Retail Box

suitable for Huawei Mate 20 Lite

3S-1389

74036

Retail Box





Goobay

3-in-1 combo cable

with Micro USB, USB-C™ and Apple Lightning

- MFi charging and sync combo cable for Apple iPhone/iPad, Android and USB-C™ devices
- narrow connectors also fit perfectly when using protective covers
- 1 m cable length for good mobility when synchronising/charging
- data cable with Hi-Speed USB A 2.0 connector with up to 480 Mbps
- Apple MFI certification for unlimited compatibility with all lightning devices

black	45434	Retail Polybag	45433	Retail Box
white	45562	Retail Polybag	45561	Retail Box



TAB & PHONE – POWERBANKS & BATTERY PACKS



Goobay

Wireless Quick Charge Powerbank 10.0 (10,000 mAh)

superfast charging technology with Quick Charge QC3.0 and USB-C™

- cable-free charging option (drag-and-charge) for Qi standard devices
- fast charging with Qualcomm Quick Charge 3.0 function
- USB-C™ connection can be used as input or output
- two USB ports for simultaneously charging mobile devices
- extremely flat metal housing in a handy and stylish design
- additional micro-USB port for charging the PowerBank



55152 Retail Box





Goobay
Decorative USB snowman
add a touch of Christmas to your desk

- lights up in a range of wintry colours
- pleasantly soft transitions between colours
- power supply from a USB connection
- easy to install thanks to plug and play
- with transparent USB cable for power supply (1.4 m)
- 0.06 W power consumption



blue	45457	Retail Box
red	45876	Retail Box






Material cable sheath	LSZH
Cable sheath diameter (approx.)	8.2 mm
max. bandwidth	2000 MHz
Cable type	round cable
Inner conductor material	CU (copper)
AWG	24/7 (stranded)
Shielding class	S/FTP (PiMF)
Number of shieldings	2 x
Type 1, shielding	foil (alu) PiMF
Type 2, shielding	braid (alu) overall shield
LSZH compliant	yes
Kink protection	both sides
Inner conductor, core diameter	0.2 mm
Connection, type	RJ45 industry industry female (8P8C)
Connection, shielding	yes
Connection 2, type	RJ45 industry industry female (8P8C)
Connection, housing material	PVC
Connection, contact material	gold-plated 50µ
Rastnasenschutz	both sides
Contacting	EIA/TIA-568B

Goobay

CAT 8.1 network cable, S/FTP (PiMF), black

LSZH halogen-free, CU material

- Appropriate for 25/40G Base-T Ethernet networks (40GB-capable) and downward compatible
- CAT 8.1 Channel 100% tested (attached measurement log + serial no.)
- Max. bandwidth: 2000 MHz / 2 GHz
- New type of RJ45 Cat 8 plug as per industry standard with 50µ gold-plated contact surfaces (PINs)
- Shielded RJ45 plug with latch and latch protection
- Double-shielded LAN/network cable: wire pair shielding: PIMF (pair in metal foil) + overall shielding: mesh
- Length specification on Slimline anti-kink sleeve



Cable length	black	white	grey	blue
	Bulk	Bulk	Bulk	Bulk
0.25 m	66719	55122	55134	45657
0.50 m	66720	55123	55135	45658
1.00 m	66721	55124	55136	45659
2.00 m	66722	55125	55137	45660
3.00 m	66723	55126	55138	45661
5.00 m	66724	55127	55139	45662
7.50 m	66725	55128	55140	45663
10.00 m	66726	55129	55141	45664
15.00 m	66727	55130	55142	45665
20.00 m	66728	55131	55143	55119
25.00 m	66729	55132	55144	55120
30.00 m	66733	55133	55145	55121



Goobay
Keystone module RJ45 CAT 6?, STP, slim-line
14.8 mm width, crocodile type, for IDC connectors (toolless)

- can be mounted in Keystone panels up to 24 ports or wall outlets
- connectors have TIA 568A/B colour code
- supports 10 gigabit ethernet application
- suitable for Power over Ethernet (PoE) according to IEEE 802.3 af
- strain-relief by cable tie
- fully shielded zinc-alloy housing



79448 Bulk



Goobay
Keystone RJ45 module CAT 6?, STP, with shutter
15.8 mm width, crocodile type, for IDC connectors (toolless)

- can be mounted in Keystone panels up to 24 ports or wall outlets
- connectors have TIA 568A/B colour code
- supports 10 gigabit ethernet application
- with practical dust cover – various colours for structured cabling
- strain-relief by cable tie
- fully shielded zinc-alloy housing



black	66460	Bulk
blue	66461	Bulk
red	66462	Bulk
silver	66463	Bulk



Goobay
Keystone module RJ45 CAT 6?, UTP
17.1 mm width, crocodile type, for IDC connectors (toolless)

- can be mounted in Keystone panels or wall outlets
- connectors have TIA 568A/B colour code
- plastic housing



black	90692	Bulk
blue	90688	Bulk
green	90687	Bulk
light gray	90693	Bulk
red	90689	Bulk
white	90867	Bulk
yellow	90691	Bulk
orange	90690	Bulk





Goobay

Filament LED Candle, 2.8 W

base E14, 24 W equivalent, warm white, not dimmable

- warm white light with 2700 K
- shines like an incandescent bulb with a beam angle of 300°
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45619 Retail Box



Goobay

Filament LED Candle, 4 W

base E14, 37 W equivalent, warm white, not dimmable

- warm white light with 2700 K
- shines like an incandescent bulb with a beam angle of 300°
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45620 Retail Box



Goobay

LED Candle, 5 W

base E14, 33 W equivalent, warm white, not dimmable

- warm white light with 2700 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45612 Retail Box



Goobay

Filament LED Mini Globe, 4 W

base E14, 39 W equivalent, warm white, not dimmable

- warm white light with 2700 K
- shines like an incandescent bulb with a beam angle of 300°
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45621 Retail Box





Goobay

LED Mini Globe, 5 W

base E14, 31 W equivalent, warm white, not dimmable

- warm white light with 2700 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45613 Retail Box



Goobay

Filament LED Bulb, 4 W

base E27, 39 W equivalent, warm white, not dimmable

- warm white light with 2700 K
- shines like an incandescent bulb with a beam angle of 300°
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45622 Retail Box



Goobay

LED Mini Globe, 5 W

base E27, 31 W equivalent, warm white, not dimmable

- warm white light with 2700 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45614 Retail Box



Goobay

LED Bulb, 6 W

base E27, 39 W equivalent, warm white, not dimmable

- warm white light with 2700 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45616 Retail Box





Goobay

Filament LED Bulb, 7 W

base E27, 58 W equivalent, warm white, not dimmable

- warm white light with 2700 K
- shines like an incandescent bulb with a beam angle of 300°
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45623 Retail Box



Goobay

Filament LED Bulb, 7 W

base E27, 62 W equivalent, warm white, not dimmable

- warm white light with 2700 K
- shines like an incandescent bulb with a beam angle of 300°
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45615 Retail Box



Goobay

LED bulb, 9 W

base E27, 60 W equivalent, warm white, not dimmable

- warm white light with 2700 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45617 Retail Box



Goobay

LED Bulb, 11 W

base E27, 75 W equivalent, warm white, not dimmable

- warm white light with 2700 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45618 Retail Box





Goobay

LED Reflector, 2 W

base GU4, 16 W equivalent, warm white, not dimmable

- warm white light with 3000 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45608 Retail Blister



Goobay

LED Reflector, 5 W

base GU5.3, 35 W equivalent, warm white, not dimmable

- warm white light with 2700 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45609 Retail Box



Goobay

LED Reflector, 3.5 W

base GU10, 27 W equivalent, warm white, not dimmable

- warm white light with 3000 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45610 Retail Box



Goobay

LED Reflector, 4 W

base GU10, 35 W equivalent, warm white, not dimmable

- warm white light with 2700 K like an incandescent bulb
- true, natural colors thanks to 80 Ra
- does not get hot and is immediately bright when switched on

45611 Retail Box



A++



Goobay

Silver wire light chain with 20 LEDs, incl. timer

atmospheric lighting decoration for indoor use

- silver-wire light chain with 20 warm white LEDs
- with timer function – 6 hours on/18 hours off
- adds a stylish and brightening touch to all indoor spaces
- suitable for indoor use (IP20)
- battery-operated (2 x AA, not included in delivery)
- feeder: approx. 0.10 m, total length: approx. 1.05 m
- LEDs spaced 5 cm apart from one another

66736 Retail Box



A++



Goobay

Light chain with 10 LEDs, battery-operated


atmospheric lighting decoration for indoor use

- light chain with 10 warm white LEDs
- adds a stylish and brightening touch to all indoor spaces
- suitable for indoor use (IP20)
- battery-operated (2 x AA, not included in delivery)
- feeder: approx. 0.30 m, total length: approx. 1.20 m
- LEDs spaced 10 cm apart from one another

66737 Retail Box



A++



Goobay

Light chain with 24 LEDs, incl. 8 functions


atmospheric lighting decoration for indoor and outdoor use

- light chain with 24 warm white LEDs, adds a stylish and brightening touch to all indoor and outdoor spaces
- 8 different lighting combinations for variety:
- combination/wavy/sequential light/alternating dimming and brightening/blinking/slowly fading/twinkling/continuous light
- suitable for indoor and outdoor use (IP44)
- battery-operated (3 x AA, not included in delivery)
- feeder: approx. 0.50 m, total length: approx. 2.30 m
- LEDs spaced 7.5 cm apart from one another

66738 Retail Box



A++



Goobay


Light chain with 80 LEDs, incl. power plug

atmospheric lighting decoration for indoor and outdoor use

- light chain with 80 cold white LEDs
- adds a stylish and brightening touch to all indoor and outdoor spaces
- suitable for indoor and outdoor use (IP44)
- with power plug, feeder: approx. 3 m, total length: approx. 9 m
- LEDs spaced 7.5 cm apart from one another

66739 Retail Box






Goobay

Light chain with 120 LEDs, incl. power plug

atmospheric lighting decoration for indoor and outdoor use

- light chain with 120 warm white LEDs
- adds a stylish and brightening touch to all indoor and outdoor spaces
- suitable for indoor and outdoor use (IP44)
- with power plug, feeder: approx. 3 m, total length: approx. 12 m
- LEDs spaced 7.5 cm apart from one another

66740 Retail Box




Goobay

Light chain with 120 LEDs, incl. timer and 8 functions

atmospheric lighting decoration for indoor and outdoor use

- light chain with 120 warm white LEDs, adds a stylish and brightening touch to all indoor and outdoor spaces
- 8 different lighting combinations for variety:
- combination/wavy/sequential light/alternating dimming and brightening/ blinking/slowly fading/twinkling/continuous light
- with timer function – 6 hours on/18 hours off
- suitable for indoor and outdoor use (IP44)
- with power plug, feeder: approx. 7.5 m, total length: approx. 19.5 m
- LEDs spaced 10 cm apart from one another

66741 Retail Box




Goobay

Cluster light chain with 400 LEDs, incl. 8 functions

atmospheric lighting decoration for indoor and outdoor use

- cluster light chain with 400 cold white LEDs
- 8 different lighting combinations for variety:
- combination/wavy/sequential light/alternating dimming and brightening/ blinking/slowly fading/twinkling/continuous light
- adds a stylish and brightening touch to all indoor and outdoor spaces
- suitable for indoor and outdoor use (IP44)
- with power plug, feeder: approx. 3 m, total length: approx. 11 m
- LEDs spaced 2 cm apart from one another

66742 Retail Box



Goobay

Cluster light chain with 400 LEDs, incl. 8 functions

atmospheric lighting decoration for indoor and outdoor use

- cluster light chain with 400 warm white LEDs
- 8 different lighting combinations for variety:
- combination/wavy/sequential light/alternating dimming and brightening/ blinking/slowly fading/twinkling/continuous light
- adds a stylish and brightening touch to all indoor and outdoor spaces
- suitable for indoor and outdoor use (IP44)
- with power plug, feeder: approx. 3 m, total length: approx. 11 m
- LEDs spaced 2 cm apart from one another

66743 Retail Box





Goobay

LED clip magnifier lamp with clamp, 6 W

100 mm glass lens; 1.75x magnification; three dioptries; 570 lumen

- 100 mm magnifier diameter with 30 SMD LEDs ensures perfect illumination
- glass lens with three dioptries and 1.75x magnification
- the clip lamp grips firmly onto any type of table
- individually adjustable thanks to flexible swan neck
- included in delivery: magnifier lamp, power supply and mounting clip



55980 Retail Box

Operating voltage	230 V (AC)
-------------------	------------

Beam Angle	120 °
------------	-------

Dimensions	660 x 65 x 40 mm
------------	------------------



New lengths!



Goobay

UK - cold-device cord; black

UK 3-pin male (Type G, BS 1363) > Device socket C13 (IEC connection)

- universal
- suitable for cold devices, such as computers, monitors, projectors etc.

0.50 m	38727	Retail Polybag	H05-VV-F3G	1 mm ²
1.00 m	38728	Retail Polybag	H05-VV-F3G	1 mm ²
10.00 m	38729	Retail Polybag	H05-VV-F3G	1 mm ²



New lengths!



Goobay

UK - power supply cord; black

UK 3-pin male (Type G, BS 1363) > Device socket C7

- universal
- suitable for devices, such as televisions, electric razors, radios etc.

1.00 m	38725	Retail Polybag	H03-VV-H2-F	0.75 mm ²
2.00 m	38726	Retail Polybag	H03-VV-H2-F	0.75 mm ²



New lengths!



Goobay

Power supply cord, Italy; black

Italian male (Type L, CEI 23-16-VII) > Device socket C5

- IEC-60320-C5, also referred to as Mickey Mouse style cord

1.00 m	59814	Retail Polybag	H05-VV-F3G	0.75 mm ²
2.50 m	59815	Retail Polybag	H05-VV-F3G	0.75 mm ²
5.00 m	44563	Retail Polybag	H05-VV-F3G	0.75 mm ²
10.00 m	44564	Retail Polybag	H05-VV-F3G	0.75 mm ²



Neue Längen!



Goobay

Cold-device cord, Italy; black

Italian male (Type L, CEI 23-16-VII) > Device socket C13 (IEC connection)

- universal
- suitable for cold devices, such as computers, monitors, projectors etc.

1.00 m	59816	Retail Polybag	H05-VV-F3G	1 mm ²
2.50 m	59817	Retail Polybag	H05-VV-F3G	1 mm ²
5.00 m	73191	Retail Polybag	H05-VV-F3G	1 mm ²
2.50 m	73198	Retail Polybag	H05-VV-F3G	1 mm ²





ProCar

DIN Standard built-in socket with cover

suitable for safety universal plug for cigarette lighter and standard sockets (DIN EN ISO 4165)

- with 6.3 mm T-flat terminals
- with protective cap dust-proof and splash-proof version
- fastening by hexagon nut
- cigarette lighter socket, inner \varnothing 12 mm
- port for installation 18 mm

38834 Retail Blister model 67617100



Goobay

Nickel-metal hydride battery (NiMH)

- special battery type with low self discharge
- battery is precharged and directly ready to use
- rechargeable up to 1000 times, they are especially enviromental friendly
- no memory effect

3x AAA (Micro) - 800 mAh

Solder tail (Z), 3.6 V
32.5 x 10.5 mm



55581

1 pc. in polybag

3x AA (Mignon) - 2100 mAh

Solder tail (Z), 3.6 V
44.5 x 14.5 mm



55652

1 pc. in polybag

4x AA (Mignon) - 2100 mAh

Solder tail (Z), 4.8 V
59 x 14.5 mm



55580

1 pc. in polybag