# wentronic



# Home Office Essentials





## Goobay

## USB-C™ Multiport Adapter (HDMI + Ethernet, PD), white

adds one Ethernet connection, one HDMI $^{\text{\tiny{IM}}}$  connection and one USB 3.0 connection to a USB-C $^{\text{\tiny{IM}}}$  device

- mirrors signals from USB-C™ to HDMI™ and USB devices
- supports HDMI™ resolution of up to 4k x 2k @ 30 Hz
- USB-C™ port for high-speed charging with PD of up to 60 W
- · high-speed network connection via build-in Ethernet port (gigabit)
- USB-A 3.0 port for fast data transfers and charging
- suitable for MacBook and MacBook Pro and other devices with USB-C™ connection



62105 Retail Polybag



## High Speed HDMI™ cable with Ethernet

high-speed cable for Ultra HD

- pure copper conductor and 2-way shielding for clear signal quality
- High-speed HDMI<sup>™</sup> for 3D and Ultra HD up to 4K @ 50/60 Hz (2160 p)
- integrated Ethernet channel saves additional network or audio cables
- 24 carat gold-plated contacts for minimum transmission resistance





3.00 m 70304 Retail Box



## Mini DisplayPort to VGA Adapter

Mini DisplayPort male > VGA male (15-pin)

- Extend your notebook screen to a VGA Display
- Connect your notebook to external displays. Projectors, LCD Displays, TV's
- Supports up to 1080p High definition signal
- Compatible with Thunderbolt 1 and Thunderbolt 2 ports
- No external power required, Plug & Play compliant.



0.10 m 38758 Retail Box



#### DisplayPort cable

connexion audio/vidéo pour contenu HD- et 3D

- mechanical locking of the DisplayPort plug prevents loose connections
- pure copper conductor and 2-way shielding for clear signal quality
- supports a maximum resolution of up to 2560 x 1600 p
- 24 carat gold-plated contacts for minimum transmission resistance





2.00 m 70711 Retail Box

## Clicktronic Casual

#### USB 3.0 cable

high-speed data cable with A/B plug combination

- suitable for many peripheral devices like printers or scanners
- SuperSpeed data transmission at up to 5 Gbit/s 10 times faster than USB 2.0
- disturbance-free signal flow through pure copper conductor and double shielding
- $\bullet$  24 carat gold-plated contacts for minimum transmission resistance



deriver.

0.50 m 70090 Retail Box



#### HP

#### USB A to Micro USB Cable, black

USB 2.0 male (type A) > USB 2.0 micro male (type A)

- Ideal for charging portable devices such as mobile phones
- Supports charging current up to 2.5A
- Supports USB Protocol 480Mbps data transfer rate
- Contains shielded cable to minimize interference
- Strong moulded stress relief to protect the connector



1.00 m 38761 Retail Box



#### Goobay

## USB-C™ to USB A 3.0 cable, black

USB 3.0 male (type A) > USB-C™ male

- for superfast synching and charging at up to 15 W
- USB-C<sup>™</sup> connector can be used on both ends
- SuperSpeed data transmissions up to 5 Gbit/s 10x faster than USB 2.0
- backwards compatability to USB 2.0 and 1.1



1.00 m 67890 Bulk



## Lightning USB charging and sync cable

MFi cable for Apple iPhone/iPad; white

- narrow connectors also fit perfectly when using protective covers
- sufficient range ensured by 1 m cable
- data cable with Hi-Speed USB A 2.0 connector with transfer speed of up to 480 Mbps
- Apple MFI certification for unlimited compatibility with all lightning devices



1.00 m 54600 Retail Polybag
3.00 m 72909 Retail Polybag



## Fast Wireless Charger 10 W (Aluminium/silver)

premium wireless fast-charging device for Qi compatible smartphones

- flat, elegant aluminium design with non-slip cloth surface and integrated LED display
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- simply place the device onto the charger to begin charging
- puts an end to everyday cable chaos
- can be combined with a power adapter (#45173) 110–240 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology







45656 Retail Box





## Goobay

#### Deskstand - Wireless Fast Charger 10W (black)

table stand for smartphones with integrated wireless fast charging technology for Qi compatible smartphones

- timeless design that perfectly complements your desk
- keeps the smartphone in clear view and always within reach
- simply place the device onto the charger to begin charging
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- puts an end to everyday cable chaos
- can be combined with a power adapter (#45173) 110–240 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology







66307 Retail Box





## Goobay

## Wireless quick-charging pad 10 W

wireless fast-charging mat for use in vehicles

- the retrofit solution for your car
- flexible non-slip mat lies perfectly on your dashboard
- fast wireless charging via induction technology (Qi compatible) and QuickCharge technology
- simply place the device onto the charger to begin charging
- puts an end to everyday cable chaos
- can be combined with a vehicle adapter (#45162 / #66442) 12–24 V, min. 2 A, not included in the delivery
- fast-charging mode requires a power adapter with QuickCharge technology









#### 5 Port Gigabit Ethernet Switch

with 5x 10/100/1000Mbps Auto-Negotiation RJ45 Ports

- 5 Auto-Negotiation, Auto-MDI/MDIX ports provide smart switching between 10Mbps, 100Mbps and 1000Mbps hardware
- energy-conserving design, save up to 75% of the power
- non-blocking switching architecture enables full wire-speed packets forwarding and filtering
- supports MAC address auto-learning and auto-aging
- fanless design ensures quiet operation without noise
- Plug and Play design simplifies installation, Wall mounting with suspension eyelets
- complies with IEEE 802.3, IEEE 802.3u, IEEE 802.3x and IEEE 802.3ab standards







93372 Retail Box





71223



71224





needeed




## Goobay

## 5|8 Port Fast Ethernet Switch

with 5 | 8 RJ45 ports 10/100Mps Auto-Negotiation

- supports Auto-Negotiation Auto MDI/MDIX for all circuit points; auto recognition (in-/output); no need for Crossover or Uplink Ports
- max.10/100Mbps (Half-duplex) / max.20/200Mbps (Full-duplex) compatible
- Green-Power-Ethernet brings you an easy way to run your network favorable and with low current
- IEEE 802.3 10Base-T; IEEE 802.3u 100Base-TX und IEEE802.3x Flow conformIEEE 802.3 10Base-T; IEEE 802.3u 100Base-TX und IEEE802.3x Flow conform
- control-transmission-method "store and forward"
- Wall mounting with suspension eyelets







## Goobay

#### 8 Port Gigabit Ethernet Switch

with 8 RJ45 ports 10/100/1000Mbps Auto-Negotiation


- supports Auto-Negotiation Auto MDI/MDIX for all circuit points; auto recognition (in-/output); no need for Crossover or Uplink Ports
- max.10/100/1000Mbps (Half-duplex) / max.20/200/2000Mbps (Full-duplex) compatible
- Green-Power-Ethernet brings you an easy way to run your network favorable and
- IEEE 802.3 10Base-T; IEEE 802.3u 100Base-TX und IEEE802.3x Flow conformIEEE 802.3 10Base-T; IEEE 802.3u 100Base-TX und IEEE802.3x Flow conform
- control-transmission-method "store and forward"
- · Plug & Play











Manufacturer designation	2UX28AA#ABB
Specification	CAT 6
Cable type	round cable
AWG	26
Shielding class	U/UTP
Connection, type	2 RJ45 male
Latch protection	hoth sides

#### ΗP

#### Network Cable - Cat 6

Connect your Notebook to a wired local area network

• Includes network cable with 2 x RJ45 connectors



3.00 m	38776	Retail Box
3.00111	30770	Ketali Dux



max. bandwidth	500 MHz
Specification	CAT 6A
Cable type	round cable
Inner conductor material	CU (copper)
AWG	26/7 (stranded)
Shielding class	U/UTP
Material cable sheath	LSZH
Cable sheath diameter (approx	k.)5 mm
LSZH compliant	yes
Kink protection	both sides
Connection, type	RJ45 male (8P8C)
Connection, contact material	gold-plated 50µ
Latch protection	both sides

#### Goobay

## CAT 6A patch cable U/UTP, grey

LSZH halogen-free, CU

- unshielded LAN/network cable to connect network components with  $2 \times RJ45$  connectors
- · Cat 6(A) tested
- with 50µ gold plated PINs
- with length indication on the slimline strain relief
- with latch protection
- pair-sequence acc. to EIA/TIA 568B

0.25 m         55417 Bulk           0.50 m         55418 Bulk	
0.50 m 55418 Bulk	
1.00 m 55419 Bulk	
1.50 m 55420 Bulk	
2.00 m 55421 Bulk	
3.00 m 55422 Bulk	
5.00 m 55423 Bulk	

7.50 m	55424	Bulk
10.00 m	55425	Bulk
15.00 m	55426	Bulk
20.00 m	55427	Bulk
30.00 m	55428	Bulk
50.00 m	55429	Bulk





max. bandwidth	500 MHz
Specification	CAT 6A
Cable type	round cable
Inner conductor material	CU (copper)
AWG	27/7 (stranded)
Shielding class	S/FTP (PiMF)
Number of shieldings	2 x
Type 1, shielding	foil (alu) PiMF
Type 2, shielding	braid (alu) overall shield
Material cable sheath	LSZH
Cable sheath diameter (approx	x.)6 mm
LSZH compliant	yes
Kink protection	both sides
Connection, type	RJ45 male (8P8C)
Connection, shielding	yes
Latch protection	both sides
Contacting	EIA/TIA-568B

## Goobay

## CAT 6A patch cable, S/FTP (PiMF), grey

LSZH halogen-free, CU material

- double shielded LAN/network cable to connect network components with 2 x RJ45 connectors
- Cat 6(A) tested incl. test report
- $\bullet$  with  $50\mu$  gold plated PINs
- pairs screening: PIMF (pairs in metal foil) + outer shield: braiding
- with length indication on the slimline strain relief
- with latch protection
- pair-sequence acc. to EIA/TIA 568B

0.25 m	94137	Bulk
0.50 m	93659	Bulk
1.00 m	93680	Bulk
1.50 m	95602	Bulk
2.00 m	93741	Bulk
3.00 m	93782	Bulk
5.00 m	93815	Bulk

7.50 m	93848	Bulk
10.00 m	93701	Bulk
15.00 m	94138	Bulk
20.00 m	94139	Bulk
30.00 m	94907	Bulk
50.00 m	94908	Bulk





max. bandwidth	500 MHz
Specification	CAT 6A
Inner conductor material	CU (copper)
AWG	27/7 (stranded)
Shielding class	S/FTP (PiMF)
Number of shieldings	2 x
Type 1, shielding	foil (alu) PiMF
Type 2, shielding	braid (alu) overall shield
Material cable sheath	LSZH
Cable sheath diameter (approx.)	6.2 mm
Kink protection	both sides
Connection, type	RJ45 male (8P8C)
Connection, shielding	yes
Connection 2, type	RJ45 female (8P8C)
Latch protection	unilaterally

## CAT 6A extension cable, S/FTP (PiMF), black

with mounting flange

- mounting, for example, to a slot bracket, cable duct or an enclosure with corresponding opening
- with mounting flange, hole spacing (thread): 25 mm
- double shielded network cable extension for extending your network components
- pairs screening: PIMF (pairs in metal foil) + outer shield: braiding
- with gold plated PINs
- plug with latch protection, molded RJ45 socket
- pin out: 1:1, pair-sequence acc. to EIA/TIA 568B

black			
0.50 m	77572	Bulk	
1.00 m	77574	Bulk	
1.50 m	77576	Bulk	
2.00 m	77578	Bulk	
3.00 m	77580	Bulk	

white			
0.50 m	77573	Bulk	




## Goobay


## 1 slot cable management (mini), black

5 piece set for organising and attaching cables

- space for up to 1 cable
- organise your cables in the office or at home
- durable, long-lasting 3M adhesive surface
- avoids slipping of cables behind or under the desk
- no marks after removing













95040 Retail Blister



#### AC power strip with switch 1,5 m, white

4 safety socket CEE 7/4; child security

- · illuminated switch
- childproof / earth clips
- · right-angled safety plug
- 45° rotated socket outlets





39037 Retail Polybag











## Goobay

## Flexible 5-way power strip with switch

5x safety sockets

- · adapts perfectly to the individual space
- illuminated on/off button
- childproof
- maximum current-carrying capacity: 3,680 W
- two-pole switch-off



41267 Retail Box

## Goobay

#### AC power strip 3 m, black

6 safety socket CEE 7/4; child security

- · childproof / earth clips
- right-angled safety plug
- 45° rotated socket outlets





96050 Retail Polybag



#### Goobay

## AC power strip with surge protection 1.4 m

6 safety socket; childproof

- with illuminated ON/OFF switch
- childproof / earth clips
- right-angled safety plug to ensure more safety when touched
- 45° rotated socket outlets
- illuminated safety LED
- · robust, shock-resistant frame
- with integrated temperature and surge protection



51281 Sleeve



#### 65 W notebook power supply

incl. 1 USB and 9 DC adapter; 9.5 V - 20 V with max. 3.5 A

- provides stabilized direct current of 3.5 A
- output voltage from 9.5 V to 20 V selectable via rotary switch
- various adapters for connection of popular notebooks included with delivery
- additional USB connector for simple connection of a smartphone/tablet
- up to 96% energy savings in standby mode
- thanks to wide-range input of 100 V to 240 V, perfectly suited for worldwide use
- fuses protect against short circuit, overload, overheating, overvoltage, and overcurrent



53986 Retail Blister



## 81 W Notebook Power Supply

incl. 1 USB and 8 DC adapter; 12 V - 22 V with max. 6 A

- provides stabilized direct current of 6 A
- output voltage from 12 V to 22 V selectable via rotary switch
- various adapters for connection of popular notebooks included with delivery
- additional USB connector for simple connection of a smartphone/tablet
- up to 96% energy savings in standby mode
- thanks to wide-range input of 100 V to 240 V, perfectly suited for worldwide use
- fuses protect against short circuit, overload and overcurrent



55001 Retail Box







71 -71 -71 -71 -71 -71 -71

#### Goobay

#### 5 V - 15 V Universal Power Supply

incl. 8 DC adapter - max. 36 W and 3 A

- provides stabilized direct current of 3 A
- output voltage from 5 V to 15 V selectable via rotary switch
- 8 adapter connectors for connection of popular electrical devices
- up to 94% energy savings in stand-by mode
- thanks to wide-range input of 100 V to 240 V, perfectly suited for worldwide use
- fuses protect against short circuit, overload, and overcurrent





#### Everki

#### Versa (EKB427)

Premium Laptop Bag - Briefcase, fits up to 16-inch

- Travel Friendly Friendly 16-inch Laptop Compartment
- Patented corner-guard protection system
- Double-sided structured organization panel
- Felt-Lined iPad/Kindle/tablet pocket
- Premium leather handles and accents
- · Ample storage space
- Limited Lifetime Warranty protection







Devices Suitable Max	Weight	Width x Height x Depth	
40.6 cm (16")	1710 g	430 x 305 x 140 mm	95361 Bulk



#### Everki

## Venue XL (EKS622XL)

Premium iPad Pro 12-inch/Surface Pro/MacBook 12-inch RFID Mini Messenger

- Felt-lined iPad Pro 12-inch/Surface Pro/MacBook 12-inch pocket
- RFID-blocking pocket
- Well-organized compartments with easy access phone pocket
- Premium leather accents
- Magnetic quick-access pocket
- · Wide, ergonomic shoulder strap
- Limited Lifetime Warranty protection







Devices Suitable Max	Weight	Width x Height x Depth	
33 cm (13")	650 g	280 x 335 x 70 mm	58843 Retail Box



#### Everki

#### Onyx (EKP132)

Premium Travel Friendly Laptop Backpack, up to 15.6-Inch

- Travel friendly 15.6-inch laptop/tablet compartment
- Hard-shell quick-access sunglasses case
- Patented corner-guard protection system
- Discreet RFID-blocking pocket
- Quick-access magazine/newspaper slot
- Trolley handle pass-through
- Limited Lifetime Warranty protection







Devices Suitable Max	Weight	Width x Height x Depth	
39.62 cm (15.6")	1600 g	350 x 425 x 190 mm	40840 Bulk



Operating voltage	5 V (DC)
Beam angle	120°
Dimensions	87 x 87 x 263 mm

## LED desk lamp Mood Light + Calendar

interior lighting for a study, children's room, bedroom or office

- trendy design with RGB mood light, calendar, clock and temperature display
- 3-step dimmer with touch pad at the base of the lamp
- on/off touch pad for the RGB mood light at the base of the lamp
- flexible lamp arm can be tilted 180°
- integrated 3.7 V/1200 mAh Li-ion battery; charging time: 3–4 hours; working time (brightest mode): 2–3 hours
- includes approx. 100 cm USB charging cable
- ABS + PC material durable and heat-resistant



55494 Retail Box neutral white 4000 K replaces 27 W 250 Lm



#### Goobay

#### LED desk lamp Fan + Pen Box

interior lighting for a study, children's room, bedroom or office

- trendy design with fan and pen box
- continuous dimmer with memory function and touch pad at the base of the lamp
- on/off touch pad for the fan at the base of the lamp
- flexible lamp arm can be tilted 360°
- integrated 3.7 V/1200 mAh Li-ion battery; charging time: 3–4 hours; working time (brightest mode): 2–3 hours
- includes approx. 100 cm USB charging cable
- ABS + PC material durable and heat-resistant



mm





Operating voltage	230 V (AC)
Beam angle	120 °
Dimensions	900 x 230 mm

#### Goobay

#### LED clip magnifier lamp, 8.5 W

127 mm crystal glass lens; 1.75x magnification; 3 diopters; 83 lumen - 800 lumen

- 127 mm magnifier diameter with harmonious LED ring lighting
- crystal glass lens with 3 diopters and 1.75x magnification
- articulated arm with integrated cable guide and 700 mm working radius
- magnifier head tilts 90° and swivels 360°
- clamp base for table thicknesses up to 60 mm
- brightness adjustable via touch panel step by step from 83 lm 800 lm
- lens change is simple thanks to the quick closure

#### LR03/AAA (Micro)

alkaline manganese battery, 1.5 V 44.5 x 10.5 mm









23631	23778	23817
4 pcs. blister	10 pcs. blister	24 pcs. XXL box

#### • high efficiency, for devices with high energy requirements

- long lifetime for applications with constant and low energy consumption
- up to 7 years shelf life without loss of performance, heat and cold resistant
- · contains no mercury and cadmium

## LR6/AA (Mignon)

alkaline manganese battery, 1.5 V 50.5 x 14.5 mm









23633	23761	23818
4 pcs. blister	10 pcs. blister	24 pcs. XXL box

## Varta Ready to Use

- Pre-charged, use them straight from the pack as normal alkaline
- Remain charged up to 75% (when not in use) after 12 months
- Rechargeable without any memory effect
- Very low self-discharge (LSD)

## AAA (Micro)/HR03 (56703) - 800 mAh

Low-self-discharge NiMH battery (ready-to-use), 1.2 V  $44.5 \times 10.5 \text{ mm}$ 





43461

4 pcs. blister

#### Varta Professional Electronics

Model designation	6032
Diameter	20 mm
Weight	3 g
Manufacturer designation	DL2032, CR2032, 6032
Height	3.2 mm
Height	3.2 mm

#### CR2032 (6032)

lithium button cell, 3 V





40522
49533

5 pcs. blister

## Goobay

## Universal LCD desktop charger

suitable for up to 4 Micro (AAA), Mignon (AA), Baby (C) or Mono (D) batteries and 2 pcs. 9 V block

- can simultaneous charge different sizes and technologies (NiMH, NiCd, Li-ion and LFP batteries)
- suitable for charging e-cigarettes
- comfortably charge using a vehicle charging cable even when you're on the move
- microprocessor control device with LCD status display
- constant voltage charge with minus delta V shutdown
- with surge protection, short-circuit protection and safety shutdown
- includes a travel adapter with plug adapters for the EU, UK, US and Australia





