



The Wall Connection

THE GOOBAY WALL
MOUNT RANGE 2020



4
SIZES



23 - 42"
58 -107 cm



32 - 55"
81 -140 cm



37 - 70"
94 -178 cm




43 -100"
109 - 254 cm

3
TYPES


FIXED



TILT



FULL MOTION



2
SERIES

BASIC SERIE


PRO SERIE



KEEP IT SIMPLE

2 SERIES

BASIC SERIES



FUNCTIONAL


PRO SERIES



HIGH PERFORMANCE
SMART FEATURES

BASIC SERIES

5 Year
Warranty



VESA
mounting bracket

Main frame body


Screw lock



10 Year
Warranty



**FIXED
& TILT**



PRO SERIES


Sturdy wall element

Auto-Mount /
Easy Release Function

Integrated bubble level

fischer® anchor plug

BASIC SERIES



VESA
mounting bracket


Main frame element

Screw lock



FIXED & TILT

PRO SERIES





Auto-Mount /
Easy Release Function




BASIC

FIXED & TILT



BASIC SERIES




Single arm

Single bar
wall mount



**FULL
MOTION**

PRO SERIES



Dual arm (scissor arm)

Dual bar wall
mount

Sturdy and easy to use



BASIC

SERIES





BASIC

SERIES

Overview
Product range

S
size



M
size

L
size


XL
size



FIXED



TILT



FULL MOTION



49730 Retail Box



TV-Wall Mount
BASIC FIXED M

TV Size 81 - 140 cm / 32 - 55"

Extra low profile

Wall distance 20.5 mm

Max. Load 35 kg

49732 Retail Box



TV-Wall Mount
BASIC FIXED L

TV Size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 20.5 mm

Max. Load 35 kg

49742 Retail Box



TV-Wall Mount
BASIC FIXED XL

TV Size 109 - 254 cm / 43 - 100"

Extra low profile


Wall distance 30 mm

Max. Load 75 kg

FIXED

BASIC

FIXED



Extremely flat installation
due to low profile

TV mounts securely with
locking screws


Good ventilation of TV
due to open frame structure

Easy access to the rear ports



BASIC

TILT



49731 Retail Box



TV-Wall Mount
BASIC TILT M

TV Size 81 - 140 cm / 32 - 55"

Extra low profile

Wall distance 20.5 mm

Max. Load 35 kg

Tilts 0° to -8°

49741 Retail Box



TV-Wall Mount
BASIC TILT L

TV Size 94 - 178 cm / 37 - 70"


Extra low profile

Wall distance 20.5 mm

Max. Load 35 kg

Tilts 0° to -8°

49743 Retail Box



TV-Wall Mount
BASIC TILT XL

TV Size 109 - 254 cm / 43 - 100"

Extra low profile

Wall distance 45 mm

Max. Load 75 kg

Tilts 0° to -8°

TILT

Extremely flat installation
due to low profile

TV mounts securely with
locking screws


Lateral adjustment possibility
for easy alignment

Good ventilation of TV
due to open frame structure


Easy access to the rear ports

BASIC

FULL MOTION



49713 Retail Box



TV-Wall Mount

BASIC FULL MOTION S

TV Size 58 - 107 cm / 23 - 42"

Full motion


Wall distance 44 to 192 mm

Max. Load 20 kg

Tilts 3° to -10°

Swivels up to ± 90°.

49714 Retail Box



TV-Wall Mount

BASIC FULL MOTION S

TV Size 58 - 107 cm / 23 - 42"

Full motion


Wall distance 44 to 282 mm

Max. Load 20 kg

Tilts 3° to -10°

Swivels up to ± 90°.

49715 Retail Box



TV-Wall Mount

BASIC FULL MOTION S

TV Size 58 - 107 cm / 23 - 42"

Full motion

Wall distance 44 to 320 mm

Max. Load 20 kg

Tilts 3° to -10°

Swivels up to ± 90°.

FULL MOTION

Perfect mounting for small devices
in niches or above wall cabinets


Perfect viewing
due to swivel and tilt angle

Swivel arm
for perfect positioning of the TV



BASIC

FULL MOTION



49744 Retail Box



TV-Wall Mount
BASIC FULL MOTION M

TV Size 81 - 140 cm / 32 - 55"

Full motion


Wall distance 63 to 427 mm

Max. Load 35 kg

Tilts 10° to -15°

Swivels up to ± 90°.

49745 Retail Box



TV-Wall Mount
BASIC FULL MOTION L

TV Size 94 - 178 cm / 37 - 70"

Full motion

Wall distance 63 to 427 mm

Max. Load 35 kg

Tilts 10° to -15°

Swivels up to ± 90°.

FULL MOTION

Perfect swivel angle
Dual articulated arms

Perfect viewing
due to swivel and tilt angle

Integrated cable management system
tidies up and protects cables



PRO

SERIES





PRO

SERIES

Overview
Product range

S
size

M
size

L
size

XL
size



FIXED




TILT



FULL MOTION

PRO

FIXED



49890 Retail Box



TV-Wall Mount
PRO FIXED M


TV Size 81 - 140 cm / 32 - 55"

Extra low profile

Wall distance 25 mm

Max. Load 50 kg

49891 Retail Box



TV-Wall Mount
PRO FIXED L

TV Size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 25 mm

Max. Load 50 kg

49892 Retail Box



TV-Wall Mount
PRO FIXED XL

TV Size 109 - 254 cm / 43 - 100"

Extra low profile

Wall distance 30,5 mm

Max. Load 75 kg

FIXED

Automatic Click-in & Easy Release with spring lock
for safe locking and unlocking of the TV


Extremely flat installation
due to low profile

Integrated level
for easy installation alignment


Lateral adjustment possibility
for easy alignment

PRO

TILT



49909 Retail Box



TV-Wall Mount
PRO TILT M

TV Size 81 - 140 cm / 32 - 55"

Extra low profile

Wall distance 49 mm

Max. Load 70 kg

Tilts 3° to -12°

49929 Retail Box



TV-Wall Mount
PRO TILT L

TV Size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 49 mm

Max. Load 70 kg

Tilts 3° to -12°

49930 Retail Box



TV-Wall Mount
PRO TILT XL

TV Size 109 - 254 cm / 43 - 100"

Extra low profile

Wall distance 49 mm

Max. Load 70 kg

Tilts 3° to -12°

TILT

Automatic Click-in & Easy Release with spring lock
for safe locking and unlocking of the TV

Good ventilation of the TV
due to open frame structure

Perfect viewing
due to tilt angle


Extremely flat installation
due to low profile

Lateral adjustment possibility
for easy alignment

Access to the rear ports




49932 Retail Box



TV-Wall Mount
PRO FULL MOTION L
 TV Size 94 - 178 cm / 37 - 70"
 Full motion
 Wall distance 77 to 428 mm
 Max. Load 60 kg
 Swivels up to $\pm 60^\circ$.
 Tilts 3° to -15°

49935 Retail Box



TV-Wall Mount
PRO FULL MOTION L Wide Range
 TV Size 94 - 178 cm / 37 - 70"
 Full motion
 Wall distance 77 to 800 mm
 Max. Load 70 kg
 Swivels up to $\pm 60^\circ$.
 Tilts 3° to -15°


49746 Retail Box



TV-Wall Mount
PRO FULL MOTION XL
 TV Size 109 - 254 cm / 43 - 100"
 Full motion
 Wall distance 77 to 428 mm
 Max. Load 60 kg
 Swivels up to $\pm 60^\circ$.
 Tilts 3° to -15°

FULL MOTION

PRO
 FULL MOTION



Scissor arm joint enables large wall clearance
 for perfect swivel angle

Perfect swivel angle
 for perfect positioning of large TVs



Perfect viewing
 due to swivel and inclination angle

Integrated cable management system
 tidies up and protects cables




PRO

WIDE RANGE




Wide Range
Swivel angle up to $\pm 90^\circ$ due to extended arms,
suitable for large size screens






PRO

OLED



OLED Wall Mount



Standard Wall Mount



PRO

OLED

OLED (Pro) Series Fixed

49949 Retail Box



FIXED

TV-Wall Mount
UNIVERSAL L

TV Size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 17mm

Max. Load 50 kg

Tilts 5° to -8°


Ultra flat mounting for OLED televisions
due to low profile

Innovative slide-in design
for easy and fast installation

Easy access
to cables

OLED (Pro) Series Full motion

49956 Retail Box



FULL MOTION

TV-Wall Mount
OLED FULL MOTION L

TV Size 94 - 178 cm / 37 - 70"

Full motion

Wall distance 50 to 510 mm

Max. Load 30 kg

Tilts 5° to -8°

Swivels up to $\pm 60^\circ$.

Scissor arm joint
enables a perfect swivel angle


Quick and easy installation for OLED televisions
due to removable VESA base

Perfect viewing
due to tilt angle



UNIVERSAL





63490 Retail Box



TV-Wall Mount
UNIVERSAL L

TV Size 94 - 178 cm / 37 - 70"

Max. Load 50 kg

Easy installation

Ultra-low profile (14.5 mm)

Simply hang up like a picture thanks to an innovative wire rope suspension

Adjustable suspension wire rope offers wide range hole pattern compatibility

63478 Retail Box



TV-Wall Mount
UNIVERSAL XL

TV Size 94 - 254 cm / 37 - 100"

Max. Load 60 kg

Easy installation

Low profile (40 mm)

Quick mounting due to slide-in design

Wide range hole pattern compatibility

Easy to install
few components

Mounting hardware included



ACCESSORIES



63267 Retail Box



For TV-Wall Mounts
VESA-ADAPTER M

For extension or conversion
of the VESA dimensions 200 x 200 mm

Converts VESA hole patterns
50 x 50 mm up to 200 x 200 mm

Max. Load 30 kg

60134 Retail Box




For TV-Wall Mounts
VESA-ADAPTER L

For extension or conversion
of the VESA dimensions 400 x 400 mm

Converts VESA hole patterns
200 x 200 mm up to 400 x 400 mm

Max. Load 30 kg



Converts hole spacing between TV and wall mount

Maximum load depends on wall mount

Made of high-quality, powder-coated metal

Mounting hardware included



PROJECTOR



PROJECTOR

51905 Retail Box



51896 Retail Box



Projector
CEILING MOUNT

Projector Size 13 - 32 cm / 5,1 - 12,6"

For small to medium projectors

Fully adjustable

Max. Load 10 kg

Tilts up to 15°

Swivels up to 360

Projector
CEILING MOUNT

Projector Size 13 - 32 cm / 5,1 - 12,6"

For small to medium projectors

Fully adjustable

Max. Load 10 kg

Tilts up to 15°

Swivels up to 360

Ceiling distance 130 mm or 200 mm

Variable hole spacing between 130 and 320 mm

Perfect viewing
due to swivel and tilt angle

Integrated pivot joint
for easy positioning of the projector

Perfect projection angle
due to swivel and tilt angle



SPEAKERS



49393 Retail Box



Speaker Wall Mount
UNIVERSAL

Ideal for satellite speakers

Max. Load 3,5 kg

Tilts up to 20°

Swivels up to 70°

49394 Retail Box



Speaker Wall Mount
UNIVERSAL

Ideal for satellite speakers

Max. Load 3,5 kg

Tilts up to 20°

Swivels up to 70°

Speaker mounting
using loudspeaker mounting points

Wall distance up to 64 mm

Slide-in wall panel design
for quick and easy installation

Easy alignment
Adjustable by tool-free rotary knob



OFFICE



63496 Retail Box



Monitor mount
SINGLE

TV Size 33 - 81 cm / 13 - 32"

Desk Mount

Height adjustable from 100 - 400 mm

Max. Load capacity 15 kg

Tilts up to 15°

Pivots up to 180°

Installation material included

63497 Retail Box



Monitor mount
SINGLE SCOPE

TV Size 33-81 cm / 13 - 32"

Desk Mount with telescopic arm

Height adjustable from 100 - 400 mm

Max. Load capacity 15 kg

Tilts up to 15°

Pivots up to 180°

For desktop thicknesses of 10 - 45 mm

Installation material included

69296 Retail Box



Monitor mount
DUAL

TV Size 33 - 68 cm / 13 - 27"

Dual Monitor Desk Mount

Height adjustable from 100 - 320 mm

Max. Load capacity 8 kg

Tilts up to 30°

Pivots up to 360°

Integrated cable management system
tidies up and protects cables

Perfect use of space at the workplace

Desk Mount with clamp bracket



PACKAGING FOLLOWS CONTENT

WELL THOUGHT-OUT FROM
PRODUCT TO (R)ETAIL

Intelligent and self-explanatory
packaging



THE PACKAGING
AS A SELLER



Side

Front

Side



+
MULTILINGUAL

+
EASY TO UNDERSTAND

Bilingual Packaging
(DE, EN)

Product description in
10 languages

Self-explanatory icons
visualize the most
important features

Product and emotional
image for best guidance

Product designation and size on
front and sides
(readable when stored in racks)



GOOBAY - WELL THOUGHT OUT IN EVERY DETAIL



MULTILINGUAL

EASY TO
UNDERSTAND

USER FRIENDLY

ENVIRONMENT-
FRIENDLY


SHIPPING-
OPTIMIZED





FOLDING FRAME TECHNOLOGY - FIX AND TILT

+
SHIPPING-
OPTIMIZED



Smallest possible
packaging

Space saving storage

Reduced shipping cost





ACCESSORY BOXES – EVERYTHING AT YOUR FINGERTIPS

+
EASY SET UP

+
ENVIRONMENT-
FRIENDLY



Reduction of plastic

BASIC SERIES



All screws clearly
arranged

PRO SERIES



Graphical guidance system



EVERYTHING AT A GLANCE




FIXED

Category	Basic			Pro		
Item no.	49730	49732	49742	49890	49891	49892
Size	M	L	XL	M	L	XL
Product name	TV-wall mount Basic FIXED (M)	TV-wall mount Basic FIXED (L)	TV-wall mount Basic FIXED (XL)	TV-wall mount Pro FIXED (M)	TV-wall mount Pro FIXED (L)	TV-wall mount Pro FIXED (XL)
Subtext	for TVs up to 140 cm/55", extra low profile	for TVs up to 178 cm/70", extra low profile	for TVs up to 254 cm/100", extra low profile	for TVs up to 140 cm/55", extra low profile	for TVs up to 178 cm/70", extra low profile	for TVs up to 254 cm/100", extra low profile
RRP	19.99 €	24.99 €	29.99 €	29,99 €	39,99 €	49,99 €
Device type	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA
Screen size (inch)	32-55"	37-70"	43-100"	32-55"	37-70"	43-100"
Screen size (cm)	81-140 cm	94-178 cm	109-254 cm	81-140 cm	94-178 cm	109-254 cm
Quality	***	***	***	*****	*****	*****
Warranty	5 YearWarranty	5 YearWarranty	5 YearWarranty	10 YearWarranty	10 YearWarranty	10 YearWarranty
max. VESA	max. 400x400	max. 600x400	max. 800x400	max. 400x400	max. 600x400	max. 900x600
max. load capacity (kg)	35 kg	35 kg	75 kg	50 kg	50 kg	75 kg
min. wall distance	20.5 mm	20.5 mm	30 mm	25 mm	25 mm	30,5 mm
max. wall distance	20.5 mm	20.5 mm	30 mm	25 mm	25 mm	30,5 mm
Slim	Slim	Slim	Slim	Slim	Slim	Slim
Tilt range	-	-	-	-	-	-
Rotation/swivel range	-	-	-	-	-	-
Dimensions	20.5 x 465 x 422 mm	20.5 x 665 x 422 mm	30 x 864 x 435 mm	448 x 425 x 25 mm	653 x 425 x 25 mm	954 x 625 x 30,5 mm
VESA (A/B)	max. 400x400	max. 600x400	max. 800x400	max. 400x400	max. 600x400	max. 900x600
VESA compatible	200x200, 300x300, 400x200, 400x400	200x200, 300x300, 400x200, 400x400, 600x400	200x200, 300x300, 400x200, 400x400, 600x400, 800x400	200x200, 300x300, 400x200, 400x400	200x200, 300x300, 400x200, 400x400, 600x400	200x200, 300x200, 300x300, 400x200, 400x300, 400x400, 600x400, 600x600, 800x600, 900x600
Foldable frame	-	-	-	-	-	-
Automatic Click-in & Easy Release	-	-	-	yes	yes	yes
Integrated bubble level	-	-	yes	yes	yes	yes

TILT


Category	Basic			Pro		
Item no.	49731	49741	49743	49909	49929	49930
Size	M	L	XL	M	L	XL
Product name	TV-wall mount Basic TILT (M)	TV-wall mount Basic TILT (L)	TV-wall mount Basic TILT (XL)	TV-wall mount Pro TILT (M)	TV-wall mount Pro TILT (L)	TV-wall mount Pro TILT (XL)
Subtext	for TVs up to 140 cm/55", low profile, tiltable	for TVs up to 178 cm/70", low profile, tiltable	for TVs up to 254 cm/100", low profile, tiltable	for TVs up to 140 cm/55", low profile, tiltable	for TVs up to 178 cm/70", low profile, tiltable	for TVs up to 254 cm/100", low profile, tiltable
RRP	29,99€	34,99 €	39,99€	39,99 €	49,99 €	59,99 €
Device type	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA
Screen size (inch)	32-55"	37-70"	43-100"	32-55"	37-70"	43-100"
Screen size (cm)	81-140 cm	94-178 cm	109-254 cm	81-140 cm	94-178 cm	109-254 cm
Quality	***	***	***	****	****	****
Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	10 Year Warranty	10 Year Warranty	10 Year Warranty
max. VESA	max. 400x400	max. 600x400	max. 800x400	max. 400x400	max. 600x400	max. 800x400
max. load capacity (kg)	35 kg	35 kg	75 kg	70 kg	70 kg	70 kg
min. wall distance	20.5 mm	20.5 mm	45 mm	49 mm	49 mm	49 mm
max. wall distance	20.5 mm	20.5 mm	45 mm	49 mm	49 mm	49 mm
Slim	Slim	Slim	Slim	Slim	Slim	Slim
Tilt range	8	8	10	12	12	12
Rotation/swivel range	-	-	-	-	-	-
Dimensions	20.5 x 465 x 422mm	20.5 x 665 x 422mm	45 x 864 x 440mm	49 x 445 x 431mm	49 x 650 x 431mm	890 x 431 x 49mm
VESA (A/B)	max. 400x400	max. 600x400	max. 800x400	max. 400x400	max. 600x400	max. 800x400
VESA compatible	200x200, 300x300, 400x200, 400x400	200x200, 300x300, 400x200, 400x400, 600x400	200x200, 300x300, 400x200, 400x400, 600x400, 800x400	75x75, 100x100, 100x150, 150x100, 150x150, 200x100, 100x200, 200x200, 300x200, 300x300, 400x200, 400x300, 400x400	200x200, 300x200, 300x300, 400x200, 400x300, 400x400, 600x400	200x200, 300x200, 300x300, 400x200, 400x300, 400x400, 600x400, 800x400
Foldable frame	-	-	-	yes	yes	yes
Automatic Click-in & Easy Release	-	-	-	yes	yes	yes
Integrated bubble level	-	-	yes	yes	yes	yes

	FIX		FULL MOTION		Accessory	
Category	OLED (Pro)		Universal		Accessory	
						
Item no.	49949	49956	63490	63478	63267	60134
Size	L	L	L	XL	M	L
Product name	TV-wall mount OLED FIXED (L)	TV – wall mount OLED FULL MOTION (L)	TV-wall mount Universal	TV-wall mount Universal	VESA – adapter for TV-wall mount	VESA – adapter for TV-wall mount
Subtext	for OLED-TVs up to 178 cm/70", low profile	for OLED-TVs up to 178 cm/70", fully adjustable	for TVs up to 178 cm/94", ultra low profile, easy to install	for TVs up to 254 cm/100", extra low profile, easy to install	for extension or adaptation of the VESA - dimensions 200x200 mm	for extension or adaptation of the VESA - dimensions 400x400 mm
RRP	24,99 €	99,99 €	29,99 €	29,99 €	14,99 €	14,99 €
Device type	OLED	OLED	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA
Screen size (inch)	37 – 70"	37 – 70"	37 – 70"	37 – 100"	23 – 42"	32 – 55"
Screen size (cm)	94 – 178 cm	94 – 178 cm	94 – 178 cm	94 – 254 cm	58 – 107 cm	81 – 140 cm
Quality	*****	*****	***	***	***	***
Warranty	10 Year Warranty	10 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty
max. VESA	max. 600x400	max. 400x200	max. 800x800	max. 800x800	max. 200x200	max. 400x400
max. load capacity (kg)	50 kg	30 kg	50 kg	60 kg	30 kg	30 kg
min. wall distance	17 mm	50 mm	14.5 mm	40 mm		
max. wall distance	17 mm	510 mm	14.5 mm	40 mm		
Slim	Ultra Slim	Slim	Slim	Slim		
Tilt range	-	8	-	-	-	-
Rotation/swivel range	-	60	-	-	-	-
Dimensions		510 x 432,5 x 371 mm			220 x 220 mm	450 x 150 mm
VESA (A/B)	max. 600x400	max. 400x200	max. 800x800	max. 800x800	max. 200x200	max. 400x400
VESA compatible	200x100, 200x200, 300x200, 300x300, 400x200, 400x300, 400x400, 600x400	100x100, 100x150, 150x100, 150x150, 200x100, 100x200, 200x200, 300x200, 400x200	100x100, 200x100, 200x200, 300x300, 400x200, 400x400, 600x400, 800x400, 800x600, 800x800	100x100, 200x100, 200x200, 300x300, 400x200, 400x400, 600x400, 800x400, 800x600, 800x800	200x100, 200x200	300x300, 400x200, 400x400
Foldable frame	-	-	-	-	-	-
Automatic Click-in & Easy Release	-	-	-	-	-	-
Integrated bubble level	-	-	-	-	-	-

Category	Beamer		Office			Speakers	
							
Item no.	51905	51896	63496	63497	69296	49393	49394
Size	M	M	M	M	M		
Product name	Projector ceiling mount	Projector ceiling mount	Monitor mount Single	Monitor mount Single Scope	Monitor mount Dual	Speaker wall mount universal	Speaker wall mount universal
Subtext	for small to medium projectors	for small to medium projectors, fullyadjustable	Desk Mount, height-adjustable	telescopic arm Desk Mount, height-adjustable	Dual Monitor Desk Mount, height-adjustable	ideal for Satellitespeakers	ideal for Satellitespeakers
RRP	29,99€	29,99€	49,99€	59,99€	89,99€	11,99€	11,99€
Device type	BEAMER	BEAMER	MONITOR	MONITOR	MONITOR	SPEAKER	SPEAKER
Screen size (inch)	5.1–12.6"	5.1–12.6"	13–32"	13–32"	13–27"		
Screen size (cm)	13–32 cm	13–32 cm	33–81 cm	33–81 cm	33–68 cm		
Quality	***	***	***	***	***	***	***
Warranty	5 YearWarranty	5 YearWarranty	5 YearWarranty	5 YearWarranty	5 YearWarranty	5 YearWarranty	5 YearWarranty
max. VESA	–	–	max. 75x75	max. 75x75	max. 100x100	–	–
max. load capacity (kg)	10 kg	10 kg	15 kg	15 kg	8 kg	3,5 kg	3,5 kg
min. wall distance	130 mm	130 mm				64 mm	64 mm
max. wall distance	200 mm	200 mm				64 mm	64 mm
Slim							
Tilt range	15	15	15	15	30	20	20
Rotation/swivel range	360	360	180	180	360	70	70
Dimensions	200 x 337 x 337mm	200 x 337 x 337mm	100 x 448,5 x 119mm	100 x 448 x 447mm	772 x 115 x 510mm	50 x 87 x 64mm	50 x 87 x 64mm
VESA (A/B)	–	–	max. 75x75	max. 75x75	max. 100x100	–	–
VESA compatible	–	–	75x75	75x75	100x100	–	–
Foldable frame	–	–	–	–	–	–	–
Automatic Click-in & Easy Release	–	–	–	–	–	–	–
Integrated bubble level	–	–	–	–	–	–	–



CONTACT



Wentronic GmbH
Pillmannstraße 12
38112 Braunschweig
Deutschland

Phone: +49 531 21058 - 0
Fax: +49 531 210 58 -22
office@wentronic.com