



clicktronic[®]

entertainment.
pure.

Exclusively at Wentronic 2020



Thrilling.
Exciting.
Real.

Looks like cinema. Sounds like a concert.
Experience home entertainment, the way it should be.

Sophisticated.

Quality to the core.

Clear signal transmission

Inner conductor made of 99,99% oxygen-free copper (OFC)

Interference protection

Up to triple cable shielding

The perfect fit


Three-layer PVC/ABS encapsulated plugs with gapless copper shielding

High flexibility

High elastic PVC

Transmission resistance reduction

24K gold-plated contacts





Versatile.

A strong line-up of high-quality products.

1. HDMI™
2. DisplayPort
3. USB
4. Audio
5. Other connections




HDMI™ Connections

Cables up to Ultra-High-Speed at 8K@60Hz.

See the difference.

HDMI™-standards

HDMI Versionen	HDMI™ STANDARD				HDMI™ HIGH SPEED	HDMI™ HIGH SPEED with ETHERNET		HDMI™ ULTRA HIGH SPEED
max. data rate	3.96 Gbit/s		7.92 Gbit/s		8.16 Gbit/s		18 Gbit/s	48 Gbit/s
max. resolution	1920 × 1080p / 60 Hz			2560 × 1440p / 60 Hz	2560 × 1600p / 60 Hz 3840 × 2160p / 30 Hz	3840 × 2160p / 60 Hz 1920 × 1080p / 48 Hz 3D		7680 × 4320p / 60 Hz 3840 × 2160p / 120 Hz 3D
					4K / 30 Hz	4K / 60 Hz		UHD 4K / 120 Hz UHD 8K / 60 Hz
HDMI Features	1.0	1.1	1.2	1.3	1.4	2.0	2.0a	2.1
sRGB	*	*	*	*	*	*	*	*
YCbCr	*	*	*	*	*	*	*	*
8-channel LPCM, 192 kHz, 24-bit audio capability	*	*	*	*	*	*	*	*
Blu-ray Disc and HD DVD video and audio in full resolution	*	*	*	*	*	*	*	*
Consumer Electronics Control (CEC)	*	*	*	*	*	*	*	*
DVD-Audio		*	*	*	*	*	*	*
Super-Audio-CD (DSD)			*	*	*	*	*	*
Deep Color (30-bit)				*	*	*	*	*
xvYCC				*	*	*	*	*
Auto Audio to video synchronization lip-sync				*	*	*	*	*
Dolby TrueHD Bitstream Capability				*	*	*	*	*
DTS-HD-Master-Audio-Bitstream				*	*	*	*	*
Updated list of CEC commands				*	*	*	*	*
3D by HDMI				*	*	*	*	*
Full HD (1920 × 1080, 120 Hz)					*	*	*	*
Ethernet channel					*	*	*	*
Audio return channel (ARC)					*	*	*	*
4K resolution support					*	*	*	*
4K 50/60p support						*	*	*
4K 3D support						*	*	*
32-channel-audio-Support						*	*	*
1536-kHz-Audio-Support						*	*	*
1080p 3D HFR support						*	*	*
21:9 Cinemascope support						*	*	*
Multi Stream Audio and Video support						*	*	*
High Dynamic Range							*	*
8K 50p support								*
14 and 16 bit color depth support								*



NEW

Ultra-High-Speed-HDMI™-Cable with Ethernet

Ultra-High-Speed-Cable for 8K@60 Hz

- › Pure copper conductor with triple shielding for clear signal transmission
- › Ultra-High-Speed-HDMI™ for 3D and UHD up to 8K@60 Hz and 4K@120 Hz
- › 48 Gbps bandwidth for uncompressed 8K-Video (7680x4320p) with HDR
- › Integrated Ethernet-Channel, no additional network or audio cables needed
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	1,5 m	2,0 m
40988	40989	40990

High-Speed-HDMI™-Cable with Ethernet

High-Speed-Cable for Ultra-HD (UHD)

- › Pure copper conductor with double shielding for clear signal transmission
- › High-Speed-HDMI™ for 3D and UHD up to 4K@50/60 Hz (2160p)
- › Integrated Ethernet-Channel, no additional network or audio cables needed
- › 24K gold-plated contacts for minimal transmission resistance



0,5 m to 5,0 m are HDMI™-Premium-certified
*from 12,5 m High Speed HDMI™

0,5 m	1,0 m	1,5 m	2,0 m	3,0 m	5,0 m
70300	70301	70302	70303	70304	70305
7,5 m	10,0 m	12,5 m*	15,0 m*	20,0 m*	
70306	70307	70308	70309	70310	

Active HDMI™-Cable with Ethernet

HDMI™-Cable with signal amplifier for UHD

- › Integrated signal amplifier for ideal transmission over greater distances
- › Pure copper conductor with double shielding for clear signal transmission
- › High-Speed-HDMI™ for 3D and UHD up to 4K@50/60 Hz (2160p)
- › Integrated Ethernet-Channel, no additional network or audio cables needed



20,0 m	25,0 m	30,0 m
39085	70088	70089

Ultra-Slim-High-Speed-HDMI™-Cable with Ethernet

Ultra-Slim-High-Speed-Cable for UHD

- › A compact plug and extra slim cable design offer optimal flexibility
- › Pure copper conductor with double shielding for clear signal transmission
- › High-Speed-HDMI™ for 3D and UHD up to 4K@50/60 Hz (2160p)
- › Integrated Ethernet-Channel, no additional network or audio cables needed



0,5 m	1,0 m	1,5 m	2,0 m	3,0 m
70701	70702	70703	70704	70705

Mini-HDMI™-Adapter Cable with Ethernet

High-Speed-Adapter Cable Mini-HDMI™ to HDMI™

- › Suitable for digital connection of mobile devices
- › Pure copper conductor with double shielding for clear signal transmission
- › High-Speed-HDMI™ for 3D and UHD up to 4K@50/60 Hz (2160p)
- › Integrated Ethernet-Channel, no additional network or audio cables needed
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m
70320	70322	70323	70324

Micro-HDMI™-Adapter Cable with Ethernet

High-Speed-Adapter Cable Micro-HDMI™ to HDMI™

- › Suitable for digital connection of mobile devices
- › Pure copper conductor with double shielding for clear signal transmission
- › High-Speed-HDMI™ for 3D and UHD up to 4K@50/60 Hz (2160p)
- › Integrated Ethernet-Channel, no additional network or audio cables needed
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m
70326	70328	70329	70330

DVI-Adapter Cable

Video-Adapter Cable DVI-D to HDMI™

- › Transmits digital video signals in both directions
- › Pure copper conductor with double shielding for clear signal transmission
- › High-Speed-HDMI™ for 3D and UHD up to 4K@50/60 Hz (2160p)
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m
70340	70341	70342	70343
7,5 m	10,0 m	15,0 m	
70344	70345	70347	

HDMI™- Swivel Adapter

HDMI™ Male to Female Swivel Adapter

- › Flexible, rotatable and bendable to use in narrow spaces
- › Pure copper conductor with double shielding for clear signal transmission
- › High-Speed-HDMI™ for 3D and UHD up to 4K@50/60 Hz (2160p)
- › Integrated Ethernet-Channel, no additional network or audio cables needed
- › 24K gold-plated contacts for minimal transmission resistance



0,1 m

70700



DisplayPort-Connections

DisplayPort up to version 1.4 at 8K@60Hz.

NEW

DisplayPort-Cable 1.4

Audio/Video-Connection for 4K@120 Hz and 8K@60 Hz contents

- › The mechanic lock of DisplayPort plugs prevents loose connections
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a maximum resolution up to 8K@60 Hz 4320p 32G
- › 24K gold-plated contacts for minimal transmission resistance




1,0 m	2,0 m	3,0 m	5,0 m
40992	40994	40995	40996

DisplayPort-Cable 1.2

Audio/Video-Connection for HD- and 3D-contents

- › The mechanic lock of DisplayPort plugs prevents loose connections
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a maximum resolution up to 2560x1600p
- › 24K gold-plated contacts for minimal transmission resistance



*Displayport Version 1.1

1,0 m	2,0 m	3,0 m	5,0 m
70710	70711	70712	70713
7,5 m	10,0 m	*15,0 m	*20,0 m
70714	70715	70716	70717

Mini-DisplayPort-Adapter Cable

Audio/Video-Adapter Cable Mini-DisplayPort to DisplayPort

- › For Apple MacBook/Pro/Air and multiple other mobile devices
- › The mechanic lock of DisplayPort plugs prevents loose connections
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a maximum resolution up to 2560x1600p
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m
70737	70738	70739	70740

Mini-DisplayPort/HDMI™- Adapter Cable

High-Speed-Adapter Cable Mini-DisplayPort to HDMI™

- › For Apple MacBook/Pro/Air and multiple other mobile devices
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a maximum resolution up to 1920x1200p
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m
70742	70743	70744	70745

Mini-DisplayPort/DVI-Adapter Cable

Video-Adapter Mini-DisplayPort to DVI-D

- › For Apple MacBook/Pro/Air and multiple other mobile devices
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a maximum resolution up to 1920x1200p
- › 24K gold-plated contacts for minimal transmission resistance




1,0 m	2,0 m	3,0 m
70747	70748	70749

DisplayPort/HDMI™-Adapter Cable

High-Speed-Adapter DisplayPort to HDMI™

- › The mechanic lock of DisplayPort plugs prevents loose connections
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a maximum resolution up to 1920x1200p
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m	7,5 m	10,0 m
70719	70720	70721	70722	70723	70724
15,0 m	20,0 m				
70725	70726				

NEW

DisplayPort 1.2/ HDMI™-Adapter Cable

High-Speed-Adapter DisplayPort 1.2 to HDMI™

- › The mechanic lock of DisplayPort plugs prevents loose connections
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a maximum resolution up to 3840 x 2160p
- › 24K gold-plated contacts for minimal transmission resistance



2,0 m	3,0 m	5,0 m	10,0 m
44924	44925	44926	44927

DisplayPort/DVI-Adapter Cable

Video-Adapter DisplayPort to DVI-D

- › The mechanic lock of DisplayPort plugs prevents loose connections
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a maximum resolution up to 1920x1200p
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m	10,0 m
70728	70729	70730	70731	70733



USB-Connections

Data transfer speed up to 10 Gbit/s

NEW

USB-C™ /DisplayPort-Adapter Cable

High-Speed-Adapter Cable USB-C™ to DisplayPort

- › For multiple mobile devices like smartphones and tablets
- › Supports super speed data transfer up to 10 Gbit/s
- › Pure copper conductor with triple shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m
44931	44932	44933

NEW

High-Speed-Adapter Cable USB-C™/HDMI™

High-Speed-Adapter Cable USB-C™ to HDMI™

- › For multiple mobile devices like smartphones and tablets
- › Supports super speed data transfer up to 10 Gbit/s
- › Pure copper conductor with triple shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m
44928	44929	44930

USB-C™-Data Cable

High-Speed-Data Cable USB-C™ USB 3.1

- › For multiple mobile devices like smartphones and tablets
- › Supports super speed data transfer up to 5 Gbit/s
- › For super fast charge and synchronisation
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m

45131

2,0 m

45132

USB-C™-Adapter Cable

High-Speed-Adapter Cable USB-A to USB-C™

- › Ideal for mass storage and peripheral devices like hard drives or hubs
- › Supports super speed data transfer up to 5 Gbit/s 10x faster than USB 2.0
- › For super fast charge and synchronisation
- › Pure copper conductor with double shielding for clear signal transmission



0,5 m	1,0 m	2,0 m	3,0 m
45123	45124	45125	45126

USB-3.0-Extension

High-Speed-Extension USB-A Male to USB-A Female

- › Cable extension kompatibel to USB 3.0/ USB 2.0
- › Supports super speed data transfer up to 5 Gbit/s
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



1,8 m

70119

3,0 m

70120

USB-2.0-Cable

Data Cable USB-A to USB-B USB 2.0

- › Ideal for peripheral devices like printers and scanners
- › Supports data transfer speed up to 480 Mbit/s
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



1,8 m	3,0 m
70096	70097

USB-3.0-Cable

High-Speed-Data Cable USB-A to USB-B USB 3.0

- › Ideal for peripheral devices like printers and scanners
- › Supports super speed data transfer up to 5 Gbit/s 10x faster than USB 2.0
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



0,5m	1,8m	3,0m
70090	70092	70093



Audio-Connections

Cable and adapter for a perfect audio transmission.

Audio/Video-Cable

Cinch Coaxial Cable for dynamic audio sound

- › 75 ohm defined characteristic impedance
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



0,5 m	1,0 m	2,0 m	3,0 m
70442	70443	70445	70446
5,0 m	7,5 m	10,0 m	
70447	70448	70449	

Stereo-Audio-Cable

Cinch Coaxial Cable for powerful stereo sound

- › Dual mono cables for clear channel separation
- › 50 ohm defined characteristic impedance
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



0,5 m	1,0 m	2,0 m	3,0 m
70376	70377	70379	70380
5,0 m	10,0 m	15,0 m	
70381	70383	70385	

Optical-Fiber-Cable-Set

Optical Fiber Cable including 3,5-mm-Jack adapter

- › Optical fiber with very high luminous efficacy
- › Custom-fit PVC / ABS plugs
- › 3,5-mm-Jack adapter included



0,5 m	1,0 m	2,0 m	3,0 m
70365	70366	70368	70369
5,0 m	7,5 m	10,0 m	15,0 m
70370	70371	70372	70374

MP3-Audio-Cabel

3,5-mm-Jack-to-Jack Cable for smartphones, tablets and soundsystems

- › 3,5-mm-Jack-to-Jack cable to connect mobile devices to AUX-IN compatible audio devices
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	1,5 m	3,0 m	5,0 m	10,0 m
70476	70477	70479	70480	70482

MP3-Y-Adapter

0,1-m-adapter 3,5-mm-Jack Female to cinch audio stereo

- › Y-Cinch adapter for soundsystems and amplifier without AUX-IN
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



0,1 m

70493

MP3-Audio-Extension

Extension cable for audio connections via 3,5-mm-Jack

- › 3,5-mm-Jack extension cable
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



1,5 m	3,0 m	5,0 m
70486	70488	70489

MP3-Adapter-Cable

Adapter cable 3,5-mm-Jack Male to cinch audio stereo

- › Y-Cinch adapter for soundsystems and amplifier
- › Pure copper conductor with double shielding for clear signal transmission
- › 24K gold-plated contacts for minimal transmission resistance



1,0m	2,0m	3,0m	5,0m
70465	70467	70468	70469
7,5m	10,0m	15,0m	20,0m
70470	70471	70473	70474



Other Connections

Satellite, antenna and other display connections.

Satellite-Antenna-Cable

F-Coaxial Cable with shielding dimension > 95 dB

- › Pure copper conductor with double shielding for clear signal transmission
- › Ideal for digital satellite television
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m
70388	70390	70391	70392

Antenna-Cable

F-Coaxial Cable with shielding dimension > 95 dB

- › Pure copper conductor with double shielding for clear signal transmission
- › Ideal for digital or terrestrial cable television
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m
70399	70401	70402	70403
7,5 m	10,0 m	15,0 m	20,0 m
70404	70405	70407	70408

VGA-Connection-Cable

Display Cable for video signals up to WQXGA resolution

- › Analog video cable with VGA-plugs (Mini-D-Sub)
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a resolution up to 2560x1600 (WQXGA)
- › 24K gold-plated contacts for minimal transmission resistance



2,0m	3,0m	5,0m	7,5m	10,0m
70351	70352	70353	70354	70355
15,0m	20,0m			
70357	70358			

DVI-D-Connection-Cable

Video Cable for HD signals up to WQXGA / Full HD

- › Digital video cable with DVI-D-plugs (Dual Link)
- › Pure copper conductor with double shielding for clear signal transmission
- › Supports a resolution up to 4K@50/60 Hz
- › 24K gold-plated contacts for minimal transmission resistance



1,0 m	2,0 m	3,0 m	5,0 m
70331	70332	70333	70334
7,5 m	10,0 m	15,0 m	
70335	70336	70338	




clicktronic®

Reliable Partner.

The Clicktronic reseller package.

Content. Pure.


Convinces online and at the POS.



Extensive **product images** and attractive **lifestyle photography**

Detailed **technical data** and **description texts**

Item descriptions in **14 languages**



Empfehlenswert.

Produkte, die Kunden begeistern.

★★★★★ Wirklich tolles Kabel

24. November 2017

Größe: 2m | Stil: Ultraslim | **Verifizierter Kauf**

Auf der Suche nach einem möglichst schlanken Kabel für meinen sehr nah an die Wand montierten TV bin ich auf dieses Clicktronic Kabel aufmerksam geworden. Da ich bisher auch schon einige Kabel dieser Marke einsetze, schien mir dies genau die richtige Wahl zu sein. Die Qualität des Kabels und der Stecker ist prima und 4K über meinen Apple TV 4k ist inkl. Dolby Vision und 60Hz vollkommen problemlos möglich. Das Kabel mag vielleicht ein paar Euro mehr kosten als andere Kabel, aber das ist es meines Erachtens absolut wert.

★★★★★ Top Leitung

Größe: 12,5m | Stil: Standard | **Verifizierter Kauf**

Das Hdmi Kabel ist in diesem Preisbereich bei dieser guten Verarbeitung und dem Materialaufwand herausragend. Bestmögliches Kabel mit bester Signalqualität auch über 10m Länge. Top!

★★★★★ Full-HD 1080p 60Hz 3D ohne Aussetzer/Störungen bei 12,5m Länge


Von am 19. August 2015

Größe: 12,5m | Stil: Standard

Ich habe wirklich lange gesucht und zig verschiedene Kabel durchprobiert um knapp über 10m zu überbrücken. Da die Übertragung digital ist, gibt es nur "ganz oder gar nicht" - ich habe daher erst mal billige und mittelteure Kabel durchprobiert in der Hoffnung, ein brauchbares zu finden, das auch jenseits der spezifizierten 10m funktioniert - Leider ohne Erfolg. Bei allen anderen Kabeln > 10m kam bei 1080p/60Hz entweder gar kein Signal beim Beamer an oder das Bild war von komplett entstellt, es ging immer "nur" 1080p/24Hz oder 720p/60Hz. Mit dem Clicktronic-Kabel ist die Suche jetzt endlich vorbei!

„We are a school with 1500 students and 350 staff and run a very progressive IT infrastructure with an incredible amount of TV's, Laptops, iPads etc. At this stage we depend on Clicktronic cables because your cables are by far the best and most durable.“

Julius
IT Department
International School of Amsterdam



Become a partner!
Access an exclusive range.
Made by Wentronic
www.wentronic.com