



The Wall Connection

THE GOOBAY MOUNTS

2022



4
SIZES



23 - 42"
58 - 107 cm



32 - 55"
81 - 140 cm



37 - 70"
94 - 178 cm




43 - 100"
109 - 254 cm

3
TYPES


FIXED



TILT



FULL MOTION



2
SERIES

BASIC SERIES

PRO SERIES



KEEP IT SIMPLE

2 SERIES

© Wentronic GmbH

BASIC SERIES



FUNCTIONAL

PRO SERIES



HIGH PERFORMANCE
SMART FEATURES

BASIC SERIES

5 Year
Warranty



VESA
mounting bracket

Main frame element


Screw lock

goo**bay**®

FIXED
& TILT

10 Year
Warranty

PRO SERIES



Solid wall element

Auto-mount /
Easy release function


Integrated bubble level

fischer® anchor plug

fischer 



BASIC SERIES



VESA
mounting bracket


Main frame element

Screw lock

goo**bay**®

**FIXED
& TILT**

PRO SERIES



Auto-mount /
Easy release function

BASIC SERIES




Single arm

Single bar Wall Mount



FULL MOTION

PRO SERIES



Dual arm (scissor arm)

Dual bar Wall Mount

Solid and easy to use



BASIC

SERIES





S
size


M
size

L
size

XL
size



FIXED



TILT



FULL MOTION


BASIC

SERIES

Overview
product range



58523 Retail Box



TV Wall Mount


BASIC FIXED S

TV size 58 - 107 cm / 23 - 42"

Extra low profile

Wall distance 15 mm

Max. load 25 kg



FIXED

Extremely flat installation
due to low profile

Perfect for small TV sets
in niches or above wall units



49730 Retail Box

TV Wall Mount
BASIC FIXED M

TV size 81 - 140 cm / 32 - 55"

Extra low profile

Wall distance 20.5 mm

Max. load 35 kg

49732 Retail Box

TV Wall Mount
BASIC FIXED L

TV size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 20.5 mm

Max. load 35 kg

49742 Retail Box

TV Wall Mount
BASIC FIXED XL


TV size 109 - 254 cm / 43 - 100"

Extra low profile

Wall distance 30 mm

Max. load 75 kg

FIXED

Extremely flat installation
due to low profile**TV mounts securely**
with locking screws**Good ventilation of TV**
due to open frame structure**Easy access to the rear ports**



51893 Retail Box



TV Wall Mount

BASIC TILT S

TV size 58 - 107 cm / 23 - 42"

Extra low profile

Wall distance 9 mm

Max. load 30 kg

Tilts up to $\pm 20^\circ$

Swivels up to $\pm 30^\circ$

Perfect for small TV sets
in niches or above wall units

Perfect viewing
due to swivel and tilt angle

TILT + SWIVEL





BASIC

TILT



49731 Retail Box



TV Wall Mount
BASIC TILT M

TV size 81 - 140 cm / 32 - 55"

Extra low profile

Wall distance 20.5 mm

Max. load 35 kg

Tilts 0° to 8°

49741 Retail Box



TV Wall Mount
BASIC TILT L

TV size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 20.5 mm

Max. load 35 kg

Tilts 0° to 8°

49743 Retail Box



TV Wall Mount
BASIC TILT XL

TV size 109 - 254 cm / 43 - 100"

Extra low profile

Wall distance 45 mm

Max. load 75 kg

Tilts 0° to 10°

TILT

Extremely flat installation
due to low profile

TV mounts securely
with locking screws

Lateral adjustment feature
for easy alignment

Good ventilation of TV
due to open frame structure

Easy access to the rear ports



49713 Retail Box



TV Wall Mount

BASIC FULL MOTION S

TV size 58 - 107 cm / 23 - 42"

Full motion


Wall distance 44 to 192 mm

Max. load 20 kg

Tilts 3° to -10°

Swivels up to ± 90°

49714 Retail Box



TV Wall Mount

BASIC FULL MOTION S

TV size 58 - 107 cm / 23 - 42"

Full motion


Wall distance 44 to 282 mm

Max. load 20 kg

Tilts 3° to -10°

Swivels up to ± 90°

49715 Retail Box



TV Wall Mount

BASIC FULL MOTION S

TV size 58 - 107 cm / 23 - 42"

Full motion

Wall distance 44 to 320 mm

Max. load 20 kg

Tilts 3° to -10°

Swivels up to ± 90°

FULL MOTION



Perfect mounting for small devices
in niches or above wall cabinets

Perfect viewing
due to swivel and tilt angle

Swivel arm
for perfect positioning of the TV



49744 Retail Box



TV Wall Mount
BASIC FULL MOTION M

TV size 81 - 140 cm / 32 - 55"

Full motion

Wall distance 63 to 427 mm

Max. load 35 kg

Tilts 10° to -15°

Swivels up to $\pm 90^\circ$

49745 Retail Box



TV Wall Mount
BASIC FULL MOTION L

TV size 94 - 178 cm / 37 - 70"

Full motion

Wall distance 63 to 427 mm

Max. load 35 kg

Tilts 10° to -15°

Swivels up to $\pm 90^\circ$

Perfect swivel angle
dual articulated arms

Perfect viewing
due to swivel and tilt angle

Integrated cable management system
tidies up and protects cables

FULL MOTION



BASIC

FULL MOTION



PRO

SERIES

© Wentronic GmbH





PRO

SERIES

Overview
product range

Pro Series



FIXED



TILT




FULL MOTION



PRO

FIXED



49890 Retail Box



TV Wall Mount
PRO FIXED M

TV size 81 - 140 cm / 32 - 55"

Extra low profile

Wall distance 25 mm

Max. load 50 kg

49891 Retail Box



TV Wall Mount
PRO FIXED L

TV size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 25 mm

Max. load 50 kg

49892 Retail Box



TV Wall Mount
PRO FIXED XL

TV size 109 - 254 cm / 43 - 100"

Extra low profile

Wall distance 30,5 mm

Max. load 75 kg

FIXED

Automatic click-in & Easy release with spring lock
for safe locking and unlocking of the TV

Integrated bubble level
for easy installation alignment

Extremely flat installation
due to low profile

Lateral adjustment feature
for easy alignment



PRO

TILT



49909 Retail Box



TV Wall Mount
PRO TILT M

TV size 81 - 140 cm / 32 - 55"

Extra low profile

Wall distance 49 mm

Max. load 70 kg

Tilts 3° to 12°

49929 Retail Box



TV Wall Mount
PRO TILT L

TV size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 49 mm

Max. load 70 kg

Tilts 3° to 12°

49930 Retail Box



TV Wall Mount
PRO TILT XL

TV size 109 - 254 cm / 43 - 100"

Extra low profile

Wall distance 49 mm

Max. load 70 kg

Tilts 3° to 12°

TILT

Automatic click-in & Easy release with spring lock
for safe locking and unlocking of the TV

Good ventilation of the TV
due to open frame structure

Perfect viewing
due to tilt angle

Extremely flat installation
due to low profile

Lateral adjustment feature
for easy alignment

Easy access to the rear ports



PRO

FULL MOTION



49932 Retail Box



TV Wall Mount

PRO FULL MOTION L

TV size 94 - 178 cm / 37 - 70"

Full motion

Wall distance 77 to 428 mm

Max. load 60 kg

Tilts 3° to -15°

Swivels up to ± 60°

49935 Retail Box



TV Wall Mount

PRO FULL MOTION L Wide range

TV size 94 - 178 cm / 37 - 70"

Full motion

Wall distance 77 to 800 mm

Max. load 70 kg

Tilts 3° to -15°

Swivels up to ± 90°

49746 Retail Box



TV Wall Mount

PRO FULL MOTION XL

TV size 109 - 254 cm / 43 - 100"

Full motion

Wall distance 77 to 428 mm

Max. load 60 kg

Tilts 3° to -15°

Swivels up to ± 60°

FULL MOTION

Scissor arm joint enables large wall clearance
for perfect swivel angle

Perfect viewing
due to swivel and inclination angle

Perfect swivel angle
for perfect positioning of large TVs

Integrated cable management system
tidies up and protects cables


gobay®

PRO


WIDE RANGE



Pro Series



Wide range
Swivel angle up to $\pm 90^\circ$ due to extended arm,
suitable for large size screens






PRO

OLED



OLED Wall Mount



Standard Wall Mount



PRO

OLED

49949 Retail Box



FIXED

TV Wall Mount

UNIVERSAL L

TV size 94 - 178 cm / 37 - 70"

Extra low profile

Wall distance 17 mm


Max. load 50 kg

Ultra flat mounting for OLED TVs
due to low profile

Innovative slide-in design
for easy and fast installation

Easy access
to cables

49956 Retail Box



FULL MOTION

TV Wall Mount

OLED FULL MOTION L

TV size 94 - 178 cm / 37 - 70"

Full motion

Wall distance 50 to 510 mm

Max. load 30 kg

Tilts 5° to -8°

Swivels up to ± 60°

Scissor arm joint
enables a perfect swivel angle


Quick and easy installation for OLED TVs
due to removable VESA base

Perfect viewing
due to tilt angle



UNIVERSAL





63490 Retail Box



TV Wall Mount
UNIVERSAL L

TV size 94 - 178 cm / 37 - 70"

Max. load 50 kg

Easy installation

Ultra low profile (14.5 mm)

Simply hang up like a picture thanks to innovative wire rope suspension

Adjustable suspension wire rope offers wide range hole pattern compatibility

63478 Retail Box



TV Wall Mount
UNIVERSAL XL

TV size 94 - 254 cm / 37 - 100"

Max. load 60 kg

Easy installation

Low profile (40 mm)

Quick mounting due to slide-in design

Wide range hole pattern compatibility

Easy to install
few components


Mounting hardware included




TABLE TOP TV STANDS



TABLE TOP TV STANDS



58524 Retail Box



TV Stand **MONO M**

TV size 81 - 140 cm / 32 - 55"

For a flexible room concept

Max. load 40 kg

3 different height settings

Swivels up to $\pm 35^\circ$

58525 Retail Box



TV Stand **BASIC L**

TV size 81 - 178 cm / 32 - 70"

For a flexible room concept

Max. load 50 kg

3 different height settings

Tilts up to $\pm 6^\circ$

Suitable for TV sets with flat or curved design
of common sizes and brands with QLED and LED

Easy mounting
compatible with most VESA standards

Integrated cable management system
tidies up and protects cables

ACCESSORIES



63267 Retail Box



For TV Wall Mounts
VESA-ADAPTER M

For extension or conversion
of VESA dimensions 200 x 200 mm

Converts VESA hole patterns
50 x 50 mm up to 200 x 200 mm

Max. load 30 kg

60134 Retail Box




For TV Wall Mounts
VESA-ADAPTER L

For extension or conversion
of VESA dimensions 400 x 400 mm

Converts VESA hole patterns
200 x 200 mm up to 400 x 400 mm

Max. load 30 kg



Converts hole spacing between TV and Wall Mount

Maximum load depends on Wall Mount

Made of high-quality, powder-coated metal

Mounting hardware included




FLOOR TV STANDS

AT A GLANCE

© Wentronic GmbH



FLOOR STANDS



Stands

58526 Retail Box



TV Floor Stand
BASIC L

TV size 94 - 178 cm / 37 - 70"

Telescopic stand

Practical storage board

Max. load 40 kg

Flexible height adjustment

Swivels up to $\pm 35^\circ$

59507 Retail Box



TV Presentation Stand
BASIC L

TV size 94 - 178 cm / 37 - 70"

4 lockable castors

Telescopic stand

Max. load 35 kg

8 different height settings

Tilts up to $\pm 10^\circ$

59508 Retail Box



TV Presentation Stand
PRO L

TV size 94 - 178 cm / 37 - 70"

4 castors (2 lockable)

Telescopic stand

Max. load 50 kg

4 different height settings

Tilts $+5^\circ$ to -12°

FLOOR STANDS

Suitable for TV sets with flat or curved design
of common sizes and brands with QLED and LED

Integrated cable management system
tidies up and protects cables

Easy mounting
compatible with most VESA standards



PROJECTOR



51905 Retail Box



Projector
CEILING MOUNT

Projector size 13 - 32 cm / 5.1 - 12.6"

For small to medium projectors

Fully adjustable

Max. load 10 kg

Tilts up to $\pm 15^\circ$

Swivels up to 360°

51896 Retail Box



Projector
CEILING MOUNT

Projector Size 13 - 32 cm / 5.1 - 12.6"

For small to medium projectors

Fully adjustable

Max. load 10 kg

Tilts up to $\pm 15^\circ$

Swivels up to 360°

Ceiling distance 130 mm or 200 mm

Variable hole spacing between 130 and 320 mm

Perfect viewing
due to swivel and tilt angle

Integrated pivot joint
for easy positioning of the projector

Perfect projection angle
due to swivel and tilt angle



SPEAKERS



49393 Retail Box



Speaker Wall Mount
UNIVERSAL

Ideal for satellite speakers

Max. load 3,5 kg

Tilts up to $\pm 20^\circ$

Swivels up to $\pm 70^\circ$

49394 Retail Box



Speaker Wall Mount
UNIVERSAL

Ideal for satellite speakers

Max. load 3,5 kg

Tilts up to $\pm 20^\circ$

Swivels up to $\pm 70^\circ$

Speaker mounting
using loudspeaker mounting points

Wall distance up to 64 mm

Slide-in wall panel design
for quick and easy installation

Easy alignment
Adjustable by tool-free rotary knob



OFFICE



58528 Retail Box



Monitor Mount
SINGLE FLEX

TV size 43 - 81 cm / 17 - 32"

Single Monitor Desk Mount

Height adjustable

Max. load capacity 8 kg

Tilts up to $\pm 45^\circ$

Swivels up to $\pm 90^\circ$

360° rotation

For desktop thicknesses of 10 - 85 mm

58529 Retail Box



Monitor Mount
DUAL FLEX

TV size 43 - 81 cm / 17 - 32"

Dual Monitor Desk Mount

Height adjustable

Max. load capacity 2x 8 kg

Tilts up to $\pm 45^\circ$

Swivels up to $\pm 90^\circ$

360° rotation

For desktop thicknesses of 10 - 85 mm

59394 Retail Box



Monitor Mount
DUAL FIX

TV size 43 - 81 cm / 17 - 32"

Dual Monitor Desk Mount

Height adjustable

Max. load capacity 2x 9 kg

Tilts up to $\pm 45^\circ$

Swivels up to $\pm 15^\circ$

180° rotation

For desktop thicknesses of 10 - 85 mm

Perfect use of space at the workplace

Desk Mount with clamp bracket

Easy mounting
compatible with most VESA standards

Integrated cable management system
tidies up and protects cables

58530 Retail Box



Monitor Mount
SINGLE GAS

TV size 43 - 81 cm / 17 - 32"

Desk Mount

Height adjustable

Max. load capacity 9 kg

Tilts 70° to -45°

Swivels up to ± 90°

For desktop thicknesses of 10 - 85 mm

58531 Retail Box



Monitor Mount
DUAL GAS

TV size 43 - 81 cm / 17 - 32"

Dual Monitor Desk Mount

Height adjustable

Max. load capacity 2x 9 kg

Tilts 70° to -45°

Swivels up to ± 90°

For desktop thicknesses of 10 - 83 mm

Perfect use of space at the workplace

Desk Mount with clamp bracket

Easy mounting
compatible with VESA standards 75 x 75 and 100 x 100

Integrated cable management system
tidies up and protects cables



PACKAGING FOLLOWS CONTENT

WELL THOUGHT OUT FROM
PRODUCT TO (R)ETAIL

Smart and self-explanatory packaging



THE PACKAGING
AS A SELLER



+
MULTILINGUAL

+
EASY TO
UNDERSTAND



Bilingual packaging
(DE, EN)

Product description in
10 languages

Self-explanatory icons
visualize the most
important key features

Product and emotional
image for best guidance

Product designation and size
on front and sides
(readable when stored in racks)



USER-FRIENDLY



ECO-FRIENDLY



Step 1:
A: Screw on the adapter brackets on the back of the TV.
B: Schrauben Sie die Adapterhalterungen auf der Rückseite des Fernsehers an.



Step 2:
A: Align the TV wall mount with a spirit level and mark the drill holes.
B: Richten Sie die TV-Wandhalterung mit einer Wasserwaage aus und markieren Sie die Bohrlöcher. Bohren Sie in die markierten Löcher und verschrauben Sie die TV-Wandhalterung.

Quick Tip:
VESA is a standard used for mounting television sets. Depending on the dimensions and weight of the screen, a hole pattern is defined by at least four screws or holes. The uniform VESA standard allows you to mount your TV to the TV wall mount.
Die VESA-Norm ist ein Standard zur Befestigung von Fernsehgeräten. Je nach Abmessung und Gewicht des Bildschirms ist ein Lochmuster über mindestens vier Gewinde bzw. Bohrlöcher definiert. Durch den einheitlichen VESA-Standard können Sie Ihren Fernseher an der TV-Wandhalterung befestigen.



Step 3:
A: Lift the TV with the bracket on the rail and secure the unit with the locking screw.
B: Hängen Sie den Fernseher mit den Adapterhalterungen auf die TV-Wandhalterung und sichern Sie das Gerät mittels der Sicherungsschraube.

Scope of Delivery:




VESA Compatible:

A: 200 mm (min) - 600 mm (max)	B: 100 mm (min) - 400 mm (max)
200 x 100, 200 x 200, 300 x 100, 300 x 200, 400 x 100, 400 x 200, 500 x 100, 500 x 200, 600 x 100, 600 x 200	

Required Tools:



Wide Range:



A: The "Wide Range" function offers a maximum tilt angle especially for large televisions due to the extended arm.
B: Die „Wide-Range-Funktion“ bietet durch den verlängerten Arm einen maximalen Schwenkwinkel speziell für große Fernseher.

Video Manual:



A: Scan the QR code to access the installation video.
B: Scannen Sie den QR-Code, um zum Installationsvideo zu gelangen.

EN TV Wall Mount Pro FULLMOTION (L) Wide Range
for TVs up to 178 cm/70", fully articulated

DE TV-Wandhalterung Pro FULLMOTION (L) Wide Range
für TVs bis 178 cm/70", vollbeweglich

FR Support mural pour TV Pro FULLMOTION (L) Wide Range
pour les téléviseurs jusqu'à 178 cm/70", entièrement articulé

IT TV wall mount Pro FULLMOTION (L) Wide Range
per TV fino a 178 cm/70", pienamente articolato

ES Soporte de pared para TV Pro FULLMOTION (L) Wide Range
para televisores de hasta 178 cm/70", totalmente articulado

NL TV Beugel Pro FULLMOTION (L) Wide Range
voor tv's tot 178 cm/70", volledig geleed

DA TV-vægbeslag Pro FULLMOTION (L) Wide Range
til tv op til 178 cm/70", fuldt artikuleret

SV TV wall mount Pro FULLMOTION (L) Wide Range
för TV-apparat upp till 178 cm/70", fullt ledade

PL Telewizyjny uchwyty ścienny Pro FULLMOTION (L) Wide Range
dla telewizorów do 178 cm/70", w pełni przegubowy

CZ TV nástěnný držák Pro FULLMOTION (L) Wide Range
pro televizory až 178 cm/70", plně kloubové

Weight Capacity
70KG

Wall Distance
70 mm

Slim Wall Mount

VESA Mount
max. 600 x 400

Easy Installation

goolbay®

by Wernicke GmbH
Pferseeweg 12
59112 Bruchmühlweg, Germany
Made in China
www.mgobay.com

49535



4 040849 499557

Video QR Code for quick installation instructions (PRO Series)

List of scope of delivery and required tools

Information system facilitates installation

No plastic packaging



MULTILINGUAL

EASY TO
UNDERSTAND

USER-FRIENDLY


ECO-FRIENDLY

SHIPPING-
OPTIMIZED

GOOBAY - WELL THOUGHT OUT IN EVERY DETAIL



FOLDING FRAME TECHNOLOGY - FIXED AND TILT



Smallest possible
packaging

Space-saving storage

Reduced shipping cost





ACCESSORY BOXES – EVERYTHING AT YOUR FINGERTIPS

+
EASY SET UP

+
ECO-FRIENDLY



Reduction of plastic waste

BASIC SERIES



PRO SERIES



All screws clearly
arranged

Graphical guidance system



EVERYTHING




AT A GLANCE

© Wentronic GmbH



TV WALL MOUNTS FIXED							
Series	Basic				Pro		
							
Item no.	58523	49730	49732	49742	49890	49891	49892
Size	S	M	L	XL	M	L	XL
Product name	TV-Wall Mount BASIC FIXED (S)	TV-Wall Mount BASIC FIXED (M)	TV-Wall Mount BASIC FIXED (L)	TV-Wall Mount BASIC FIXED (XL)	TV-Wall Mount PRO FIXED (M)	TV-Wall Mount PRO FIXED (L)	TV-Wall Mount PRO FIXED (XL)
Subtext	for TVs and monitors up to 107 cm / 42"	for TVs up to 140 cm / 55" extra flat	for TVs up to 178 cm / 70" extra flat	for TVs up to 254 cm / 100" extra flat	for TVs up to 140 cm / 55" extra flat	for TVs up to 178 cm / 70" extra flat	for TVs up to 254 cm / 100" extra flat
RRP	7.99 €	19.99 €	24.99 €	29.99 €	29.99 €	39.99 €	49.99 €
Device type	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA
Screen size (inch)	23 - 42"	32 - 55"	37 - 70"	43 - 100"	32 - 55"	37 - 70"	43 - 100"
Screen size (cm)	58 - 107 cm	81 - 140 cm	94 - 178 cm	109 - 254 cm	81 - 140 cm	94 - 178 cm	109 - 254 cm
Quality	***	***	***	***	*****	*****	*****
Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	10 Year Warranty	10 Year Warranty	10 Year Warranty
Max. load capacity	25 kg	35 kg	35 kg	75 kg	50 kg	50 kg	75 kg
Min. wall distance	15 mm	20.5 mm	20.5 mm	30 mm	25 mm	25 mm	30.5 mm
Max. wall distance	15 mm	20.5 mm	20.5 mm	30 mm	25 mm	25 mm	30.5 mm
Slim	Slim	Slim	Slim	Slim	Slim	Slim	Slim
Tilt range	-	-	-	-	-	-	-
Rotation / swivel range	-	-	-	-	-	-	-
Dimensions	122 × 122 × 15 mm	20.5 × 465 × 422 mm	20.5 × 665 × 422 mm	30 × 864 × 435 mm	448 × 425 × 25 mm	653 × 425 × 25 mm	954 × 625 × 30.5 mm
VESA compatible	75 × 75, 100 × 100	200 × 200, 300 × 300, 400 × 200, 400 × 400	200 × 200, 300 × 300, 400 × 200, 400 × 400, 600 × 400	200 × 200, 300 × 300, 400 × 200, 400 × 400, 600 × 400, 800 × 400	200 × 200, 300 × 300, 400 × 200, 400 × 400	200 × 200, 300 × 300, 400 × 200, 400 × 400, 600 × 400	200 × 200, 300 × 200, 300 × 300, 400 × 200, 400 × 300, 400 × 400, 600 × 400, 600 × 600, 800 × 600, 900 × 600
Fold frame	-	-	-	-	-	-	-
Automatic Click-in & Easy Release	-	-	-	-	yes	yes	yes
Integrated bubble level	-	-	-	yes	yes	yes	yes

TV WALL MOUNTS TILT							
Series	Basic				Pro		
							
Item no.	51893	49731	49741	49743	49909	49929	49930
Size	S	M	L	XL	M	L	XL
Product name	TV-Wall Mount BASIC TILT (S)	TV-Wall Mount BASIC TILT (M)	TV-Wall Mount BASIC TILT (L)	TV-Wall Mount BASIC TILT (XL)	TV-Wall Mount PRO TILT (M)	TV-Wall Mount PRO TILT (L)	TV-Wall Mount PRO TILT (XL)
Subtext	for TVs and monitors up to 107 cm / 42" tilt and swivel	for TVs up to 140 cm / 55" extra flat, tiltable	for TVs up to 178 cm / 70" extra flat, tiltable	for TVs up to 254 cm / 100" extra flat, tiltable	for TVs up to 140 cm / 55" extra flat, tiltable	for TVs up to 178 cm / 70" extra flat, tiltable	for TVs up to 254 cm / 100" extra flat, tiltable
RRP	8.99 €	29.99 €	34.99 €	39.99 €	39.99 €	49.99 €	59.99 €
Device type	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA
Screen size (inch)	23 - 42"	32 - 55"	37 - 70"	43 - 100"	32 - 55"	37 - 70"	43 - 100"
Screen size (cm)	58 - 107 cm	81 - 140 cm	94 - 178 cm	109 - 254 cm	81 - 140 cm	94 - 178 cm	109 - 254 cm
Quality	***	***	***	***	*****	*****	*****
Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	10 Year Warranty	10 Year Warranty	10 Year Warranty
Max. load capacity	30 kg	35 kg	35 kg	75 kg	70 kg	70 kg	70 kg
Min. wall distance	90 mm	20.5 mm	20.5 mm	45 mm	49 mm	49 mm	49 mm
Max. wall distance	90 mm	20.5 mm	20.5 mm	45 mm	49 mm	49 mm	49 mm
Slim	-	Slim	Slim	Slim	Slim	Slim	Slim
Tilt range	± 20°	0° to 8°	0° to 8°	0° to 12°	0° to 12°	3° to 12°	3° to 12°
Rotation / swivel range	± 30°	-	-	-	-	-	-
Dimensions	90 × 220 × 220 mm	20.5 × 465 × 422 mm	20.5 × 665 × 422 mm	45 × 864 × 440 mm	49 × 445 × 431 mm	49 × 650 × 431 mm	890 × 431 × 49 mm
VESA compatible	75 × 75, 100 × 100, 200 × 100, 200 × 200	200 × 200, 300 × 300, 400 × 200, 400 × 400	200 × 200, 300 × 300, 400 × 200, 400 × 400, 600 × 400	200 × 200, 300 × 300, 400 × 200, 400 × 400, 600 × 400, 800 × 400	75 × 75, 100 × 100, 100 × 150, 150 × 100, 150 × 150, 200 × 100, 100 × 200, 200 × 200, 300 × 200, 300 × 300, 400 × 200, 400 × 300, 400 × 200, 400 × 300, 400 × 400	200 × 200, 300 × 200, 300 × 300, 400 × 200, 400 × 300, 400 × 400, 600 × 400	200 × 200, 300 × 200, 300 × 300, 400 × 200, 400 × 300, 400 × 400, 600 × 400, 800 × 400
Fold frame	-	-	-	-	yes	yes	yes
Automatic click-in & Easy release	-	-	-	-	yes	yes	yes
Integrated bubble level	-	-	-	yes	yes	yes	yes

TV WALL MOUNTS FULLMOTION								
Series	Basic					Pro		
								
Item no.	49713	49714	49715	49744	49745	49932	49935	49746
Size	S	S	S	M	L	L	L wide Range	XL
Product name	TV-Wall Mount BASIC FULLMOTION (S)	TV-Wall Mount BASIC FULLMOTION (S)	TV-Wall Mount BASIC FULLMOTION (S)	TV-Wall Mount BASIC FULLMOTION (M))	TV-Wall Mount BASIC FULLMOTION (L)	TV-Wall Mount PRO FULLMOTION (L)	TV-Wall Mount PRO FULLMOTION (L wide Range)	TV-Wall Mount PRO FULLMOTION (XL)
Subtext	for TVs up to 107 cm / 42" fully movable	with double arm for TVs up to 107 cm / 42" fully movable	with double arm for TVs up to 107 cm / 42" fully movable	for TVs up to 140 cm / 55" fully movable	for TVs up to 178 cm / 70" fully movable	for TVs up to 178 cm / 70" fully movable	for TVs up to 178 cm / 70" fully movable	for TVs up to 254 cm / 100" fully movable
RRP	29.99 €	39.99 €	39.99 €	39.99 €	49.99 €	89.99 €	149.99 €	99.99 €
Device type	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA
Screen size (inch)	23 - 42"	23 - 42"	23 - 42"	32 - 55"	37 - 70"	37 - 70"	37 - 70"	43 - 100"
Screen size (cm)	58 - 107 cm	58 - 107 cm	58 - 107 cm	81 - 140 cm	94 - 178 cm	94 - 178 cm	94 - 178 cm	109 - 254 cm
Quality	***	***	***	***	***	*****	*****	*****
Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	10 Year Warranty	10 Year Warranty	10 Year Warranty
Max. load capacity	20 kg	15 kg	20 kg	35 kg	35 kg	60 kg	70 kg	60 kg
Min. wall distance	44 mm	44 mm	44 mm	63 mm	63 mm	77 mm	70 mm	77 mm
Max. wall distance	192 mm	282 mm	320 mm	427 mm	427 mm	428 mm	800 mm	800 mm
Slim	Slim	Slim	Slim	Slim	Slim	Slim	Slim	Slim
Tilt range	3° to -10°	3° to -10°	3° to -10°	10° to -15°	10° to -15°	3° to -15°	3° to -15°	3° to -15°
Rotation / swivel range	± 90°	± 90°	± 90°	± 90°	± 90°	± 60°	± 90°	± 60°
Dimensions	192 x 220 x 220 mm	282 x 220 x 220 mm	320 x 220 x 220 mm	427 x 455 x 420 mm	427 x 655 x 420 mm	428 x 650 x 425 mm	800 x 650 x 483 mm	428 x 840 x 425 mm
VESA compatible	75 x 75, 100 x 100, 100 x 150, 150 x 100, 150 x 150, 200 x 100, 2000 x 200	75 x 75, 100 x 100, 100 x 150, 150 x 100, 150 x 150, 200 x 100, 200 x 200	75 x 75, 100 x 100, 100 x 150, 150 x 100, 150 x 150, 200 x 100, 200 x 200	200 x 200, 300 x 300, 400 x 200, 400 x 400	200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400	200 x 200, 300 x 200, 300 x 300, 400 x 200, 400 x 300, 400 x 400, 600 x 400	200 x 100, 200 x 200, 300 x 200, 300 x 300, 400 x 200, 4000 x 300, 400 x 400, 600 x 400	300 x 200, 300 x 300, 400 x 200, 400 x 300, 400 x 400, 600 x 400, 800 x 400
Fold frame	-	-	-	-	-	-	-	-
Automatic click-in & Easy release	-	-	-	-	-	-	-	-
Integrated bubble level	-	-	-	-	-	-	-	-

TV WALL MOUNTS						
	FIXED	FULLMOTION				
Series	OLED (Pro)		Universal		Accessory	
						
Item no.	49949	49956	63490	63478	63267	60134
Size	L	L	L	XL	M	L
Product name	TV-Wall Mount OLED FIXED (L)	TV-Wall Mount OLED FULLMOTION (L)	TV-Wall Mount Universal	TV-Wall Mount Universal	VESA-Adapter for TV-Wall Mount	VESA-Adapter for TV-Wall Mount
Subtext	for OLED-TVs up to 178 cm / 70" extra flat	for OLED-TVs up to 178 cm / 70" fully movable	for TVs up to 178 cm / 94" ultra flat, easy to install	for TVs up to 254 cm / 100" extra flat, easy to install	for extension or adaptation of the VESA - dimensions 200×200 mm	for extension or adaptation of the VESA - dimensions 400×400 mm
RRP	24.99 €	99.99 €	29.99 €	29.99 €	14.99 €	14.99 €
Device type	OLED	OLED	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA
Screen size (inch)	37 - 70"	37 - 70"	37 - 70"	37 - 100"	23 - 42"	32 - 55"
Screen size (cm)	94 - 178 cm	94 - 178 cm	94 - 178 cm	94 - 254 cm	58 - 107 cm	81 - 140 cm
Quality	*****	*****	***	***	***	***
Warranty (years)	10 Year Warranty	10 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty
Max. load capacity	50 kg	30 kg	50 kg	60 kg	30 kg	30 kg
Min. wall distance	17 mm	50 mm	14.5 mm	40 mm		
Max. wall distance	17 mm	510 mm	14.5 mm	40 mm		
Slim	Ultra Slim	Slim	Slim	Slim		
Tilt range	–	5° to 8°	–	–	–	–
Rotation / swivel range	–	± 60°	–	–	–	–
Dimensions		510 × 432.5 × 371 mm			220 × 220 mm	450 × 150 mm
VESA compatible	200×100, 200×200, 300×200, 300×300, 400×200, 400×300, 400×400, 600×400	100×100, 100×150, 150×100, 150×150, 200×100, 100×200, 200×200, 300×200, 400×200	100×100, 200×100, 200×200, 300×300, 400×200, 400×400, 600×400, 800×400, 800×600, 800×800	100×100, 200×100, 200×200, 300×300, 400×200, 400×400, 600×400, 800×400, 800×600, 800×800	200×100, 200×200	300×300, 400×200, 400×400
Fold frame	–	–	–	–	–	–
Automatic click-in & Easy release	–	–	–	–	–	–
Integrated bubble level	–	–	–	–	–	–

TV MOUNTS					
TABLE TOP STAND			FLOORSTAND	TV CHART	
Series	Basic		Basic	Basic	Pro
					
Item no.	58524	58525	58526	59507	59508
Size	M	L	L	L	L
Product name	Tabletop TV Stand BASIC FIXED	TV Table Stand	TV Floor Stand BASIC (L)	TV Presentation Stand BASIC (L)	TV Presentation Stand PRO (L)
Subtext	for TVs and monitors between 32" and 55" (81 - 140 cm) swivel	for TVs and monitors between 32" and 70" (81 - 178 cm) up to 50 kg, tilt	for TVs and monitors between 37" and 70" (94 - 178 cm) up to 40 kg, swivel	for TVs and monitors between 37" and 70" (94 - 178 cm) up to 50 kg, tilt	for TVs and monitors between 37" and 70" (94 - 178 cm) up to 50 kg, tilt
RRP	34.99 €	19.99 €	89.99 €	149.99 €	99.99 €
Device type	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA	LED LCD PLASMA
Screen size (inch)	32 - 55"	32 - 70"	32 - 70"	32 - 70"	32 - 70"
Screen size (cm)	81 - 140 cm	81 - 178 cm	94 - 178 cm	94 - 178 cm	94 - 178 cm
Quality	***	***	***	***	*****
Warranty (years)	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	10 Year Warranty
Weight	4.6 kg	2.6 kg	15.5 kg	11.5 kg	10.7 kg
Max. VESA	max. 400×400	max. 800×400	max. 600×400	max. 600×400	max. 600×400
Max. load capacity	40 kg	50 kg	40 kg	35 kg	50 kg
Tilt range	–	± 6°	–	± 10°	5° to -12°
Rotation / swivel range	± 35°	-	± 35°	–	–
Dimensions	434 × 280 × 666 mm	845 × 380 × 735mm	660 × 400 × 1458 mm	660 × 400 × 1458 mm	871 × 678 × 1966 mm
VESA compatible	100×200, 200×100, 200×200, 300×200, 300×300, 400×200, 400×300, 400×400	75×75, 100×100, 100×150, 100×200, 150×100, 150×150, 200×100, 200×200, 300×200, 300×300, 400×200, 400×300, 400×400, 600×400, 800×400	200×200, 300×200, 300×300, 400×200, 400×300, 400×400, 600×400	200×200, 300×200, 300×300, 400×200, 400×300, 400×400, 600×400	100×100, 200×100, 200×200, 300×200, 300×300, 400×300, 400×200, 400×400, 600×400

PROJECTOR CEILING MOUNTS			SPEAKER WALL MOUNTS	
Series	Basic			
				
Item no.	51905	51896	49393	49394
Size	M	M		
Product name	Projector Ceiling Mount (M)	Projector Ceiling Mount (M)	Speaker Mount Universal	Speaker Mount Universal
Subtext	for small to medium projectors, fully movable up to max. 10 kg (silver)	for small to medium projectors, fully movable up to max. 10 kg (white)	ideal for Satellite speakers for wall mounting, swivel and tilt (black)	ideal for Satellite speakers for wall mounting swivel and tilt (white)
RRP	29,99 €	29,99 €	11,99 €	11,99 €
Device type	PROJECTOR	PROJECTOR	SPEAKER	SPEAKER
Screen size (inch)	5.1"- 12.6"	5.1"- 12.6"		
Screen size (cm)	13 - 32 cm	13 - 32 cm		
Quality	***	***	***	***
Warranty (years)	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty
Max. load capacity	10 kg	10 kg	3.5 kg	3.5 kg
Min. wall distance	130 mm	130 mm	64 mm	64 mm
Max. wall distance	130 mm	130 mm	64 mm	64 mm
Tilt range	up to 15°	up to 15°	up to 20°	up to 20°
Rotation / swivel range	360°	360°	up to 70°	up to 70°
Dimensions	200 × 337 × 337 mm	200 × 337 × 337 mm	50 × 87 × 64 mm	50 × 87 × 64 mm

MONITOR MOUNTS					
Series	Basic			Basic	
					
Item no.	58528	58529	59394	58530	58531
Size	M	M	M	M	M
Product name	Monitor Mount Single Flex	Dual Monitor Mount Flex	Double Monitor Mount FIXED	Monitor Mount with Gas Spring	Double Monitor Mount with Gas Spring
Subtext	for monitors between 17" and 32" (43 - 81 cm)	for monitors between 17" and 32" (43 - 81 cm)	for monitors between 17" and 32" (43 - 81 cm)	for monitors between 17" and 32" (43 - 81 cm)	for monitors between 17" and 32" (43 - 81 cm)
RRP	34.99 €	39.99 €	39.99 €	39.99 €	49.99 €
Device type	MONITOR	MONITOR	MONITOR	MONITOR	MONITOR
Screen size (inch)	17 - 32"	17 - 32"	17 - 32"	17 - 32"	17 - 32"
Screen size (cm)	43 - 81 cm	43 - 81 cm	43 - 81 cm	43 - 81 cm	43 - 81 cm
Quality	***	***	***	***	*****
Warranty (years)	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty
Weight	2.4 kg	3.3 kg	3.9 kg	2.0 kg	3.8 kg
Max. load capacity	8 kg	2 x 8 kg	2 x 9 kg	9 kg	2 x 9 kg
Tilt range	± 45°	± 45°	± 45°	70° to -45°	70° to -45°
Rotation / swivel range	± 90°	± 90°	± 15°	± 90°	± 90°
Dimensions	114 x 517 x 498 mm	893 x 127 x 498 mm	867 x 178 x 543 mm	117 x 470 x 592 mm	938 x 112 x 590 mm
VESA compatible	75 x 75, 100 x 100	75 x 75, 100 x 100	75 x 75, 100 x 100	75 x 75, 100 x 100	75 x 75, 100 x 100



CONTACT



Wentronic GmbH
Pillmannstraße 12
38112 Braunschweig
Germany

Phone: +49 531 21058 - 0
Fax: +49 531 210 58 -22
office@wentronic.com