


- + HDMI™ Cables
- + Fast Chargers
- + Slim USB Hubs
- + Speaker Mounts
- + DC Extensions

wentronic

PRODUCT **NEWS** 07 / 2025

PRODUCT NEWS

OVERVIEW












USB-C™ Silicone Cable

High Speed HDMI™ Flat Cable with Ethernet USB-C™ PD GaN Fast Charger Nano 20 W

Slim 4-Port USB Hubs, USB-C™ to USB-C™/USB-A, 5 Gbit/s up to 10 Gbit/s Speaker Mount Universal **DC Extension Cable**



Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com

Product and packaging images may vary. Errors and omissions excepted.



USB-C™ Silicone Cable

soft and robust charging cable for USB-C™ devices



First-class performance, with an amazing look and a fantastic feel

Also perfect for data: The USB-C[™] cable achieves Hi-Speed data transfers of up to 480 Mbit/s (USB 2.0)

The velvety-soft silicone cable sheath provides a pleasant feel and is gentle on sensitive surfaces

The USB charging cable is universally compatible with smartphones, Apple iPhone, Samsung Galaxy, PC, laptop, Apple MacBook, tablet, drones or consoles such as Nintendo Switch or Steam Deck

Incl. silicone cable ties to securely and neatly strap the USB-C™ cable together after use



Packaging:	Sleeve
i ackaging.	

Availability	Colour	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 29	blue	77741	4040849777417	7.99€	200	1	11.00 cm	14.00 cm	1.50 cm	0.043 kg
exp. from WEEK 29	yellow	77742	4040849777424	7.99 €	200	1	11.00 cm	14.00 cm	1.50 cm	0.043 kg
exp. from WEEK 29	white	77743	4040849777431	7.99 €	200	1	11.00 cm	14.00 cm	1.50 cm	0.043 kg
exp. from WEEK 29	turquoise	77744	4040849777448	7.99€	200	1	11.00 cm	14.00 cm	1.50 cm	0.043 kg
exp. from WEEK 29	purple	77745	4040849777455	7.99 €	200	1	11.00 cm	14.00 cm	1.50 cm	0.043 kg
exp. from WEEK 29	pink	77746	4040849777462	7.99 €	200	1	11.00 cm	14.00 cm	1.50 cm	0.043 kg



High Speed HDMI™ Flat Cable with Ethernet

8K/60Hz



The flat design of the cable and connectors facilitates routing in cable ducts or in confined spaces

The cable is suitable for high-resolution image transmission with Ultra HD at up to 8K @ 60 Hz (backward compatible) and a data rate of up to 48 Gbit/s

Ideally suited for audio and video transmission between TV/monitor and projectors, game consoles (e.g. PlayStation, Xbox) or streaming receivers (e.g. Amazon Fire TV, Apple TV)

The integrated Ethernet channel (HEC) connects any HDMI[™] device to devices in the wired network without a separate internet cable


The CEC function (Consumer Electronics Control) creates flexible operability via only one remote control, e.g. for switching on several paired HDMI™ devices with a single press of a button

Supports 3D and HDR (High Dynamic Range) for excellent, high-contrast picture quality as well as the HDCP 2.2 encryption system

Supports advanced audio features such as eARC (Enhanced Audio Return Channel) and ARC (Audio Return Channel) for easy digital transmission from the TV to a soundbar or hi-fi system

Packaging: Cable Tag


Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 33	1.00 m	77133	4040849771330	7.99 €	120	1	10.50 cm	10.50 cm	1.50 cm	0.071 kg
exp. from WEEK 33	1.50 m	77134	4040849771347	8.99€	120	1	11.00 cm	11.00 cm	1.50 cm	0.094 kg
exp. from WEEK 33	2.00 m	77135	4040849771354	9.99€	90	1	11.50 cm	11.00 cm	1.50 cm	0.119 kg
exp. from WEEK 33	3.00 m	77145	4040849771453	12.99 €	90	1	13.00 cm	12.50 cm	1.50 cm	0.170 kg





USB-C™ PD GaN Fast Charger Nano 20 W

1x USB-C™ port (Power Delivery)



The super-compact and lightweight design fits in any bag and makes the USB-C™ power supply the handy companion when travelling

Semiconductors with GaN technology allow for faster, more efficient charging and a lighter, more compact design compared to conventional chargers

With Power Delivery, the USB charger comes with a particularly safe and dynamic charging method that identifies the optimal output power for the connected device

The integrated protection electronics of the USB-C™ charger protects connected devices against overcurrent, overcharging and overheating



Availability	Colour	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 29	black	76690	4040849766909	19.99€	100	1	10.10 cm	7.50 cm	4.50 cm	0.070 kg
exp. from WEEK 29	○ white	76691	4040849766916	19.99€	100	1	10.10 cm	7.50 cm	4.50 cm	0.070 kg



Slim 4-Port USB Hub, USB-C™ to USB-C™/USB-A, 5 Gbit/s

USB-C[™] plug > 1x USB-C[™] socket, 3x USB-A socket (USB 3.2)



The handy USB splitter expands one USB-C™ device port to a USB-C™ plus three USB-A ports: As a result, a single tablet or laptop port serves up to four peripheral devices

With its compact, slim format, the USB-C™ hub fits in any bag and is a handy companion when travelling or on the road

With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0



Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 31	76562	4040849765629	12.99 €	200	1	17.50 cm	8.00 cm	1.20 cm	0.046 kg



Slim 4-Port USB Hub, USB-C™ to USB-C™/USB-A, 5 Gbit/s

USB-C[™] plug > 2x USB-C[™] socket, 2x USB-A socket (USB 3.2)



5 Gbit/s

The handy USB splitter expands one USB-C™ device port to two USB-C™ plus two USB-A ports: As a result, a single tablet or laptop port serves up to four peripheral devices

With its compact, slim format, the USB-C™ hub fits in any bag and is a handy companion when travelling or on the road

With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0



Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 31	76563	4040849765636	12.99€	200	1	17.50 cm	8.00 cm	1.20 cm	0.046 kg



Slim 4-Port USB Hub, USB-C™ to USB-C™, 5 Gbit/s

USB-C™ plug > 4x USB-C™ socket (USB 3.2)



5 Gbit/s

The handy USB splitter expands one USB-C™ device port to four USB-C™ ports: As a result, a single tablet or laptop port serves up to four peripheral devices

With its compact, slim format, the USB-C™ hub fits in any bag and is a handy companion when travelling or on the road


With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0



Pac	kaging	Retail	Box
rac	ragilig.	Netan	DUX

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 31	76564	4040849765643	16.99 €	200	1	17.50 cm	8.00 cm	1.20 cm	0.046 kg





Slim 4-Port USB Hub, USB-C™ to USB-C™, 10 Gbit/s

USB-C[™] plug > 4x USB-C[™] socket (USB 3.2)



10 Gbit/s

The handy USB splitter expands one USB-C™ device port to four USB-C™ ports: As a result, a single tablet or laptop port serves up to four peripheral devices

With its slim format, the USB-C™ hub fits in any bag and is a handy companion when travelling or on the road

With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0



Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 31	76565	4040849765650	21.99 €	160	1	17.50 cm	8.00 cm	2.20 cm	0.059 kg




Pack of 4

up to max. 3.5 kg

Speaker Mount Universal


universal speaker holder for wall mounting, swivel and tilt



Optimised and easy, tool-free alignment due to the fine head joint

Tilts up to 20° and swivels up to 70°


The speaker is mounted to the bracket using the screw points in the speaker. The wall mounting screws of the bracket disappear elegantly behind the cover






Suitable for speakers of all popular brands (e.g. Bose, B&O, Canton, Harman-Kardon, LG, Magnat, Philips, Pioneer, Samsung, Sony, Teufel, Yamaha)

Availability	Colour	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 33	black	49391	4040849493911	19.99€	25	4	18.60 cm	6.80 cm	9.20 cm	0.560 kg
exp. from WEEK 33	○ white	49392	4040849493928	19.99 €	25	4	18.60 cm	6.80 cm	9.20 cm	0.560 kg



DC Extension Cable

with DC connectors 5.5 x 2.1 mm | 5.5 x 2.5 mm



Extends an existing mains connection cable or power supply unit

Equipped with 1x DC plug (5.5 x 2.1 mm | 5.5 x 2.5 mm) and 1x DC socket (5.5 x 2.1 mm | 5.5 x 2.5 mm)

Suitable for devices with 5-24 V (DC) and max. 5 A, e.g. LED light strips, routers such as the AVM Fritz!Box, electric toys, external hard drives and surveillance cameras

Flexible DC cable with 5 mm diameter and plug housing with 9.5 mm diameter

Bend protection on both sides prevents cable breakage

Product is only suitable for hobbyist/DIY use



5.5 x 2.1 mm	Packaging: Cable Tag
--------------	----------------------

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 3	1.50 m	76635	4040849766350	3.99 €	200	1	12.00 cm	12.00 cm	1.00 cm	0.057 kg
exp. from WEEK 3	5.00 m	76671	4040849766350	7.99 €	60	1	12.00 cm	12.00 cm	3.00 cm	0.104 kg

5.5 x 2.5 mm

exp. from WEEK 31	1.50 m	76672	4040849766725	3.99 €	200	1	12.00 cm	12.00 cm	1.00 cm	0.057 kg
exp. from WEEK 31	5.00 m	76673	4040849766732	7.99 €	60	1	12.00 cm	12.00 cm	3.00 cm	0.180 kg



11

PRODUCT **NEWS** 07/2025

DC Extension Cable

with DC connectors 5.5 x 2.1 mm | 5.5 x 2.5 mm



1.50 m - 10.00 m 5 – 24 V (DC) 5 A 12

Extends an existing mains connection cable or power supply unit

Equipped with 1x DC plug (5.5 x 2.1 mm | 5.5 x 2.5 mm) and 1x DC socket (5.5 x 2.1 mm | 5.5 x 2.5 mm)

Suitable for devices with 12 V (DC) and max. 2 A, e.g. LED light strips, routers such as the AVM Fritz!Box, electric toys, external hard drives and surveillance cameras

Flexible DC cable with 4.3 mm diameter and plug housing with 9.5 mm diameter

Bend protection on both sides prevents cable breakage

Product is only suitable for hobbyist/DIY use



Packaging: Cable Tag 5.5 x 2.1 mm

Availability	Cable leng	h Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEk	1.50 m	76674	4040849766749	3.99 €	200	1	11.50 cm	11.50 cm	1.00 cm	0.057 kg
exp. from WEEk	3.00 m	76675	4040849766756	5.99€	120	1	13.00 cm	12.00 cm	1.50 cm	0.104 kg
exp. from WEEk	32 5.00 m	76676	4040849766763	7.99 €	80	1	12.00 cm	12.00 cm	2.00 cm	0.165 kg
exp. from WEEk	32 10.00 m	76677	4040849766770	9.99€	50	1	13.00 cm	13.00 cm	3.00 cm	0.320 kg

5.5 x 2.5 mm

exp. from WEEK 32	1.50 m	76678	4040849766787	3.99€	200	1	11.50 cm	11.50 cm	1.00 cm	0.058 kg
exp. from WEEK 32	3.00 m	76679	4040849766794	5.99€	120	1	13.00 cm	12.00 cm	1.50 cm	0.104 kg
exp. from WEEK 32	5.00 m	76680	4040849766800	7.99 €	80	1	12.50 cm	10.00 cm	3.00 cm	0.165 kg
exp. from WEEK 32	10.00 m	76681	4040849766817	9.99€	50	1	13.00 cm	13.00 cm	3.00 cm	0.320 kg





Our principle

"A good deal should be win-win!"



wentronic

Thank you for taking an interest

If you have any questions or are interested in joint marketing campaigns, we look forward to hearing from you. Please feel free to contact us at any time.

Wentronic GmbH Pillmannstraße 12 38112 Braunschweig Tel/Fax: +49 (0)531-21058-0 /-22 www.wentronic.com