

SEP

PRODUCT NEWS

- + Slim DisplayPort™ Cables
- + USB-C™ Ethernet Adapter
- + Power Supply for Raspberry Pi 5
- + Wireless LED Table Lamps
- + LED Refrigerator Lamp
- + LED Compact Lamps

wentronic

PRODUCT NEWS


OVERVIEW



Slim DisplayPort™ Cables



USB-C™ Ethernet Adapter



Power Supply for Raspberry Pi 5



Wireless LED Table Lamps



LED Refrigerator Lamp



LED Compact Lamps

Slim DisplayPort™ Cable

2.0/2.1, 40 Gbit/s

8K/120 Hz DSC




- 8K @ 120 Hz / 4K @ 240 Hz
- 40 Gbit/s
- Ultraslim
- 1 - 2 m

Ultraslim design with short plug, bend protection and small bending radius for connection in confined spaces, e.g. on the back of devices in front of walls or in furniture

For enhanced virtual reality effects, lag-free gaming and high-definition streaming for an entertainment experience without compromise

The cable supports ultrawide transfers and the transmission of separate video signals to multiple monitors via a single DisplayPort™ cable (daisy-chaining)



With high-quality metal plugs and textile sheathing, which ensures a pleasant feel and protects sensitive surfaces

						Packaging: Retail Polybag					
Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight	
● exp. from week 42	1.00 m	77444	4040849774447	11.99 €	80	1	13.00 cm	10.00 cm	1.00 cm	0.050 kg	
● exp. from week 42	2.00 m	77445	4040849774454	12.99 €	80	1	13.00 cm	10.00 cm	1.50 cm	0.070 kg	

Slim DisplayPort™ Cable 2.0/2.1, 40 Gbit/s

8K/120 Hz DSC



- 8K @ 120 Hz / 4K @ 240 Hz
- 40 Gbit/s
- Ultraslim
- 1 - 2 m

Ultraslim design with short plug, bend protection and small bending radius for connection in confined spaces, e.g. on the back of devices in front of walls or in furniture

8K DisplayPort™ cable especially for gaming. Smooth images without judder thanks to high refresh rates of up to 240 Hz (depending on graphics card and monitor)

For enhanced virtual reality effects, lag-free gaming and high-definition streaming for an entertainment experience without compromise

The DisplayPort™ cable transmits high-resolution video signals and HD audio signals, e.g. from a computer or laptop to a screen or projector

The cable supports ultrawide transfers and the transmission of separate video signals to multiple monitors via a single DisplayPort™ cable (daisy-chaining)



					Packaging: Cable Tag					
Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 42	1.00 m	77442	4040849774423	6.99 €	100	1	12.00 cm	11.50 cm	1.00 cm	0.039 kg
● exp. from week 42	2.00 m	77443	4040849774430	9.99 €	100	1	11.50 cm	11.50 cm	1.50 cm	0.058 kg

USB-C™ Ethernet Adapter

for connecting a PC or Apple MacBook to an Ethernet network (RJ45) via the USB-C™ port



RJ45 > USB-C™

5 Gbit/s

0.1 m

USB-C™ LAN adapter for a full-duplex network connection with 10/100/1000 Mbit/s via the USB-C™ socket of a computer

Convenient for connections to front USB ports if the RJ45 network port of the PC housing is at the rear or on the inside

With USB 3.1, the USB Ethernet adapter achieves transfer rates twice as fast as USB 2.0 in a Gigabit network

Ideal for bidirectional data transfer between router and laptop, desktop PC or Apple notebook

The USB-C™-to-Ethernet adapter is connected directly to a network cable with RJ45 plug and requires no external power supply

Compatible with Windows 2000, Windows XP, Windows VISTA, Windows 7, Windows 8, Windows 10, Apple macOS

Thanks to Plug & Play, no separate drivers are required for the USB-C™ network adapter



				Packaging: Retail Box					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 40	76579	4040849765797	14.99 €	160	1	17.50 cm	8.00 cm	2.20 cm	0.043 kg

Power Supply for Raspberry Pi 5, 27 W, GaN

compact replacement power supply with USB-C™ plug



- 5–15 V (DC)
- 27 W
- GaN
- 1x USB-C™

Compatible with the Raspberry Pi 5 and Raspberry Pi 4 and specially tailored to the higher power requirements of the Pi 5

Ideal as a replacement power supply unit for a defective, original Raspberry Pi power adapter

Extremely slim design: Semiconductors with GaN technology allow for faster, more efficient charging and a lighter, more compact design compared to conventional chargers

Supports Power Delivery and the voltage profiles 5 V, 9 V, 12 V and 15 V, so that the RPi is also reliably supplied when power-intensive components are connected

Can also be used as a USB charger for smartphones and tablets from popular brands, e.g. Apple iPhone, Apple iPad, Samsung Galaxy, Xiaomi, LG and Huawei

With a wide input range from 100 V to 240 V (AC) via Europlug (type C, CEE 7/16) and output via USB-C™ cable (1.25 m)

Dimensions of the USB power supply without cable: 64.4 x 31 x 80 mm



Packaging: Brown Box with Label

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 40	74437	4040849744372	12.99 €	40	1	8.70 cm	5.70 cm	13.50 cm	0.155 kg

Wireless LED Table Lamp

with touch control, 170 lm, warm white (3000 K), infinitely dimmable



warm white dimmable IP44

The lamp stands out with its elegant touch control and built-in battery, offering cordless flexibility for use in any location

With its modern design, the lamp blends into any interior: As a living room or bedside lamp, as an eye-catcher in the office or as a table lamp in restaurants

The LED lamp switches between on/off with a light touch on the top side; a long touch enables stepless dimming (30 - 170 lm)

The high-quality 18650 lithium battery ensures a particularly long service life and an excellent runtime of up to 6 hours at 100 % brightness and up to 20 hours at 10 % brightness

Thanks to its splash water protection (protection class IP44), the table lamp is also perfect for the patio, balcony or garden

The lampshade and base are made of robust metal - for high stability without tipping over and a long service life

Incl. USB charging cable (1 m, USB-C™ to USB-A) for easy charging via USB charger, laptop or power bank



Packaging: Retail Box

Availability	Colour	Item no.	EAN	RRP	Previous	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 39	● black	77673	4040849776731	16.99 €	72024	9	1	39.00 cm	11.50 cm	11.50 cm	0.630 kg
● exp. from week 39	● white	77672	4040849776724	16.99 €	73927	9	1	39.00 cm	11.50 cm	11.50 cm	0.630 kg

LED Refrigerator Lamp, 3.5 W

E14 base, equivalent to a 35 W incandescent lamp, warm white, not dimmable



E14 base

warm white

3.5 W

With 3.5 W power, the Goobay LED lamp is just as bright as a 35 W incandescent lamp, but consumes approx. 88 % less energy

With 350 lm and warm white 3000 K, the E14 LED lamp is the ideal light source for many lamps, e.g. in refrigerators, sewing machines, table lamps or extractor hoods

Perfect for the refrigerator: As an LED light source, the refrigerator bulb generates very little heat and is immediately bright when switched on

80 Ra ensures particularly true and natural colour rendering of food in the refrigerator

Particularly temperature-resistant: The LED refrigerator bulb works reliably even at cool temperatures

With a service life of 20,000 hours, the LED light remains reliable for many years



				Packaging: Retail Box					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 43	77426	4040849774263	3.99 €	400	1	9.80 cm	5.50 cm	3.50 cm	0.020 kg

LED Compact Lamp, 3 W

G4 base, warm white, not dimmable



G4 base

warm white

3 W

With 3 W output, the Goobay LED lamp is just as bright as a 35 W incandescent lamp, but consumes approx. 88 % less energy

Compact and clever with Ø 13 x 44 mm: The LED G4 lamp replaces a G4 halogen lamp, e.g. in sockets in recessed spotlights, recessed downlights or ceiling lights

With 360 lm and warm white 3000 K, the G4 LED lamp is the ideal light source for many lamps, including desk lamps, LED under-cabinet lights, table lamps, display cabinets and mirror cabinets

Perfect for cupboards and confined spaces: As an LED light source, the pin base lamp generates very little heat and is immediately bright when switched on

80 Ra ensures particularly true and natural colour rendering

With a service life of 20,000 hours, the LED light remains reliable for many years



Packaging: Retail Box

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 43	77428	4040849774287	4.99 €	400	1	9.80 cm	5.50 cm	3.50 cm	0.016 kg

LED Compact Lamp, 3.5 W

G9 base, warm white, not dimmable



G9 base

warm white

3.5 W

With 3.5 W output, the Goobay LED lamp is just as bright as a 40 W incandescent lamp, but consumes approx. 88 % less energy

Compact and clever with a diameter of 16 x 48 mm: The LED G9 lamp replaces a G9 halogen lamp, e.g. in sockets in recessed spotlights, recessed floodlights or ceiling lights

With 400 lm and warm white 3000 K, the G9 LED bulb is the ideal light source for many lamps, including desk lamps, LED under-cabinet lights, table lamps, display cabinets and mirror cabinets

Perfect for cupboards and confined spaces: As an LED light source, the pin base lamp generates very little heat and is immediately bright when switched on

80 Ra ensures particularly true and natural colour rendering

With a service life of 20,000 hours, the LED light remains reliable for many years



				Packaging: Retail Box					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 43	77427	4040849774270	3.99 €	400	1	9.80 cm	5.50 cm	3.50 cm	0.020 kg

Our principle

**“A good deal
should be
win-win!”**



wentronic

**Thank you for
taking an interest**

If you have any questions or are interested in joint marketing campaigns, we look forward to hearing from you. Please feel free to contact us at any time.

Wentronic GmbH
Pillmannstraße 12
38112 Braunschweig
Tel/Fax: +49 (0)531-21058-0 /-22
www.wentronic.com