


OCT PRODUCT NEWS

- + Dual Monitor Mount Office
- + TV Wall Mount Basic FULLMOTION
- + Ultra High Speed HDMI™ flex adapter
- + USB-C™ to DC Cable
- + Self-Retracting USB-C™ Cable
- + Twin Power Set 2x Chargers, 2x USB-C™ Cables
- + LED Solar Wall Lights with Motion Sensor
- + LED Grave Candles


wentronic

PRODUCT NEWS


OVERVIEW



Dual Monitor
Mount Office



TV Wall Mount
Basic FULLMOTION



Ultra High Speed
HDMI flex adapter



USB-C™ to DC
Cables



Self-Retracting
USB-C™ Cable



Twin Power Set
2x Chargers,
2x USB-C™ Cables



LED Solar
Wall Lights with
Motion Sensor



LED
Grave Candles

Dual Monitor Mount Office

17 and 32 inches (43-81 cm)



17–32 inches

up to 9 kg each

The mount for the professional sector: With its slim base, the robust metal monitor stand is the space-saving solution for desks in the office or at home

With the practical handle, both monitors can be swivelled and positioned synchronously – comfortably and effortlessly thanks to the gas pressure spring

Perfect for stable table mounting of two screens up to 9 kg each, height-adjustable, $\pm 10^\circ$ swivelling and $\pm 10^\circ$ tilting, 180° rotation, recommended tabletop thickness: 12-50 mm

User-friendly installation thanks to the easy-access screw on the top of the base, without inconvenient attachment under the table and without moving heavy tables away from the wall


Simple mounting: In a first step, screw the VESA®-compatible plate to the monitor, in a second step, hook it into the monitor mount and turn the locking screw

Installation is quick and easy with the included mounting material, either using a screw with drill hole or a table clamp that can be removed without leaving any residue

The monitor mount is compatible with the VESA® standards 75x75 mm and 100x100 mm



goobay® Basic



Packaging: Retail Box

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 46	74074	4040849740749	149.99 €	3	1	40.00 cm	32.50 cm	10.70 cm	5.600 kg

TV Wall Mount Basic FULLMOTION (L)

37 to 80 inch (94-203 cm)



37–80 inches

max. 40 kg

Maximum flexible TV mount for an optimised viewing angle: +2/-16° tiltable (up/down), +60/-60° swivelling (left/right), 34.8 cm extendable

For a discreet room appearance, the mount achieves a minimum wall clearance of 6.1 cm so that the TV does not protrude/extend into the room


The infinitely adjustable, double scissor arm joint ensures stable guidance when extending the mount and a reliable hold

Simple mounting: In a first step, screw the mounting rails to the TV, in a second step, hook them into the mount at either height level 1 or 2

Hook-and-loop fasteners attach the cables to the scissor arms, ensuring a clean look without cable clutter

The TV wall bracket is suitable for most curved and flat screen TVs from popular brands, e.g. Samsung (QLED and LED), Sony, Philips and LG as well as many sizes, e.g. 50 inch, 55 inch, 58 inch, 65 inch, 75 inch

Compatible with VESA® standards
100x100 mm, 100x150 mm, 150x100 mm, 100x200 mm, 200x100 mm, 150x150 mm, 200x200 mm, 300x200 mm, 400x200 mm, 300x300 mm, 400x300 mm, 600x200 mm, 400x400 mm, 600x300 mm ,600x400 mm



Packaging: Retail Box

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 48	76474	4040849764745	34.99 €	3	1	69.00 cm	20.50 cm	6.50 cm	4.262 kg

Ultra High Speed HDMI™ flex adapter

8K/60 Hz



8K @ 60 Hz / 4K @ 120 Hz

48 Gbit/s

0.1 m

Flexible and bendable short extension for connections that are difficult to access, e.g. on the back of the TV

Extends an HDMI™ cable and is suitable for connecting standard HDMI™ devices.

The HDMI™ cable achieves crisp UHD resolutions of up to 8K @ 60 Hz and 4K @ 120 Hz (backwards compatible)

Supports a max. transfer rate of up to 48 Gbit/s for uncompressed 8K videos with HDR as well as ARC (Audio Return Channel), HDCP and 3D content

Flexible premium cable with slim metal plugs, bend protection and colour-matched textile cable

The braided textile sheath of the connection cable provides a pleasant feel and is gentle on sensitive surfaces

The gold-plated plugs prevent corrosion and are especially durable



				Packaging: Retail Polybag					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 45	79145	4040849791451	8.99 €	200	1	15.00 cm	16.00 cm	1.00 cm	0.035 kg

USB-C™ to DC Cable 5 V/3 A

USB-C™ male > DC male (5.50 x 2.10 mm)



- 5 V / 3 A
- DC 2.1 x 5.5 mm
- 0.5 -1.5 m

Designed to power small devices with a DC input, either via a USB-C™ power supply or a USB-C™ device port, e.g. on a laptop or PC

The DC cable is suitable for a fixed voltage of 5 V at 3 A

Suitable for many small devices such as routers, digital cameras, speakers or USB hubs

Perfect as a replacement cable for defective power cables of small devices with a DC port (2.1 x 5.5 mm)

The space-saving DC angle plug is handy for devices with rear connections close to the wall, e.g. routers, Blu-ray players or sound systems

The angled plug effectively prevents the cable from kinking and breaking

With a narrow cable diameter of 3.5 mm for exceptional flexibility and a discreet look



					Packaging: Cable Tag						
Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight	
● exp. from week 46	0.50 m	78971	4040849789717	2.99 €	800	1	10.00 cm	10.00 cm	1.00 cm	0.014 kg	
● exp. from week 46	1.00 m	78972	4040849789724	3.99 €	400	1	10.00 cm	10.00 cm	1.00 cm	0.022 kg	
● exp. from week 46	1.50 m	78973	4040849789731	4.99 €	300	1	11.00 cm	11.00 cm	1.50 cm	0.033 kg	

USB-C™ to DC Cable 5 V/3 A

USB-C™ male > DC male (5.50 x 2.50 mm)



5 V / 3 A DC 2.5 x 5.5 mm 0.5 -1.5 m

Designed to power small devices with a DC input, either via a USB-C™ power supply or a USB-C™ device port, e.g. on a laptop or PC

The DC cable is suitable for a fixed voltage of 5 V at 3 A

Suitable for many small devices such as routers, digital cameras, speakers or USB hubs

Perfect as a replacement cable for defective power cables of small devices with a DC port (2.5 x 5.5 mm)

The space-saving DC angle plug is handy for devices with rear connections close to the wall, e.g. routers, Blu-ray players or sound systems

The angled plug effectively prevents the cable from kinking and breaking

With a narrow cable diameter of 3.5 mm for exceptional flexibility and a discreet look



					Packaging: Cable Tag					
Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 46	0.50 m	78968	4040849789687	2.99 €	800	1	10.00 cm	10.00 cm	1.00 cm	0.014 kg
● exp. from week 46	1.00 m	78969	4040849789694	3.99 €	400	1	10.00 cm	10.00 cm	1.00 cm	0.022 kg
● exp. from week 46	1.50 m	78970	4040849789700	4.99 €	300	1	11.00 cm	10.00 cm	1.50 cm	0.033 kg

Self-Retracting USB-C™ Cable

USB charger cable with 15 W in a robust housing box



Self-Retracting

USB-C™ flat cable

15 W

480 Mbit/s

1 m

Extendable, flat USB-C™ charger cable in a compact housing box, perfect for transport in your bag without any cable tangles or cable breakage

Adjustable in 5 stages: The USB cable can be extended to five different lengths by simultaneously pulling on both cable ends

Practical retraction mechanism: Pulling the cable ends again triggers the automatic retraction function

Safe transport without protruding plugs: The USB plugs snap flat into the housing to protect them against dust, dirt and cable breakage

With a charging power of 15 W, the USB-C™ cable is ideal for small devices such as smartphones, headphones or tablets

Data rate: The USB-C™ to USB-C™ cable delivers Hi-Speed transfers of up to 480 Mbit/s (USB 2.0)



The USB charging cable is universally compatible with smartphones, Apple iPhone, Samsung Galaxy, PC, laptop, Apple MacBook, tablet, drones or consoles such as Nintendo Switch or Steam Deck

Packaging: Retail Box

Availability	Colour	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 41	● schwarz	77424	4040849774249	6.99 €	180	1	8.50 cm	6.00 cm	2.60 cm	0.054 kg
● exp. from week 41	● weiß	77425	4040849774256	6.99 €	180	1	8.50 cm	6.00 cm	2.60 cm	0.054 kg

Twin Power Set 2x USB-C™ Chargers (35 W), 2x USB-C™ Cables

2x USB-C™ ports (Power Delivery) per charger,
2x USB-C™ plugs per cable



35 W 2x USB-C™ PD 1 m

With 35 W of power, the charging adapters are specially tailored to small devices such as smartphones, Bluetooth headphones, tablets or power banks

With Power Delivery, the USB chargers come with a particularly safe and dynamic charging method that identifies the optimal output power for the connected device

The integrated protection electronics of the USB-C™ chargers protect connected devices against overcurrent, overcharging and overheating

The USB-C™ charging cables provide charging at up to 60 W (20 V/3 A) and Hi-Speed data transfers at up to 480 Mbit/s (USB 2.0)

At 1 m length, the USB cables are perfect for the office, the car or at home – quick and easy charging without cable clutter

The charging adapters and cables are compatible with smartphone brands such as Apple iPhone, Samsung, Xiaomi, LG and Huawei, as well as tablets such as the Apple iPad and Samsung Galaxy



				Packaging: Bulk					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● available	79645	4040849796456	39.99 €	-	1	25.00 cm	35.00 cm	3.00 cm	0.214 kg

Twin Power Set 2x USB-C™ Chargers (30 W), 2x USB-C™ Cables

1x USB-C™ port (Power Delivery) and 1x USB-A port per charger, 2x USB-C™ plugs per cable



- 30 W
- 1x USB-C™ PD
- 1x USB-A
- 1 m

With 30 W of power, the charging adapters are specially tailored to small devices such as smartphones, Bluetooth headphones, tablets or power banks

With Power Delivery, the USB chargers come with a particularly safe and dynamic charging method that identifies the optimal output power for the connected device

The integrated protection electronics of the USB-C™ chargers protect connected devices against overcurrent, overcharging and overheating

The USB-C™ charging cables provide charging at up to 60 W (20 V/3 A) and Hi-Speed data transfers at up to 480 Mbit/s (USB 2.0)

At 1 m length, the USB cables are perfect for the office, the car or at home – quick and easy charging without cable clutter

The charging adapters and cables are compatible with smartphone brands such as Apple iPhone, Samsung, Xiaomi, LG and Huawei, as well as tablets such as the Apple iPad and Samsung Galaxy



				Packaging: Bulk					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● available	79644	4040849796449	39.99 €	-	1	25.00 cm	35.00 cm	3.00 cm	0.280 kg

LED Solar Wall Light with Motion Sensor

solar garden light is a neutral white lighting solution for entrances, carports and staircases



- Solar
- neutral white
- 4 W
- IP65

Solar lamp with modern, new streamlined shape and beautiful light effect

No energy costs due to high-quality solar panel made of monocrystalline silicon (2.4 Wp)

Solar flood lights with large 120° beam angle are ideal as garden lights.

Intelligent PIR sensor with 2 modes, switching on at <30 lx

Solar-powered outdoor light with very bright light thanks to innovative SMD 5435 LEDs (54x front, 2x back)

Replaceable, long-life Li-Ion battery 18650 (3.7 V/ 2000 mAh)

Outdoor solar light is perfectly protected in any weather (-20 to 50 °C) (protection class IP65).



						Packaging: Retail Box						
Availability	Colour	Item no.	EAN	RRP	Previous	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight	
● exp. from week 45	● black	77429	4040849774294	39.99 €	45807	12	1	21.70 cm	15.50 cm	12.60 cm	0.741 kg	
● exp. from week 45	● white	77441	4040849774416	39.99 €	45808	12	1	21.70 cm	15.50 cm	12.60 cm	0.741 kg	

LED Grave Candle

with realistic 3D wick, warm white (2400 K), battery-operated (2x AA), for indoor and outdoor use (IP44)



warm white 2x AA IP44

LED illumination in the grave light provides a realistic candle effect especially at dusk and at night

Unlike real candles, the electric grave light does not require renewing of the candle every day, instead it glows for approx. 30 days per set of batteries

The weatherproof lid protects the memorial candle from moisture so that it can be placed directly on the grave or in a grave lantern

With discreet on/off switch placed next to the LED inside the grave candle, reachable via the removable lid

The grave light is suitable for indoor and outdoor use - thanks to its IP44 protection rating and the waterproof battery compartment inside the candle

Dimensions: 12.3 x 7.3 cm, battery-operated (2x AA, not included)



						Packaging: Bulk						
Availability	Colour	Item no.	EAN	RRP	Previous	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight	
● exp. from week 44	● red	77757	4040849777578	3.99 €	60335	24	1	13.00 cm	8.00 cm	8.00 cm	0.086 kg	
● exp. from week 44	● white	77771	4040849777714	3.98 €	64604	24	1	13.00 cm	8.00 cm	8.00 cm	0.087 kg	



Goobay tools

All the nuts and bolts you need. Discover the entire product range.

Wentronic GmbH

Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

Our principle

**“A good deal
should be
win-win!”**



wentronic

**Thank you for
taking an interest**

If you have any questions or are interested in joint marketing campaigns, we look forward to hearing from you. Please feel free to contact us at any time.

Wentronic GmbH
Pillmannstraße 12
38112 Braunschweig
Tel/Fax: +49 (0)531-21058-0 /-22
www.wentronic.com